

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX A

Large Waterway Structure Photos

Provided by SGSC

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Appendix Figure A. 1 Dyrings Road Bridge 1 – Stockyard Creek (1/2)



Appendix Figure A. 2 Dyrings Road Bridge 2 – Stockyard Creek (2/2)

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Appendix Figure A. 3 Boundary Road culverts (upstream) – Stockyard Creek



Appendix Figure A. 4 Pedestrian bridge adjacent to Foster Primary School – Stockyard Creek

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Appendix Figure A. 5 Pedestrian bridge adjacent to Scout Hall – Stockyard Creek



Appendix Figure A. 6 Bridge Street culvert crossing - Stockyard Creek

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Appendix Figure A. 7 Pedestrian bridge at Pearl Park - Stockyard Creek



Appendix Figure A. 8 Gardiners Road Crossing - Stockyard Creek (1/2)

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Appendix Figure A. 9 Gardiners Road Crossing - Stockyard Creek (2/2)



Appendix Figure A. 10 Elphicks Road culverts - Bennison Creek

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Appendix Figure A. 11 Jacksons Road bridge - Bennisson Creek



Appendix Figure A. 12 Ameys Track culverts - Bennisson Creek

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX B

Great Southern Rail Trail Structure Photos

Provided by SGSC

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Appendix Figure B. 1 Rail Trail Bridge – Bennison Creek (1/2)



Appendix Figure B. 2 Rail Trail Bridge – Bennison Creek (2/2)

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Appendix Figure B. 3 Rail Trail Bridge – Stockyard Creek (1/2)




Appendix Figure B. 4 Rail Trail Bridge – Stockyard Creek (2/2)

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX C

Stockyard Creek RORB Model Layout




<p>Units 19, 200 Canterbury Rd Canterbury VIC 3128 PO Box 402 Canterbury VIC 3128 www.engeny.com.au P: 03 9600 5670 F: 03 9600 2004 E: info@engeny.com.au</p>  	 <p>Scale in metres (1:25,000 @ A3)</p> <p>Map Projection: Universal Transverse Mercator Horizontal Datum: Geocentric Datum of Australia 1994 (GDA94) Vertical Datum: Australia Height Datum Grid: Map Grid of Australia, Zone 55</p>	<p>Foster Flood and Drainage Study</p> <p>Stockyard Creek RORB Model Layout</p> <p>Job Number: V2025_001 Revision: 2 Drawn: DH Checked: SC Date: 29 August 2017</p>
--	---	---

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX D

Foster Urban RORB Model Layout




<p>Units 18, 200 Canterbury Rd Canterbury VIC 3128 PO Box 402 Canterbury VIC 3128 www.engeny.com.au P: 03 9630 5670 F: 03 9630 2804 E: info@engeny.com.au</p>  	 <p>Scale in metres (1:15,000 @ A3)</p> <p>Map Projection: Universal Transverse Mercator Horizontal Datum: Geocentric Datum of Australia 1994 (GDA94) Vertical Datum: Australia Height Datum Grid: Map Grid of Australia, Zone 55</p>	<p>Foster Flood and Drainage Study</p> <p>Stockyard Creek Rainfall Excess RORB Model Layout</p> <p>Job Number: V2025_001 Revision: 1 Drawn: DH Checked: NA Date: 1 September 2017</p>
--	---	---

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX E

Bennison Creek RORB Model Layout



<p> Suite 19, 320 Canterbury Rd Canterbury VIC 3128 PO Box 462 Canterbury VIC 3128 www.engeny.com.au P: 03 9699 5470 F: 03 9630 2801 E: info@engeny.com.au </p>  	 <p>Scale in metres (1:25,000 @ A3)</p> <p> Map Projection: Universal Transverse Mercator Horizontal Datum: Geocentric Datum of Australia 1994 (GDA94) Vertical Datum: Australia Height Datum Grid: Map Grid of Australia, Zone 55 </p>	<p>Foster Flood and Drainage Study</p> <p>Bannison Creek RORB Model Layout</p> <p> Job Number: V2025_001 Revision: 2 Drawn: DH Checked: SC Date: 29 August 2017 </p>
--	---	--

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX F

Stockyard Creek Impervious Fractions

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Name	Area (km ²)	Impervious Fraction
A	0.97	0.066
B	0.666	0.066
C	0.617	0.062
D	0.696	0.072
E	0.903	0.066
F	0.618	0.053
G	0.473	0.075
H	0.712	0.052
I	0.786	0.053
J	0.89	0.055
K	0.718	0.067
L	1.055	0.053
M	0.829	0.06
N	0.903	0.061
O	1.295	0.071
P	1.06	0.061
Q	0.625	0.08
R	1.139	0.099
S	0.788	0.054
T	0.85	0.075
U	0.964	0.101
V	0.873	0.293
W	0.449	0.497

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Name	Area (km ²)	Impervious Fraction
X	0.755	0.486
Y	0.516	0.401
Z	0.519	0.106
AA	1.001	0.079
AB	0.288	0.327
AC	0.658	0.223
AD	0.731	0.223
AE	0.848	0.214

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX G

Bennison Creek Impervious Fractions

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Name	Area (km ²)	Impervious Fraction
A	0.715	0.085
B	1.075	0.092
C	0.905	0.063
D	1.233	0.077
E	1.017	0.054
F	1.28	0.086
G	0.841	0.05
H	0.559	0.061
I	0.733	0.063
J	0.595	0.054
K	0.757	0.056
L	0.864	0.059
M	0.598	0.068
N	0.985	0.061
O	0.267	0.052
P	0.255	0.076
Q	0.328	0.134
R	0.241	0.05
S	0.218	0.086
T	0.196	0.085
U	0.357	0.187
V	0.456	0.166
W	0.36	0.133

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



X	0.198	0.05
Y	0.346	0.054
Z	0.33	0.116
AA	0.422	0.083
AB	0.375	0.05
AC	0.306	0.109
AD	0.363	0.05
AE	0.22	0.05
AF	0.301	0.058
AG	0.276	0.05
AH	0.295	0.06
AI	0.321	0.123
AJ	0.182	0.05

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX H

Stockyard Creek 2016 IFD Rainfall Intensities

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Duration	Rainfall Intensity (mm/hr)				
	20 % AEP	10 % AEP	5 % AEP	2 % AEP	1 % AEP
10 min	57.96	69.00	80.40	96.00	108.60
15 min	47.20	56.00	65.20	78.00	88.40
20 min	40.50	48.30	56.10	67.20	76.20
25 min	35.76	42.72	49.92	59.76	67.92
45 min	25.73	30.93	36.13	43.60	49.47
1 hour	21.80	26.20	30.70	37.10	42.10
1.5 hour	17.13	20.60	24.27	29.33	33.40
2 hour	14.40	17.35	20.40	24.70	28.15
3 hour	11.23	13.53	15.93	19.30	22.03
4.5 hour	8.73	10.49	12.33	14.96	17.16
6 hour	7.28	8.73	10.25	12.45	14.30
9 hour	5.62	6.73	7.89	9.60	11.07
12 hour	4.68	5.58	6.54	7.97	9.25
18 hour	3.59	4.28	5.02	6.11	7.11
24 hour	2.97	3.54	4.16	5.08	5.92
36 hour	2.26	2.70	3.19	3.92	4.56
48 hour	1.85	2.23	2.63	3.23	3.77
72 hour	1.39	1.67	1.97	2.44	2.83

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX I

Bennison Creek 2016 IFD Rainfall Intensities

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



Duration	Rainfall Intensity (mm/hr)				
	20 % AEP	10 % AEP	5 % AEP	2 % AEP	1 % AEP
10 min	58.38	69.60	81.00	96.60	109.80
15 min	47.60	56.40	66.00	78.80	89.20
20 min	40.80	48.60	56.70	67.80	77.10
25 min	36.00	43.20	50.16	60.24	68.40
45 min	25.87	31.07	36.40	43.87	49.73
1 hour	21.90	26.30	30.90	37.30	42.40
1.5 hour	17.20	20.67	24.33	29.47	33.53
2 hour	14.45	17.40	20.50	24.85	28.30
3 hour	11.27	13.57	15.97	19.40	22.17
4.5 hour	8.76	10.53	12.40	15.07	17.27
6 hour	7.32	8.78	10.32	12.55	14.43
9 hour	5.66	6.78	7.96	9.69	11.22
12 hour	4.70	5.63	6.61	8.06	9.33
18 hour	3.62	4.33	5.08	6.22	7.22
24 hour	2.99	3.58	4.21	5.17	6.00
36 hour	2.28	2.74	3.22	3.97	4.61
48 hour	1.88	2.25	2.67	3.29	3.81
72 hour	1.40	1.69	2.00	2.47	2.88

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS




APPENDIX J

AR&R 2016 Data Hub Outputs

Australian Rainfall & Runoff Data Hub - Results

Input Data

Longitude	146.191
Latitude	-38.654
Selected Regions (clear)	
River Region	show
ARF Parameters	show
Temporal Patterns	show
Areal Temporal Patterns	show
Interim Climate Change Factors	show



Leaflet (<http://leafletjs.com/>) | Map data © OpenStreetMap (<http://openstreetmap.org/>) contributors, CC-BY-SA (<http://creativecommons.org/licenses/by-sa/2.0/>), Imagery © Mapbox (<http://mapbox.com/>)

Region Information

Data Category	Region
River Region	South Gippsland
ARF Parameters	Southern Temperate
Temporal Patterns	Southern Slopes (Vic/NSW)

Data

River Region

division	South East Coast (Victoria)
rivregnum	4
River Region	South Gippsland

Layer Info

Time Accessed	25 August 2017 02:15PM
Version	2016_v1

8/25/2017

Results | ARR Data Hub

ARF Parameters

Long Duration ARF

$$ARF = Min \left\{ 1, \left[1 - a (Area^b - c \log_{10} Duration) Duration^{-d} + e Area^f Duration^g (0.3 + \log_{10} AEP) + h 10^{i Area \frac{Duration}{1440}} (0.3 + \log_{10} AEP) \right] \right\}$$

Zone	a	b	c	d	e	f	g	h	i
Southern Temperate	0.158	0.276	0.372	0.315	0.000141	0.41	0.15	0.01	-0.0027

Short Duration ARF

$$ARF = Min \left[1, 1 - 0.287 (Area^{0.265} - 0.439 \log_{10}(Duration)) \cdot Duration^{-0.36} + 2.26 \times 10^{-3} \times Area^{0.226} \cdot Duration^{0.125} (0.3 + \log_{10}(AEP)) + 0.0141 \times Area^{0.213} \times 10^{-0.021 \frac{(Duration-180)^2}{1440}} (0.3 + \log_{10}(AEP)) \right]$$

Layer Info

Time Accessed	25 August 2017 02:15PM
Version	2016_v1

Storm Losses

Note: Burst Loss = Storm Loss - Preburst

Note: These losses are only for rural use and are NOT FOR USE in urban areas

Storm Initial Losses (mm)	20.0
Storm Continuing Losses (mm/h)	4.5

Layer Info

Time Accessed	25 August 2017 02:15PM
Version	2016_v1

Temporal Patterns | Download (.zip) (./temporal_patterns/tp/SSmainland.zip)

code	SSmainland
Label	Southern Slopes (Vic/NSW)

Layer Info

Time Accessed	25 August 2017 02:15PM
Version	2016_v2

8/25/2017

Results | ARR Data Hub

Areal Temporal Patterns | Download (.zip) (./temporal_patterns/areal/Areal_SSmainland.zip)

code	SSmainland
arealabel	Southern Slopes (Vic/NSW)

Layer Info

Time Accessed	25 August 2017 02:15PM
Version	2016_v2

BOM IFD Depths

Click here (http://www.bom.gov.au/water/designRainfalls/revised-ifd/?year=2016&coordinate_type=dd&latitude=-38.65406507&longitude=146.1906927&sdmin=true&sdhr=true&sdday=true&user_label=) to obtain the IFD depths for catchment centroid from the BoM website

Layer Info

Time Accessed	25 August 2017 02:15PM
Version	2016_v2

Median Preburst Depths and Ratios

Values are of the format depth (ratio) with depth in mm

min (h)\AEP(%)	50	20	10	5	2	1
60 (1.0)	1.6 (0.102)	1.6 (0.075)	1.6 (0.063)	1.7 (0.054)	1.4 (0.038)	1.2 (0.029)
90 (1.5)	2.2 (0.12)	2.0 (0.079)	1.9 (0.062)	1.8 (0.05)	1.8 (0.04)	1.7 (0.035)
120 (2.0)	1.6 (0.075)	2.2 (0.077)	2.6 (0.076)	3.0 (0.074)	1.7 (0.034)	0.7 (0.012)
180 (3.0)	1.9 (0.076)	2.4 (0.072)	2.8 (0.069)	3.1 (0.066)	3.7 (0.064)	4.2 (0.063)
360 (6.0)	1.0 (0.033)	3.0 (0.068)	4.2 (0.081)	5.4 (0.088)	8.0 (0.107)	9.9 (0.115)
720 (12.0)	0.3 (0.008)	2.8 (0.05)	4.5 (0.067)	6.1 (0.077)	7.9 (0.082)	9.3 (0.084)
1080 (18.0)	0.0 (0.0)	0.9 (0.013)	1.4 (0.019)	2.0 (0.022)	3.1 (0.028)	3.9 (0.03)
1440 (24.0)	0.0 (0.0)	0.2 (0.003)	0.4 (0.004)	0.5 (0.005)	1.1 (0.009)	1.6 (0.011)
2160 (36.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.2 (0.002)	0.4 (0.002)
2880 (48.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
4320 (72.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)

Layer Info

Time Accessed	25 August 2017 02:15PM
Version	2016_v2

8/25/2017

Results | ARR Data Hub

10% Preburst Depths

min (h)\AEP(%)	50	20	10	5	2	1
60 (1.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
90 (1.5)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
120 (2.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
180 (3.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
360 (6.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
720 (12.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
1080 (18.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
1440 (24.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
2160 (36.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
2880 (48.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
4320 (72.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)

Layer Info

Time Accessed	25 August 2017 02:15PM
Version	2016_v2

25% Preburst Depths

min (h)\AEP(%)	50	20	10	5	2	1
60 (1.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
90 (1.5)	0.1 (0.004)	0.0 (0.002)	0.0 (0.001)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
120 (2.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
180 (3.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
360 (6.0)	0.0 (0.0)	0.0 (0.001)	0.0 (0.001)	0.1 (0.001)	0.0 (0.0)	0.0 (0.0)
720 (12.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
1080 (18.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
1440 (24.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
2160 (36.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
2880 (48.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
4320 (72.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)

Layer Info

Time Accessed	25 August 2017 02:15PM
Version	2016_v2

8/25/2017

Results | ARR Data Hub

75% Preburst Depths

min (h)\AEP(%)	50	20	10	5	2	1
60 (1.0)	7.8 (0.496)	8.8 (0.402)	9.4 (0.358)	10.0 (0.324)	10.8 (0.291)	11.4 (0.271)
90 (1.5)	9.7 (0.521)	12.3 (0.479)	14.0 (0.454)	15.7 (0.432)	14.1 (0.32)	12.8 (0.256)
120 (2.0)	12.4 (0.597)	15.4 (0.534)	17.4 (0.5)	19.2 (0.471)	16.4 (0.332)	14.3 (0.254)
180 (3.0)	11.6 (0.475)	12.9 (0.383)	13.8 (0.34)	14.6 (0.306)	18.9 (0.326)	22.1 (0.334)
360 (6.0)	7.8 (0.243)	15.4 (0.353)	20.5 (0.392)	25.4 (0.413)	30.8 (0.412)	34.9 (0.406)
720 (12.0)	4.7 (0.113)	10.9 (0.195)	15.1 (0.225)	19.0 (0.243)	22.2 (0.232)	24.6 (0.223)
1080 (18.0)	3.6 (0.075)	8.3 (0.129)	11.5 (0.149)	14.5 (0.16)	18.2 (0.164)	20.9 (0.163)
1440 (24.0)	0.6 (0.012)	3.3 (0.046)	5.0 (0.059)	6.7 (0.067)	11.0 (0.09)	14.3 (0.1)
2160 (36.0)	0.9 (0.014)	2.3 (0.029)	3.3 (0.034)	4.3 (0.037)	9.6 (0.068)	13.5 (0.082)
2880 (48.0)	0.0 (0.0)	0.6 (0.006)	0.9 (0.009)	1.3 (0.01)	2.9 (0.018)	4.0 (0.022)
4320 (72.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.5 (0.003)	0.8 (0.004)

Layer Info

Time Accessed	25 August 2017 02:15PM
Version	2016_v2

90% Preburst Depths

min (h)\AEP(%)	50	20	10	5	2	1
60 (1.0)	26.5 (1.681)	27.8 (1.277)	28.7 (1.096)	29.5 (0.961)	29.3 (0.79)	29.1 (0.691)
90 (1.5)	23.8 (1.282)	27.9 (1.084)	30.6 (0.988)	33.2 (0.911)	33.1 (0.752)	33.0 (0.659)
120 (2.0)	29.5 (1.416)	32.1 (1.115)	33.9 (0.976)	35.6 (0.87)	39.4 (0.797)	42.3 (0.75)
180 (3.0)	30.4 (1.243)	33.5 (0.994)	35.6 (0.877)	37.6 (0.787)	41.1 (0.709)	43.7 (0.66)
360 (6.0)	19.6 (0.615)	30.9 (0.706)	38.3 (0.731)	45.5 (0.739)	56.9 (0.762)	65.5 (0.763)
720 (12.0)	22.4 (0.541)	28.7 (0.513)	32.9 (0.492)	37.0 (0.471)	46.3 (0.484)	53.2 (0.481)
1080 (18.0)	17.3 (0.361)	20.6 (0.319)	22.8 (0.295)	24.9 (0.275)	31.8 (0.288)	36.9 (0.289)
1440 (24.0)	14.1 (0.266)	19.6 (0.275)	23.2 (0.273)	26.7 (0.267)	33.6 (0.274)	38.7 (0.273)
2160 (36.0)	7.5 (0.123)	10.5 (0.129)	12.4 (0.128)	14.3 (0.125)	25.7 (0.182)	34.3 (0.209)
2880 (48.0)	3.4 (0.052)	6.7 (0.075)	8.8 (0.083)	10.9 (0.087)	21.2 (0.137)	29.0 (0.16)
4320 (72.0)	3.9 (0.052)	3.5 (0.035)	3.3 (0.027)	3.1 (0.022)	14.0 (0.08)	22.2 (0.109)

Layer Info

Time Accessed	25 August 2017 02:15PM
Version	2016_v2

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX K

Stockyard Creek GSDM Calculation Sheet

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



LOCATION INFORMATION				
Catchment	Stockyard Creek		Area	24.21 km ²
State	Victoria		Duration Limit	6 hrs
Latitude	: 38°65' S		Longitude	: 146°17' E
Portion of Area Considered:				
Smooth, S =	0	(0.0 - 1.0)	Rough, R =	1 (0.0 - 1.0)
ELEVATION ADJUSTMENT FACTOR (EAF)				
Adjustment for Elevation (-0.05 per 300 m above 1500 m)				
EAF =	1	(0.85 - 1.00)		
MOISTURE ADJUSTMENT FACTOR (MAF)				
MAF =	0.55	(0.40 - 1.00)		
PMP VALUES (mm)				
Duration (hours)	Initial Depth - Smooth (D _S)	Initial Depth - Rough (D _R)	PMP Estimate = (D _S xS + D _R xR) x MAF x EAF	Rounded PMP Estimate (nearest 10 mm)
0.25		195	107.25	110
0.5		290	159.5	160
0.75		370	203.5	200
1		435	239.25	240
1.5		498	273.9	270
2		650	357.5	360
2.5		720	396	400
3		785	431.75	430
4		895	492.25	490
5		985	541.75	540
6		1050	577.5	580

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX L

Bennison Creek GSDM Calculation Sheet

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



LOCATION INFORMATION				
Catchment	Bennison Creek		Area	18.77 km ²
State	Victoria		Duration Limit	6 hrs
Latitude : 38°64' S			Longitude : 146°21' E	
Portion of Area Considered:				
Smooth , S =	0	(0.0 - 1.0)	Rough , R =	1 (0.0 - 1.0)
ELEVATION ADJUSTMENT FACTOR (EAF)				
Adjustment for Elevation (-0.05 per 300 m above 1500 m)				
EAF =	1	(0.85 - 1.00)		
MOISTURE ADJUSTMENT FACTOR (MAF)				
MAF =	0.55	(0.40 - 1.00)		
PMP VALUES (mm)				
Duration (hours)	Initial Depth - Smooth (D _s)	Initial Depth - Rough (D _R)	PMP Estimate = (D _s xS + D _R xR) x MAF x EAF	Rounded PMP Estimate (nearest 10 mm)
0.25		202	111.1	110
0.5		297	163.35	160
0.75		380	209	210
1		445	244.75	240
1.5		510	280.5	280
2		667	366.85	370
2.5		736	404.8	400
3		805	442.75	440
4		916	503.8	500
5		1010	555.5	560
6		1075	591.25	590


SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX M

Foster Framework Plan

Foster Framework Plan



- | | | | |
|--|----------------------------|--|---------------------|
| | Existing Town Centre | Existing Open-Space / Public Use / Education and Environmental Areas | Township Boundary |
| Existing Urban Zoned Land | Future Industrial | Creek | Major Traffic Route |
| Urban Expansion Areas | Low Density Expansion Area | Direction of Development | |
| Rural Living Expansion Areas | | | |
| Potential Town Centre Expansion Investigation Area | | | |


Note: Where Township Boundary line does not accord with a lot boundary or road, the line is indicative and zone boundaries may vary depending on site specific requirements

SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX N

Stockyard Creek Hydraulic Model Layout







SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX O

Bennison Creek Hydraulic Model Layout




<p>  ENGENY <small>WATER MANAGEMENT</small> </p>	<p>  South Gippsland <i>Shire Council</i> </p>	<p> 280 0 280 m  Scale in metres (1:14,000 @ A3) Map Projection: Transverse Mercator Horizontal Datum: Geocentric Datum of Australia Vertical Datum: Australia Height Datum Grid: Map Grid of Australia, Zone 55 </p>	<p> Foster Flood Study Bannison Creek TUFLOW Model Layout </p>	<p> Job Number: V2025_001 Revision: 1 Drawn: DH Checked: NA Date: 8/6/2018 </p>
---	---	--	--	---


SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX P

Material Roughness Maps





SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX Q

Residents Flood Photos



STOCKYARD CREEK AT END OF BOYD COURT
FOSTER. MORNING AFTER JUNE 2016 FLOOD
ALREADY GONE DOWN AFTER HIGH THE NIGHT
BEFORE. THESE PLANTS WERE ENTIRELY
SUBMERGED. NOTE SILT LEFT BEHIND.

GRAY TREENERY 2/5 BOYD COURT. FOSTER.

STOCKYARD CREEK AT THE END OF
BOYD COURT, FOSTER. MORNING ~~AT~~ FLOOD
JUNE 2016 ALREADY GOING DOWN
AFTER

GRAY TREENERY 2/5 BOYD CRT. FOSTER.





STOCKYARD CREEK AT END OF BOYD COURT
MORNING AFTER JUNE 2016 FLOOD. ALREADY
GOING DOWN.

GRAY TRENERY 2/5 BOYD CRT. FOSTER.

STOCKYARD CREEK AT END OF BOYD COLIRT
FOSTER. MORNING AFTER JUNE 2016 FLOOD.
ALREDDY GOING DOWN. NOTE HOW HIGH
NIGHT BEFORE.

GRAY TRENERY 2/5 BOYD CRT FOSTER.






SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS



APPENDIX R

2 % AEP Maximum Flood Depth at Boundary Road with Blockage



Legend

- Council Pipes
- Council Pits
- Property Boundaries
- TUFLOW Model Boundary

Flood Depth

- 0.05-0.10m
- 0.10-0.20m
- 0.20-0.30m
- 0.30-0.40m
- 0.40-0.50m
- >0.50m

Suite 15, 333 Canterbury Rd, Canterbury VIC 3128
 PO Box 462 Canterbury VIC 3128
 www.engeny.com.au
 P: 03 9896 8078
 F: 03 9830 2801




South Gippsland
Shire Council

30 0 30 m
 Scale in metres (1:1,500 @ A3)
 Map Projection: Transverse Mercator
 Horizontal Datum: Geocentric Datum of Australia
 Vertical Datum: Australia Height Datum
 Grid: Map Grid of Australia, Zone 55

Foster Flood Study

Foster - 2% AEP Maximum Flood
Depth with 50% blockage at
Boundary Road (Focus)


Job Number: V2025_001
 Revision: 1
 Drawn: DH
 Checked: NA
 Date: 6/4/2018


SOUTH GIPPSLAND SHIRE COUNCIL
FLOOD AND DRAINAGE STUDY FOR FOSTER AND SURROUNDING CATCHMENTS





APPENDIX S


Stockyard Creek Maximum Flood Depth Maps


























Legend

- ★ Key Location
- ▭ TUFLOW Model Boundary
- ▭ Property Boundary

Flood Depth

- 0.05-0.10m
- 0.10-0.20m
- 0.20-0.30m
- 0.30-0.40m
- 0.40-0.50m
- >0.50m

Level 34, Tenancy 5, 360 Elizabeth St, Melbourne VIC 3000
 PO Box 12192, A'Beckett St VIC 8006
 www.engeny.com.au
 P: 03 9888 6978
 F: 03 9830 2601
 E: melb@engeny.com.au




100 0 100 200 m
 Scale in metres (1:7,500 @ A1)

Map Projection: Transverse Mercator
 Horizontal Datum: Geocentric Datum of Australia
 Vertical Datum: Australia Height Datum
 Grid: Map Grid of Australia, Zone 55

Foster Flood Study

Couper Dam Consequence Assessment Wet Day Flood Failure Max Flood Depth

Job Number: V2025_001
 Revision: 0
 Drawn: DH
 Checked: NEA
 Date: 27/9/2018



Legend

- ★ Key Location
- TUFLOW Model Boundary
- Property Boundary

Flood Depth

- 0.05-0.10m
- 0.10-0.20m
- 0.20-0.30m
- 0.30-0.40m
- 0.40-0.50m
- >0.50m

Level 34, Tenancy 5, 360 Elizabeth St, Melbourne VIC 3000
 PO Box 12192, A'Beckett St VIC 8006
www.engeny.com.au
 P: 03 9888 6978
 F: 03 9830 2601
 E: melb@engeny.com.au



100 0 100 200 m
 Scale in metres (1:7,500 @ A1)

Map Projection: Transverse Mercator
 Horizontal Datum: Geocentric Datum of Australia
 Vertical Datum: Australia Height Datum
 Grid: Map Grid of Australia, Zone 55

Foster Flood Study

Couper Dam Consequence Assessment
Wet Day Flood No Failure Max Flood Depth

Job Number: V2025_001
 Revision: 0
 Drawn: DH
 Checked: NEA
 Date: 27/9/2018



Legend

- ★ Key Location
- TUFLOW Model Boundary
- Property Boundary

Flood Depth

- 0.05-0.10m
- 0.10-0.20m
- 0.20-0.30m
- 0.30-0.40m
- 0.40-0.50m
- >0.50m

Level 34, Tenancy 5, 360 Elizabeth St, Melbourne VIC 3000
 PO Box 12192, A'Beckett St VIC 8006
 www.engeny.com.au
 P: 03 9888 6978
 F: 03 9830 2601
 E: melb@engeny.com.au




100 0 100 200 m
 Scale in metres (1:7,500 @ A1)

Map Projection: Transverse Mercator
 Horizontal Datum: Geocentric Datum of Australia
 Vertical Datum: Australia Height Datum
 Grid: Map Grid of Australia, Zone 55

Foster Flood Study

**Couper Dam Consequence Assessment
 Sunny Day Flood Failure Max Flood Depth**

Job Number: V2025_001
 Revision: 0
 Drawn: DH
 Checked: NEA
 Date: 31/8/2018



Legend

- ★ Key Location
- TUFLOW Model Boundary
- Property Boundary

Depth x Velocity

- 0.25 to 1
- 1 to 2
- 2 to 3
- 3 to 4
- 4 to 5
- > 5

Level 34, Tenancy 5, 360 Elizabeth St, Melbourne VIC 3000
 PO Box 12192, A'Beckett St VIC 8006
www.engeny.com.au
 P: 03 9888 6978
 F: 03 9830 2601
 E: melb@engeny.com.au



100 0 100 200 m
 Scale in metres (1:7,500 @ A1)
 Map Projection: Transverse Mercator
 Horizontal Datum: Geocentric Datum of Australia
 Vertical Datum: Australia Height Datum
 Grid: Map Grid of Australia, Zone 55

Foster Flood Study

Couper Dam Consequence Assessment
 Wet Day Flood Failure Max Flood Depth x Velocity

Job Number: V2025_001
 Revision: 0
 Drawn: DH
 Checked: NEA
 Date: 27/9/2018



Legend

- ★ Key Location
- TUFLOW Model Boundary
- Property Boundary
- Depth x Velocity**
- 0.25 to 1
- 1 to 2
- 2 to 3
- 3 to 4
- 4 to 5
- > 5

Level 34, Tenancy 5, 360 Elizabeth St, Melbourne VIC 3000
 PO Box 12192, A'Beckett St VIC 8006
www.engeny.com.au
 P: 03 9888 6978
 F: 03 9830 2601
 E: melb@engeny.com.au




100 0 100 200 m
 Scale in metres (1:7,500 @ A1)
 Map Projection: Transverse Mercator
 Horizontal Datum: Geocentric Datum of Australia
 Vertical Datum: Australia Height Datum
 Grid: Map Grid of Australia, Zone 55

Foster Flood Study

**Couper Dam Consequence Assessment
 Wet Day Flood No Failure Max Flood Depth x Velocity**

Job Number: V2025_001
 Revision: 0
 Drawn: DH
 Checked: NEA
 Date: 27/9/2018



Legend

- ★ Key Location
- ▭ TUFLOW Model Boundary
- ▭ Property Boundary

Depth x Velocity

- 0.25 to 1
- 1 to 2
- 2 to 3
- 3 to 4
- 4 to 5
- > 5

Level 34, Tenancy 5, 360 Elizabeth St, Melbourne VIC 3000
 PO Box 12192, A'Beckett St VIC 8006
 www.engeny.com.au
 P: 03 9888 6978
 F: 03 9830 2601
 E: melb@engeny.com.au



100 0 100 200 m
 Scale in metres (1:7,500 @ A1)
 Map Projection: Transverse Mercator
 Horizontal Datum: Geocentric Datum of Australia
 Vertical Datum: Australia Height Datum
 Grid: Map Grid of Australia, Zone 55

Foster Flood Study

**Couper Dam Consequence Assessment
 Sunny Day Flood Failure Max Flood Depth x Velocity**

Job Number: V2025_001
 Revision: 0
 Drawn: DH
 Checked: NEA
 Date: 31/8/2018