

## SIGNIFICANT TREE REGISTER 2001 - 2002



SOUTH GIPPSLAND SHIRE COUNCIL &  
SOUTH GIPPSLAND CONSERVATION SOCIETY

Click on the links below  
or go to the [Main Index](#).

You will be able to return  
to the Main Index by  
clicking on the Index link  
at the bottom of each  
page or by using the  
arrows in the Menu Bar.

### [Contents](#)

### [Acknowledgements](#)

### [Introduction](#)

### [References](#)

### **Register**

[Public Trees](#)

[Public Sites](#)

[Public Stands](#)

[Private Sites](#)

[Private Trees](#)

### **Appendixes**

[Latin Names](#)

[Common Names](#)

# Contents

<b>Acknowledgements</b> .....	1
<b>Introduction</b> .....	2,3,4
<b>References</b> .....	4
<b>Register</b>	
<b>Public trees</b>	
Leongatha .....	5,6,7,8,9,10,12,14,15,16,18,19 ,20
Dumbalk .....	5
Korumburra.....	6,10
Mossvale Park.....	6,13,15,16,17,18,20,21
Toora.....	8
Meeniyah .....	9
Darlimurla .....	9
Foster .....	10,12,13,14,15
Sandy Point.....	11
Gunyah Gunyah .....	11
Dumbalk East .....	11
Walkerville .....	13,14
Alambee South .....	17
Nyora .....	19
Neerena.....	19
Berry's Creek.....	22
<b>Public Sites</b>	
Berry's Creek.....	22
Darlimurla .....	9
Dumbalk .....	5
Foster .....	31,32,33,34,54
Kardella .....	23
Kongwak.....	23,24,25,57
Koonwarra.....	42,43
Koorooman.....	25
Korumburra.....	34,35,36,44,45
Leongatha .....	26,38,39,40,41,55,56,57,58,59,60
Leongatha South.....	36,37,38
Loch .....	43,44,61
Meeniyah .....	26,27
Mirboo North .....	5
Mossvale Park.....	46,47,48,49,50,51,52,53
Neerena.....	28
Strzelecki .....	29
Toora.....	29,30
Welshpool .....	30
Wooreen .....	31

**Public Stands**

Mirboo North .....	63,65
Walkerville .....	62
Waratah Bay.....	62
Hedley .....	62,63
Fish Creek.....	63
Tarwin Lower.....	64,65
Poowong .....	64
Stony Creek .....	64
Mount Best.....	64

**Private Sites**

Berry's Creek.....	73,74
Arawata .....	92,93,94
Dumbalk .....	75,76,83,84,85,91,92
Jumbunna .....	78,79
Leongatha .....	74,75,94,95
Leongatha North .....	82,83,89,90
Loch .....	68,77,78
Mardan .....	80,81
Mirboo North .....	63,66,67,89
Mossvale Farm.....	68,69,70,71,72
Toora.....	86,87,88
Waratah North .....	95,96

**Private Trees**

Arawata .....	98,101,111,112,113
Bena.....	99,112
Berry's Creek.....	104,114
Buffalo.....	116
Darlimurla .....	110,115
Dumbalk North .....	100,102,105,108,109
Foster .....	98,103,104,106,109,111,114
Hedley .....	115
Korumburra.....	99,104,107
Leongatha .....	99,100,101,102,105,106,109,114
Leongatha North .....	107,115
Loch .....	100,103,107,110,116
Mardan .....	98,110,113
Mirboo North .....	102,108
Mossvale Farm.....	111,112,113,116
Toora.....	108
Waratah North .....	103

**Appendixes****Latin Name  
Common Name**

© Copyright South Gippsland Shire Council 2001

## **Acknowledgements**

Mary Ellis, who would like to acknowledge the assistance and generosity of all the others who made this project possible, compiled the Register.

First and most important thank you to all the people who nominated trees and made us welcome when visiting their properties.

Then, in alphabetical order, the people who were particularly helpful on field trips or in discussion:

Peter Bateman for his practical experience and enthusiasm,  
Tony Chipperfield for promoting Australian plants,  
Dennis Conn for his knowledge of the old Shire of Korumburra,  
Pat Dale for field assistance and a picnic,  
Dinah Drummond for finding the address of the Forest Commission in Great Britain,  
Rodney Emmerson for his interest in Mossvale, its history and trees,  
David Helms, whose heritage study indicated many sites of significance,  
Dick Lester for his knowledge of the old Shire of Woorayl,  
Helen Mackenzie for technical assistance on a field trip to Walkerville,  
Andrew Nixon who initiated and oversaw the project,  
Members of the Mirboo and District Historical Society, and  
Paddy Percival for encouragement and the loan of a very useful reference, Simpfendorfer.



## Introduction

In the rural landscape of South Gippsland trees are a delineating feature, on roadsides and in remnants of bush. Less than fifteen percent of the native forest, which once covered the area, remains in Wilsons Promontory National Park, Flora and Fauna Reserves, the Strzelecki State Forest (now Hancock Victorian Plantations) and as remnant bush on private properties. As native trees were cleared for cattle runs, mining props and railway sleepers during the latter half of the 1800s, exotic species were introduced for shelter, fruit and timber. Trees have cultural associations with our history. They have an aesthetic value above and beyond all commercial concerns; trees are beautiful.

In 1985 the National Trust established a Register of Significant Trees for the State of Victoria. The purpose of that Register is to protect significant trees and to create awareness of their contribution to the aesthetic, cultural and historic fabric of the State. Members of the public nominated trees by completing a registration form. The information was collated and verified by a professional botanist and assessed for significance by a committee. There are seven trees in the Shire of South Gippsland included on the State Register.

Since then, before shire amalgamations, people expressed interest in developing local registers of significant trees in the former shires of South Gippsland and Woorayl. In 1988 the South Gippsland Conservation Society received a grant from the Australian Bicentennial Authority and the Shire of Woorayl to publish a book, Significant Trees of Woorayl Shire by Richard Lester. Those local registers did not proceed further.

In 1999, the South Gippsland Shire Council, recognising the importance of trees in our community and the increasing interest of residents in both their environment and history, appointed the South Gippsland Conservation Society to develop a local Register. The work was supervised by a Steering Committee with representatives from the Shire, the Australian Plant Society and the Horticultural and Historical Societies.

The trees may be remnants of original forest, plantings by early settlers, or commemorative plantings dedicated to important people. They may mark significant events in the Shire's history or be significant because of their size, age, growth form or rarity. Some are outstanding examples of their species.

The Register includes trees and sites where significant trees or collections of trees occur, as well as stands of trees. Obviously, as time goes by, trees will die and new trees will be planted to mark historic occasions, so the database of the Register is dynamic.

The Register is divided in two parts: trees on public land and trees on private land. Both parts will be included in the Planning Overlay of the Shire but the information about trees on private land will not be available for public scrutiny, to protect the privacy of the owners. Individually significant trees on sites are included in the public or private lists of trees.

All nominated stands of trees are on public land. Individual trees in stands have not been included in the public list of trees because they are not significant in their own right, only as part of the stand. These stands have been included on the Register because they form important landscape features in South Gippsland.

## Categories of Significance

Trees are considered for inclusion in the Register on the basis of one or more of the following categories of significance.

1. Horticultural or genetic value which could be an important source of propagating stock, including specimens that are particularly resistant to disease or exposure.

2. Landscape value such as remnant native vegetation, important landmarks and trees, which form part of an historic garden, park or town.
3. Rare value – either species or localized distribution.
4. Age – old or venerable.
5. Size – outstanding for height, trunk circumference or canopy spread.
6. Outstanding aesthetic quality.
7. Curious growth form or physical feature, including unusually pruned forms.
8. Historic plantings commemorating important historical events.
9. Cultural value – associated with Aboriginal use and activities.
10. Outstanding example of the species.

The trees may be indigenous or exotic, natural or cultivated.

Nominations were received for 72 trees on public land, 79 on private land, 32 public sites, 32 private sites and 19 stands of trees. After assessment 49 public trees, 57 private trees, 24 public sites, 18 private sites and 14 stands were deemed significant and placed on the Register. This represents a ‘success’ rate of 56 to 75 percent.

All nominations were assessed against standard measurements for each species and, where more than one nomination for a species was received, the trees were compared with one another. Some nominated trees are not yet significant in terms of age, size, or aesthetic quality, some trees are now so old that age is the only criterion by which they can be considered. The Register is set up so that all nominations were recorded, the significant trees selected put on the Register, and it can be altered in future as trees come and go.

There is a photographic record of all the trees, taken using both a digital camera downloaded onto the Shire’s computer and film downloaded into a photo album.

The final outcome will be a Planning Overlay of use to Shire planners and contractors.

As the process of assessing the trees has gone on it has become clear that some species are outstanding because of their size and form and others will never be significant, because they do not grow to great ages, sizes or shapes – they are the trees that form part of the background to the trees that do reach significant proportions.

There are key species that influence a Register like this:

- Among our indigenous trees only a few are truly outstanding: Blackwood, Mountain Grey Gum, Yellow Stringy Bark, Mountain Ash, Manna Gum and Myrtle Beech.
- In the early 1800s, species from Norfolk Island, New South Wales and Queensland were first introduced to horticulture, making their appearance in the Sydney Botanic Gardens. The first settlers to South Gippsland from 1870 onwards brought these trees with them: Apple Myrtle, Bunya Bunya Pine, Norfolk Island Pine, Flame Tree and Kurrajong, Mahogany Gum, and Moreton Bay Fig.
- Later introductions came from Western Australia: Flowering and Salmon Gums.
- Horticultural enthusiasts have always collected rare species.

Key people also had an effect:

- Ferdinand von Mueller, Director of the Botanic Gardens in Melbourne, introduced many exotic species to Victoria as part of his studies of acclimatisation. He was particularly interested in

conifers. Two conifer species are widespread in South Gippsland as part of the rural landscape: Monterey Pine, which has become a weed, and Monterey Cypress.

- Francis Moss established the Mossvale Nursery in 1888 and supplied a large range of exotic species including oaks, elms, planes and fruit trees.

Fashions influenced the selection of species for planting:

- Norfolk Island Pines were very popular in the late 1800s.
- Oaks, Elms, Planes and Poplars were chosen to plant Avenues of Honour in 1918.
- Canary Island Palms were planted, often in pairs, in the 1920s.
- Italian Cypress Pines were used in memorial gardens after the Second World War.
- Tulip Trees began to appear in the 1950s.
- In modern times Australian species have been promoted.


The final choice of trees for the Register, made by the Steering Committee, reflects the moment in the history of the Shire that the choice was made. No information is lost from the nominations. As time elapses some trees will die and others will be planted and nominated. New selections can be made in the future. The Register is set up to allow for amendment and improvement.


## References


- Bodkin, F. *Encyclopaedia Botanica*, Angus & Robertson, 1986.
- Costermans, L. *Trees of Victoria and Adjoining Areas*, Costermans Publishing, 1994.
- Edlin, HL. *Know Your Broadleaves*, Forestry Commission, 1968.
- Edlin, HL. *Know Your Conifers*, Forestry Commission, 1970.
- Elliot, WR, and Jones, DL. *Encyclopaedia of Australian Plants suitable for cultivation*, Volumes 1 to 7, Lothian, 1980-1997.
- Helms, D. *South Gippsland Shire Heritage Study*, 2001.
- Lester, R. *Significant Trees of Woorayl Shire*, South Gippsland Conservation Society, 1988.
- National Trust of Australia (Victoria). *Register of Significant Trees of Victoria*, 1998.
- Readers Digest. *Gardeners' Encyclopedia of Plants and Flowers*, 1992.
- Rowell, RJ. *Ornamental Flowering Trees in Australia*, Reed, 1980.
- Simpfendorfer, KJ. *An Introduction to Trees for South Eastern Australia*, Inkata Press, 1975.

### Significant Trees on Public Land

There were 72 nominations of trees on public land and 49 of them were deemed significant.

<p><b>Name:</b> <i>Acacia melanoxydon</i>  <b>Common Name:</b> Blackwood  <b>Significance:</b> Horticultural, landscape, age, size, aesthetic quality  <b>Height:</b> 21.3 m  <b>Circumference:</b> 4.15 m  <b>Spread:</b> 18 m  <b>Estimated age:</b> 100  <b>Condition:</b> Outstanding specimen  <b>Location:</b> Cemetery Trust Cemetery Mirboo North  <b>Latitude:</b> 38 2420S  <b>Longitude:</b> 146 1033E</p>	 <p>11/23/2000</p>
---	--

<p><b>Name:</b> <i>Angophora costata</i>  <b>Common Name:</b> Smooth bark Apple Myrtle  <b>Significance:</b> Horticultural, landscape, age, size, aesthetic quality  <b>Height:</b> 13.2 m  <b>Circumference:</b> 2.11 m  <b>Spread:</b> 12 m  <b>Estimated age:</b> 50+  <b>Condition:</b> Outstanding specimen  <b>Location:</b> Woorayl GC Recreation Reserve Leongatha  <b>Latitude:</b> 38 2811S  <b>Longitude:</b> 145 5683E</p>	
--	--

<p><b>Name:</b> <i>Angophora costata</i>  <b>Common Name:</b> Smooth bark Apple Myrtle  <b>Significance:</b> Horticultural, landscape, rarity, aesthetic quality  <b>Height:</b> 13.32 m  <b>Circumference:</b> 1.59 m  <b>Spread:</b> 8 m  <b>Estimated age:</b> Mature  <b>Condition:</b> Good  <b>Location:</b> SGSC Cnr Farmers and Dollar Roads Dumbalk  <b>Latitude:</b> 38 3201S  <b>Longitude:</b> 146 0571E</p>	 <p>1/15/2001</p>
--	--

**Name:** *Arbutus unedo*  
**Common Name:** Irish Strawberry Tree  
**Significance:** Horticultural, landscape, historic  
**Height:** 6.05 m  
**Circumference:** 3.47 m  
**Spread:** 8 m NS 6 m EW  
**Estimated age:** 40+  
**Condition:** Good  
**Location:** SGSC  
 Recreation Reserve  
 Leongatha  
**Latitude:** 38 2824S  
**Longitude:** 145 5686E




**Name:** *Brachychiton populneus*  
**Common Name:** Kurrajong  
**Significance:** Landscape, size, aesthetic quality  
**Height:** 11.7 m  
**Circumference:** 2.5 m  
**Spread:** 6 m NS 12 m EW  
**Estimated age:** Mature  
**Condition:** Good  
**Location:** SGSC  
 Korumburra Public Park  
 Korumburra  
**Latitude:** 38 2560S  
**Longitude:** 145 4996E





**Name:** *Cedrus deodara*  
**Common Name:** Deodar  
**Significance:** Horticultural, landscape, aesthetic quality  
**Height:** 12.09 m  
**Circumference:** 1.65 m  
**Spread:** 10 m  
**Estimated age:** 32  
**Condition:** Outstanding specimen  
**Location:** SGSC  
 Mossvale Park  
 Berrys Creek  
**Latitude:** 38 2417S  
**Longitude:** 146 0322E








<b>Name:</b>	<i>Cinnamomum camphora</i>	
<b>Common Name:</b>	Camphor Laurel	
<b>Significance:</b>	Horticultural, landscape, aesthetic quality	
<b>Height:</b>	9.2 m	
<b>Circumference:</b>	1.83 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	50+	
<b>Condition:</b>	Good	
<b>Location:</b>	Woorayl GC Recreation Reserve Leongatha	
<b>Latitude:</b>	38 2811S	
<b>Longitude:</b>	145 5683E	


<b>Name:</b>	<i>Cryptomeria japonica elegans</i>	
<b>Common Name:</b>	Japanese Cedar	
<b>Significance:</b>	Horticultural, landscape, aesthetic quality, historic	
<b>Height:</b>	12.9 m	
<b>Circumference:</b>	2.5 m	
<b>Spread:</b>	8 m NS 2-4 m EW	
<b>Estimated age:</b>	40+	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Recreation Reserve Leongatha	
<b>Latitude:</b>	38 2824S	
<b>Longitude:</b>	145 5686E	


<b>Name:</b>	<i>Cupressus funebris</i>	
<b>Common Name:</b>	Chinese Weeping Cypress	
<b>Significance:</b>	Horticultural, landscape, aesthetic quality, historic	
<b>Height:</b>	13.87 m	
<b>Circumference:</b>	2.07 m	
<b>Spread:</b>	4 m	
<b>Estimated age:</b>	40+	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Recreation Reserve Leongatha	
<b>Latitude:</b>	38 2824S	
<b>Longitude:</b>	145 5686E	


<b>Name:</b>	<i>Cupressus glabra</i>	
<b>Common Name:</b>	Arizona Cypress	
<b>Significance:</b>	Horticultural, landscape, aesthetic quality, historic	
<b>Height:</b>	16.16 m	
<b>Circumference:</b>	2.17 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	40+	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Recreation Reserve Leongatha	
<b>Latitude:</b>	38 2824S	
<b>Longitude:</b>	145 5686E	

<b>Name:</b>	<i>Cupressus sempervirens</i>	
<b>Common Name:</b>	Italian Cypress	
<b>Significance:</b>	Horticultural, landscape, rarity, aesthetic quality	
<b>Height:</b>	9.18 m	
<b>Circumference:</b>	1.895 m	
<b>Spread:</b>	2 m	
<b>Estimated age:</b>	50+	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Woorayl GC Recreation Reserve Leongatha	
<b>Latitude:</b>	38 2811S	
<b>Longitude:</b>	145 5683E	


<b>Name:</b>	<i>Eucalyptus botryoides</i>	
<b>Common Name:</b>	Mahogany Gum	
<b>Significance:</b>	Horticultural, landscape, age, size, historic	
<b>Height:</b>	20 m	
<b>Circumference:</b>	4 m	
<b>Spread:</b>	6 m NS 9-10 m EW	
<b>Estimated age:</b>	80	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Welshpool Road Toora	
<b>Latitude:</b>	38 3980S	
<b>Longitude:</b>	146 1731E	


<b>Name:</b>	<i>Eucalyptus calophylla</i>	
<b>Common Name:</b>	Flowering Gum	
<b>Significance:</b>	Horticultural, landscape, age, size, historic	
<b>Height:</b>	18.53 m	
<b>Circumference:</b>	3.5 m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	82	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Whitelaw Street Meeniyan	
<b>Latitude:</b>	38 3467S	
<b>Longitude:</b>	146 0083E	


<b>Name:</b>	<i>Eucalyptus citriodora</i>	
<b>Common Name:</b>	Lemon Scented Gum	
<b>Significance:</b>	Horticultural, landscape, size, aesthetic quality	
<b>Height:</b>	28.7 m	
<b>Circumference:</b>	3 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	Mature	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Sth Gippsland Hwy Leongatha	
<b>Latitude:</b>	38 2568S	
<b>Longitude:</b>	145 5005E	

<b>Name:</b>	<i>Eucalyptus cypellocarpa</i>	
<b>Common Name:</b>	Mt Grey Gum	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality NT	
<b>Height:</b>	61 m	
<b>Circumference:</b>	8.2 m	
<b>Spread:</b>	20 m	
<b>Estimated age:</b>	300	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Rail Trail Committee Darlimurla Road Darlimurla	
<b>Latitude:</b>	38 2223S	
<b>Longitude:</b>	146 1225E	



<b>Name:</b>	<i>Eucalyptus globulus</i>	
<b>Common Name:</b>	Blue Gum	
<b>Significance:</b>	Horticultural, landscape, age, size	
<b>Height:</b>	22.4 m	
<b>Circumference:</b>	6.6 m	
<b>Spread:</b>	12 m	
<b>Estimated age:</b>	200+	
<b>Condition:</b>	Pruned	
<b>Location:</b>	SGSC Police Station Korumburra	
<b>Latitude:</b>	38 2613S	
<b>Longitude:</b>	145 4944E	

<b>Name:</b>	<i>Eucalyptus globulus</i>	
<b>Common Name:</b>	Blue Gum	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	31.75 m	
<b>Circumference:</b>	5.56 m	
<b>Spread:</b>	12 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Mary Checkley Reserve Leongatha	
<b>Latitude:</b>	38 2874S	
<b>Longitude:</b>	145 5633E	

<b>Name:</b>	<i>Eucalyptus ovata</i>	
<b>Common Name:</b>	Swamp Gum	
<b>Significance:</b>	Horticultural, age, size, aesthetic quality	
<b>Height:</b>	16.66 m	
<b>Circumference:</b>	4.7 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Foster GC 7 Reserve Street Foster	
<b>Latitude:</b>	38 3935S	
<b>Longitude:</b>	146 1174E	

**Name:** *Eucalyptus pryoriana*  
**Common Name:** Coastal Manna Gum  
**Significance:** Horticultural, landscape, size

**Height:** 16.17 m  
**Circumference:** 5 m  
**Spread:** 2-5 m NS 10m EW  
**Estimated age:** 80+  
**Condition:** Good  
**Location:** NRE  
 Foreshore Reserve  
 Sandy Point



**Latitude:**  
**Longitude:**

**Name:** *Eucalyptus regnans*  
**Common Name:** Mountain Ash  
**Significance:** Landscape, age, size

**Height:** 37+ m  
**Circumference:** 30 m  
**Spread:** 30 m 30 m  
**Estimated age:** Mature  
**Condition:** Top out  
**Location:** Gunyah Gunyah



**Latitude**  
**Longitude**


**Name:** *Eucalyptus viminalis*  
**Common Name:** Manna Gum  
**Significance:** Landscape, age, size, aesthetic quality


**Height:** 33.28 m  
**Circumference:** 7 m  
**Spread:** 20 m  
**Estimated age:** Mature  
**Condition:** Outstanding specimen  
**Location:** Bancroft Road  
 Dumbalk East





**Latitude:** 38 3247S  
**Longitude:** 146 0799E




<b>Name:</b>	<i>Eucalyptus viminalis</i>	
<b>Common Name:</b>	Manna Gum	
<b>Significance:</b>	Landscape, age, size, aesthetic quality	
<b>Height:</b>	27.9 m	
<b>Circumference:</b>	5 m	
<b>Spread:</b>	20 m	
<b>Estimated age:</b>	130+	
<b>Condition:</b>	Good	
<b>Location:</b>	Pioneer Street Foster	
<b>Latitude:</b>	38 3953S	
<b>Longitude:</b>	146 1218E	


<b>Name:</b>	<i>Eucalyptus viminalis</i>	
<b>Common Name:</b>	Manna Gum	
<b>Significance:</b>	Landscape, age, size, aesthetic quality	
<b>Height:</b>	28.48 m	
<b>Circumference:</b>	5 m	
<b>Spread:</b>	18 m NS 23 m EW	
<b>Estimated age:</b>	130+	
<b>Condition:</b>	Good	
<b>Location:</b>	Court House Court Street Foster	
<b>Latitude:</b>	38 3922S	
<b>Longitude:</b>	146 1216E	


<b>Name:</b>	<i>Eucalyptus viminalis</i>	
<b>Common Name:</b>	Manna Gum	
<b>Significance:</b>	Landscape, age, size, aesthetic quality	
<b>Height:</b>	25.84 m	
<b>Circumference:</b>	5.48 m	
<b>Spread:</b>	10 m NS 5-9 m EW	
<b>Estimated age:</b>	Mature	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Woorayl GC Recreation Reserve Leongatha	
<b>Latitude:</b>	38 2811S	
<b>Longitude:</b>	145 5683E	

<b>Name:</b>	<i>Eucalyptus willisii</i>	
<b>Common Name:</b>	Shining Peppermint	
<b>Significance:</b>	Horticultural, landscape, rarity, aesthetic quality	
<b>Height:</b>	14 m	
<b>Circumference:</b>	2 m	
<b>Spread:</b>	16 m	
<b>Estimated age:</b>	Mature	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	NRE Walkerville South	
<b>Latitude:</b>	38 5168S	
<b>Longitude:</b>	145 5987E	

<b>Name:</b>	<i>Exocarpos cupressiformis</i>	
<b>Common Name:</b>	Cherry Ballart	
<b>Significance:</b>	Horticultural, landscape, aesthetic quality	
<b>Height:</b>	9.46 m	
<b>Circumference:</b>	1.175 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	Mature	
<b>Condition:</b>	Good	
<b>Location:</b>	Hayes Walk Kaffir Hill Foster	
<b>Latitude:</b>	38 3896S	
<b>Longitude:</b>	146 1203E	

<b>Name:</b>	<i>Fagus sylvatica purpurea</i>	
<b>Common Name:</b>	Copper Beech	
<b>Significance:</b>	Horticultural, landscape, size, aesthetic quality	
<b>Height:</b>	10.56 m	
<b>Circumference:</b>	1.82 m	
<b>Spread:</b>	12 m	
<b>Estimated age:</b>	44	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	SGSC Mossvale Park Berrys Creek	
<b>Latitude:</b>	38 2417S	
<b>Longitude:</b>	146 0322E	


<b>Name:</b>	<i>Ficus carica</i>	
<b>Common Name:</b>	Fig	
<b>Significance:</b>	Age, historic	
<b>Height:</b>	5 m	
<b>Circumference:</b>	0.5 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	90-100	
<b>Condition:</b>	Poor	
<b>Location:</b>	NRE Beach Walkerville South	
<b>Latitude:</b>	38 5162S	
<b>Longitude:</b>	145 5987E	


<b>Name:</b>	<i>Grevillea robusta</i>	
<b>Common Name:</b>	Silky Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	18.62 m	
<b>Circumference:</b>	2.99 m	
<b>Spread:</b>	12 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Pearl Park Foster	
<b>Latitude:</b>	38 3909S	
<b>Longitude:</b>	146 1201E	


<b>Name:</b>	<i>Lagunaria patersoni</i>	
<b>Common Name:</b>	Pyramid Tree	
<b>Significance:</b>	Horticultural, landscape, rarity, aesthetic quality	
<b>Height:</b>	6.48 m	
<b>Circumference:</b>	1.61 m	
<b>Spread:</b>	6 m	
<b>Estimated age:</b>	50+	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Woorayl GC Recreation Reserve Leongatha	
<b>Latitude:</b>	38 2811S	
<b>Longitude:</b>	145 5683E	





<b>Name:</b>	<i>Liquidambar styraciflua</i>	
<b>Common Name:</b>	Liquidambar	
<b>Significance:</b>	Landscape, aesthetic quality	
<b>Height:</b>	17 m	
<b>Circumference:</b>	1.545 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	44	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Mossvale Park Berrys Creek	
<b>Latitude:</b>	38 2417S	
<b>Longitude:</b>	146 0322E	

<b>Name:</b>	<i>Magnolia grandiflora</i>	
<b>Common Name:</b>	Magnolia	
<b>Significance:</b>	Landscape, age, historic	
<b>Height:</b>	7.6 m	
<b>Circumference:</b>	2 m	
<b>Spread:</b>	7 m NS 8 m EW	
<b>Estimated age:</b>	80+	
<b>Condition:</b>	Good	
<b>Location:</b>	Station Road Foster	
<b>Latitude:</b>	38 3916S	
<b>Longitude:</b>	146 1210E	

<b>Name:</b>	<i>Metasequoia glyptostroboides</i>	
<b>Common Name:</b>	Dawn Redwood	
<b>Significance:</b>	Horticultural, landscape, rarity, size, aesthetic quality	
<b>Height:</b>	18.9 m	
<b>Circumference:</b>	2.795 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	65+	
<b>Condition:</b>	Good	
<b>Location:</b>	Leongatha Secondary College Horn Street Leongatha	
<b>Latitude:</b>	38 2874S	
<b>Longitude:</b>	145 5742E	


<b>Name:</b>	<i>Pinus ?</i>	
<b>Common Name:</b>	Pine ?	
<b>Significance:</b>	Horticultural, landscape, rarity, size, aesthetic quality	
<b>Height:</b>	18.9 m	
<b>Circumference:</b>	2.88 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	50+	
<b>Condition:</b>	Good	
<b>Location:</b>	Woorayl GC Recreation Reserve Leongatha	
<b>Latitude:</b>	38 2811S	
<b>Longitude:</b>	145 5683E	


<b>Name:</b>	<i>Platanus orientalis</i>	
<b>Common Name:</b>	Oriental Plane	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality, historic NT	
<b>Height:</b>	23.76 m	
<b>Circumference:</b>	3.29 m	
<b>Spread:</b>	20 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	SGCS Mossvale Park Berrys Creek	
<b>Latitude:</b>	38 2417S	
<b>Longitude:</b>	146 0322E	


<b>Name:</b>	<i>Platanus x acerifolia</i>	
<b>Common Name:</b>	London Plane	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality, historic NT	
<b>Height:</b>	26.5 m	
<b>Circumference:</b>	3.87 m	
<b>Spread:</b>	24 m 24 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	SGCS Mossvale Park Berrys Creek	
<b>Latitude:</b>	38 2417S	
<b>Longitude:</b>	146 0322E	





<b>Name:</b>	<i>Quercus ?</i>	
<b>Common Name:</b>	Evergreen Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality, historic	
<b>Height:</b>	23.04 m	
<b>Circumference:</b>	2.84 m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Agnes Smith Reserve Allambee South	
<b>Latitude:</b>	38 2144S	
<b>Longitude:</b>	146 0531E	

<b>Name:</b>	<i>Quercus canariensis</i>	
<b>Common Name:</b>	Algerian Oak	
<b>Significance:</b>	Landscape, age, size, historic	
<b>Height:</b>	25.5 m	
<b>Circumference:</b>	5.54 m	
<b>Spread:</b>	28.5 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	SGCS Mossvale Park Berrys Creek	
<b>Latitude:</b>	38 2417S	
<b>Longitude:</b>	146 0322E	


<b>Name:</b>	<i>Quercus castaneifolia</i>	
<b>Common Name:</b>	Chestnut-leaved Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality, historic	
<b>Height:</b>	32 m	
<b>Circumference:</b>	6.5 m	
<b>Spread:</b>	30 m 30 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	SGCS Mossvale Park Berrys Creek	
<b>Latitude:</b>	38 2417S	
<b>Longitude:</b>	146 0322E	


<b>Name:</b>	<i>Quercus ilex</i>	
<b>Common Name:</b>	Holm Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	12.39 m	
<b>Circumference:</b>	3.65 m	
<b>Spread:</b>	18 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Leongatha Secondary College Nerrena Rd Leongatha	
<b>Latitude:</b>	38 2878S	
<b>Longitude:</b>	145 5762E	

<b>Name:</b>	<i>Quercus palustris</i>	
<b>Common Name:</b>	Pin Oak	
<b>Significance:</b>	Horticultural, landscape, size, aesthetic quality	
<b>Height:</b>	19.98 m	
<b>Circumference:</b>	2.12 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	38	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	SGSC Mossvale Park Berrys Creek	
<b>Latitude:</b>	38 2417S	
<b>Longitude:</b>	146 0322E	


<b>Name:</b>	<i>Quercus suber</i>	
<b>Common Name:</b>	Cork Oak	
<b>Significance:</b>	Horticultural, landscape, aesthetic quality	
<b>Height:</b>	11.96 m	
<b>Circumference:</b>	1.6 m	
<b>Spread:</b>	5-3 m NS 10 m EW	
<b>Estimated age:</b>	30	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Mossvale Park Berrys Creek	
<b>Latitude:</b>	38 2417S	
<b>Longitude:</b>	146 0322E	


<b>Name:</b>	<i>Schinus molle</i>	
<b>Common Name:</b>	Pepper Tree	
<b>Significance:</b>	Horticultural, landscape, rarity, size, aesthetic quality	
<b>Height:</b>	5.6 m	
<b>Circumference:</b>	2.41 m	
<b>Spread:</b>	6 m	
<b>Estimated age:</b>	Mature	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Bellingham Street Leongatha	
<b>Latitude:</b>	38 2844S	
<b>Longitude:</b>	145 5665E	


<b>Name:</b>	<i>Sequoiadendron giganteum</i>	
<b>Common Name:</b>	Wellingtonia	
<b>Significance:</b>	Horticultural, landscape, historic	
<b>Height:</b>	12.24 m	
<b>Circumference:</b>	5.6 m	
<b>Spread:</b>	0-7 m NS 0-6 m EW	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Poor	
<b>Location:</b>	SGSC Grundy Street Nyora	
<b>Latitude:</b>	38 2009S	
<b>Longitude:</b>	145 4036E	

<b>Name:</b>	<i>Syncarpia glomulifera</i>	
<b>Common Name:</b>	Turpentine Tree	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size	
<b>Height:</b>	19.46 m	
<b>Circumference:</b>	3.65 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	Mature	
<b>Condition:</b>	Good	
<b>Location:</b>	Mackie School Nerrena Road Nerrena	
<b>Latitude:</b>	38 3092S	
<b>Longitude:</b>	146 0312E	



<b>Name:</b>	<i>Thuja plicata</i>	
<b>Common Name:</b>	Western Red Cedar	
<b>Significance:</b>	Horticultural, landscape, aesthetic quality, historic	
<b>Height:</b>	10.27 m	
<b>Circumference:</b>	5 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	40+	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Recreation Reserve Leongatha	
<b>Latitude:</b>	38 2824S	
<b>Longitude:</b>	145 5686E	

<b>Name:</b>	<i>Ulmus glabra pendula</i>	
<b>Common Name:</b>	Weeping Elm	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality, historic	
<b>Height:</b>	7.36 m	
<b>Circumference:</b>	1.91 m	
<b>Spread:</b>	4-1 m NS 9 m EW	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	
<b>Location:</b>	SGSC Mossvale Park Berrys Creek	
<b>Latitude:</b>	38 2417S	
<b>Longitude:</b>	146 0322E	

<b>Name:</b>	<i>Ulmus minor variegata</i>	
<b>Common Name:</b>	Variegated Elm	
<b>Significance:</b>	Size	
<b>Height:</b>	28.8 m	
<b>Circumference:</b>	3.88 m	
<b>Spread:</b>	28.5 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	SGCS Mossvale Park Berrys Creek	
<b>Latitude:</b>	38 2417S	
<b>Longitude:</b>	146 0322E	

**Name:** *Ulmus procera*  
**Common Name:** English Elm  
**Significance:** Horticultural, landscape, age, size, aesthetic quality, historic  
**Height:** 31.86 m  
**Circumference:** 5.24 m  
**Spread:** 20 m  
**Estimated age:** 100  
**Condition:** Outstanding specimen  
**Location:** SGSC  
 Mossvale Park  
 Berrys Creek  
**Latitude:** 38 2417S  
**Longitude:** 146 0322E





## Public Sites

Public sites include avenues of honour, all of which are included for their historical significance, golf clubs, memorial reserves, parks, recreation reserves, school grounds and streetscapes. Thirty two sites were nominated and twenty four have been included on the register. Apart from the historical significance of the avenues of honour, the other sites are botanically interesting for the number of species and the quality of the trees. Individual trees from some of these sites were nominated for the Register in their own right, but not all of them were deemed significant. Those that were are indicated \*.

### Avenue of Honour

Berrys Creek

**GPS 38 2438S 146 0427E**

### History

There is little information about this avenue of trees. The trees on private land are untouched, whereas those managed by Council have been mutilated. The condition of the trees is poor due to incorrect maintenance, vandalism, and accidental damage. They appear to have been planted post the Second World War but their poor condition may have given an underestimate of their age.

### Species List

Common Name	Botanical Name
Monterey Cypress	<i>Cupressus macrocarpa</i> (5 trees)
Algerian Oak	<i>Quercus canariensis</i> (7 trees)
English Oak	<i>Quercus robur</i> (6 trees)
English Elm	<i>Ulmus procera</i> (5 trees)

No trees have been nominated as significant on the property. The site was assessed on 19 January 2001.



**Avenue of Honour**

Kardella

**GPS 38 2537S 145 5223E****History**

The avenue of trees was probably planted in 1919.

Following the old road alignment there are 9 Ash and 6 Elm trees in good condition. On the new Kardella Road there are 7 Elms and 2 Oaks in poor condition due to pruning and Elm Leaf Beetle infestation.

No individual trees have been nominated as significant. They were assessed on 18 January 2001.

**Avenue of Honour**

Wonthaggi Korumburra Road, Kongwak

**GPS 38 3090S 145 4276E****History**


A mixture of exotic trees was planted on both sides of the road to commemorate the fallen in the First World War. More than 70 trees survive and there have been several replacement plantings.


### Species List


Name	Botanical Name
Horse Chestnut	<i>Aesculus hippocastaneum</i>
Bunya Pine	<i>Araucaria bidwillii</i>
Lombardy Poplar	<i>Populus nigra</i>
Turkey Oak	<i>Quercus cerris</i>
Pin Oak	<i>Quercus palustris</i>
English Elm	<i>Ulmus procera</i>

### Total numbers species 6+.

Three individual trees have been nominated as significant on the property. They were measured and assessed on 12 December 2000.

<b>Name:</b>	<i>Araucaria bidwillii</i>	
<b>Common Name:</b>	Bunya Pine	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality, historic	
<b>Height:</b>	16.24 m	
<b>Circumference:</b>	3 m	
<b>Spread:</b>	12 m	
<b>Estimated age:</b>	82	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Quercus cerris</i>	
<b>Common Name:</b>	Turkey Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality, historic	
<b>Height:</b>	17.46 m	
<b>Circumference:</b>	3.35 m	
<b>Spread:</b>	12 m	
<b>Estimated age:</b>	82	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Quercus palustris</i>	
<b>Common Name:</b>	Pin Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality, historic	
<b>Height:</b>	24 m	
<b>Circumference:</b>	2.14 m	
<b>Spread:</b>	12 m	
<b>Estimated age:</b>	82	
<b>Condition:</b>	Good	

### **Avenue of Honour**

Hydes Road, Koorooman

**GPS 38 2802S 146 0170E**

### **History**

The avenue of trees was planted on Arbor Day, 5 July 1918. No individual trees have been nominated as significant. They are important as the last remnant of the Koorooman district, marking the site of the former Hall and School.

This avenue has 19 Chestnut leaved Oaks (*Quercus castaneifolia*), one Algerian Oak (*Quercus canariensis*) and 3 English Elms (*Ulmus procera*). There is a recent planting of Spotted Gums (*Eucalyptus maculata*) at the bottom of the Avenue and Walnuts (*Juglans regia*) at the top. The site was assessed on 19 January 2001.





**Avenue of Honour**

Leongatha Yarragon Road and Wild Dog Valley Road, Leongatha

**GPS 38 2811S 145 5700E**

**History**

The avenue of Evergreen Oak and Elm trees was planted on 22 June 1918. The trees were supplied by the Moss Vale Nursery. There were about 240 trees originally on both sides of the road. None of the trees have been nominated as significant. They have been badly pruned, resulting in disease and poor form. Some have been removed and replaced. They are under threat from increased traffic.

**Avenue of Honour**

Whitelaw Street, Meeniyan

**GPS 38 3467S 146 0083E**


**History**

The Meeniyan Avenue of Honour was planted by local school children on Wednesday 14 August 1918 in Whitelaw and Geale Streets. Name tags were attached to the trees in honour of local residents from Meeniyan and Stony Creek who served in World War I.

The trees are Flowering Gums (*Eucalyptus calophylla* and *E. ficifolia*), eleven remaining in the median strip in Whitelaw Street in good condition, and twelve, on both sides of the road, in Geale Street but they have been pruned for power lines and are not in very good condition.

Some replacement plantings of different species have been made.

One tree was measured on 20 November 2000.

<b>Name:</b>	<i>Eucalyptus calophylla</i> *	
<b>Common Name:</b>	Flowering Gum	
<b>Significance:</b>	Horticultural, landscape, age, size, history	
<b>Height:</b>	18.53 m	
<b>Circumference:</b>	3.5 m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	82	
<b>Condition:</b>	Good	

**Avenue of Honour**

Nerrena


**GPS 38 3056S 145 5987E****History**

An avenue of Cypresses was planted in 1917 but they have since disappeared and there is no information as to when they were removed. The site is adjacent to the Nerrena Hall and cricket ground. There are several trees on the site that are approximately 80 years old, including one good specimen of Algerian Oak.

**Species List**

<b>Common Name</b>	<b>Botanical Name</b>
Spruce	<i>Picea sp.?</i>
Monterey Pine	<i>Pinus radiata</i>
Pine	<i>Pinus sp.?</i>
Algerian Oak	<i>Quercus canariensis</i> (3 trees)
English Oak	<i>Quercus robur</i> (3 trees)

One tree has been nominated as significant on the property. It was measured and assessed on 19 January 2001.


<b>Name:</b>	<i>Quercus canariensis</i>	
<b>Common Name:</b>	Algerian Oak	
<b>Significance:</b>	Historic	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	25 m	
<b>Circumference:</b>	3 m	
<b>Spread:</b>	15 m	
<b>Estimated age:</b>	80+	
<b>Condition:</b>	Good	

**Avenue of Honour**

Korumburra Warragul Road, Strzelecki

**GPS 38 2886S 145 551E****History**

Six Cypress trees were planted, six on each side of the road, in 1918.

<b>Name:</b>	<i>Cupressus macrocarpa</i>	
<b>Common Name:</b>	Monterey Cypress	
<b>Significance:</b>	Age, size, history	
<b>Height:</b>	17.25 m	
<b>Circumference:</b>	9 m	
<b>Spread:</b>	25 m	
<b>Estimated age:</b>	82	
<b>Number of trees:</b>	12	
<b>Condition:</b>	Good	

**Avenue of Honour**

Welshpool Road, Toora

**GPS 38 3980S 146 1731E****History**

In 1919 the Toora Progress Association decided to ask the public for cooperation in having a row of trees planted as an Avenue of Honour on Welshpool Road. Money was set aside by the local Red Cross Society in 1920 for the purpose of planting the trees. The species selected was Mahogany Gum, *Eucalyptus botryoides*.


In 1933 the Avenue of Honour was extended as far as Piggery Lane as requested by the Toora Branch of the Australian Natives Association.

The trees have become dangerous in recent years, due to their habit of dropping branches and their proximity to the South Gippsland Highway. As they are removed or die they are being replaced with Blue Gums, planted at a suitable distance from the road. More than sixty of the original trees remain.

Reference: Letter, date 3 July 2000, from Mrs Gwen Truscott, enclosing selections from the minutes of the Toora Progress Association.



One of the original trees was measured and assessed on 17 October 2000.

<b>Name:</b>	<i>Eucalyptus botryoides*</i>	
<b>Common Name:</b>	Mahogany Gum	
<b>Significance:</b>	Horticultural, landscape, age, size, historic	
<b>Height:</b>	20 m	
<b>Circumference:</b>	4 m	
<b>Spread:</b>	6 m NS 9-10 m EW	
<b>Estimated age:</b>	80	
<b>Condition:</b>	Good	

### **Avenue of Honour**

South Gippsland Highway, Welshpool

**GPS 38 3994S 146 2621E**

### **History**

There are 32 Elm trees planted on either side of the highway. None of the trees have been nominated as significant, they are in poor condition having been pruned for power lines. All the trees have been treated for Elm Leaf Beetle. They do not appear to be old trees, possibly planted after the Second World War.



**Avenue of Honour**

Leongatha Yarragon Road, Wooreen

**GPS 38 2414S 14650080E**

**History**

The avenue of Elm trees was planted on 20 July 1918. There are about 20 trees from the original planting of 35 on both sides of the road. None of the trees have been nominated as significant. They are important as the last remnant of the Wooreen district, marking the site of the former School.

**Golf Club Foster**

7 Reserve Street Foster

**GPS 38 3935S 146 1174E**

**History**

The Club was established in 1924 on the western side of Church Hill extending down to the present showgrounds. In 1926 the members agreed to transfer the golf course to the present site on the Recreation Reserve. This site was also a race course.

Originally there were six sand scrapes and three grass greens. The fairways were made from two to three metres high tea tree by rolling, ploughing and burning. The cleared areas were sown with grasses more suited to golf. Off the fairways were sword grass, gorse and broom shrubs. Crayfish holes and mine shafts were other hazards.

A few of the trees that were mature in the 1930s still remain on the course: a Swamp Gum and its progeny between the 11<sup>th</sup> and 14<sup>th</sup> fairways, and Peppermints near the 9<sup>th</sup> and 15<sup>th</sup> greens. These trees may be more than 80 years old. At the 7<sup>th</sup> and 17<sup>th</sup> greens there are Gippsland Mallees at least 50 years old.

The course was originally 9 holes. In 1962 it was extended to 18 holes and 3000 trees were planted at that time, delineating the fairways. There is a continuing program of tree planting.

### Species List

#### Australian species

Name	Botanical Name	Year planted or approximate age
Cootamundra Wattle	<i>Acacia bailleyana</i>	
Silver Wattle	<i>Acacia dealbata</i>	
Cedar Wattle	<i>Acacia elata</i>	
Sallow Wattle	<i>Acacia longifolia</i>	
Black Wattle	<i>Acacia mearnsii</i>	1960
Blackwood	<i>Acacia melanoxylon</i>	1950s
Ovens Wattle	<i>Acacia pravissima</i>	
Golden Wattle	<i>Acacia pycnantha</i>	
Lilly Pilly	<i>Acmena smithii</i>	
Willow Myrtle	<i>Agonis flexuosa</i>	1985
Banksia	<i>Banksia sp.</i>	10+
Smooth barked Angophora	<i>Angophora costata</i>	1965
Rose She-oak	<i>Casuarina torulosa</i>	1980
Blue leaved Stringybark	<i>Eucalyptus agglomerata</i>	
Mahogany Gum/Bangalay	<i>Eucalyptus botryoides</i>	1970
Marri/Red Gum	<i>Eucalyptus calophylla</i>	1985
River Red Gum	<i>Eucalyptus camaldulensis</i>	
Lemon Scented Gum	<i>Eucalyptus citriodora</i>	1965
Mountain Grey Gum	<i>Eucalyptus cypellocarpa</i>	1960
River Peppermint	<i>Eucalyptus elata</i>	
Flowering Gum	<i>Eucalyptus ficifolia</i>	1985
Victorian Blue Gum	<i>Eucalyptus globulus subsp. bicostata</i>	1985
Tasmanian/Southern Blue Gum	<i>Eucalyptus globulus subsp. globulus</i>	1985
Compact Blue Gum	<i>Eucalyptus globulus subsp. pseudoglobulus</i>	1985
Gippsland Mallee	<i>Eucalyptus kitsoniana</i>	
Yellow Gum	<i>Eucalyptus leucoxylon</i>	30+
Spotted Gum	<i>Eucalyptus maculata</i>	40+

Yellow Box	<i>Eucalyptus melliodora</i>	
Grey Box	<i>Eucalyptus microcarpa</i>	1985
Willow leaved Peppermint	<i>Eucalyptus nicholii</i>	
Shining Gum	<i>Eucalyptus nitens</i>	
Messmate	<i>Eucalyptus obliqua</i>	1970
Swamp Gum	<i>Eucalyptus ovata</i>	100+
Coastal Manna Gum	<i>Eucalyptus pryoriana</i>	1965
Narrow-leaf Peppermint	<i>Eucalyptus radiata</i>	80+
Swamp Mahogany	<i>Eucalyptus robusta</i>	1965
Red Ironbark/Mugga	<i>Eucalyptus sideroxylon</i>	1970
Manna Gum	<i>Eucalyptus viminalis</i>	1960
Brush Box	<i>Lophostemon confertus</i>	


### Exotic species

Name	Botanical Name	Year Planted or approximate age
Alder (Black, Common)	<i>Alnus glutinosa</i>	1990
Silver Birch	<i>Betula pendula</i>	1990
Cypress	<i>Cupressus macrocarpa</i>	Recent
Golden Ash	<i>Fraxinus excelsior aurea</i>	1985
Liquidambar	<i>Liquidambar styraciflua</i>	1985
Silverleaf Poplar	<i>Populus alba</i>	1970
Lombardy Poplar	<i>Populus nigra.</i>	1985
Pine	<i>Pinus radiata</i>	1970
Chinese Pear	<i>Pyrus calleryana</i>	1990
Willow	<i>Salix babylonica</i>	1960

Total number species 49.

One individual tree has been nominated as significant. It was assessed and measured on 19 December 2000.



<b>Name:</b>	<i>Eucalyptus ovata*</i>	
<b>Common Name:</b>	Swamp Gum	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	16.66 m	
<b>Circumference:</b>	4.7 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	

### **Golf Club Korumburra**

Korumburra Warragul Road, Korumburra

**GPS 38 2462S 145 4892E**

### **History**

The Club began its life in 1924 at Jumbunna. In 1933 the members decided to secure an area of land for an 18 hole golf course. The committee negotiated with the Water Trust for an area of 51.8 ha around the Reservoir. They drew up a 25 year lease for the use of the property. Clem Enderby designed the new course. He was shown the Reservoir hill, a paddock clothed in sword grass, tussocks, ferns and gaunt dead trees. Arthur Rudd with a team of horses ploughed and scooped out the first nine greens. Skyscraper gums were blown bodily out of the fairways with dynamite and a gang of 'susso' men employed to grub out the sword grass and tussocks. The new course was officially opened on 6 April 1935.

Initially pines were the trees planted to delineate the fairways but they did not do well on the sloping hillsides. Interest in tree planting waned for the next 15 years. Then in 1952 Gordon Parry revived the tree planting program with Mahogany Gums, Virgilians, Evergreen Alders and New Zealand Laurel. These later plantings were successful. .

The course was extended to 18 holes by 1956.

Tree planting has continued, present plans being the replacement of the pines both inside and around the perimeter of the course. The course has Land for Wildlife accreditation.

**Species List**

<b>Common Name</b>	<b>Botanical Name</b>
Cootamundra Wattle	Acacia baileyana
Sticky Wattle	Acacia howittii
Blackwood	Acacia melanoxylon
Sycamore	Acer pseudoplatanus
Irish Strawberry Tree	Arbutus unedo
New Zealand Laurel	Corynocarpus laevigatus
Monterey Cypress	Cupressus macrocarpa
Pencil Pine	Cupressus sempervirens stricta
Mahogany Gum	Eucalyptus botrioides
Flowering Gum	<i>Eucalyptus ficifolia</i>
Blue Gum	<i>Eucalyptus globulus</i>
Narrow leaved Black Peppermint	<i>Encalyptus nicholli</i>
Messmate	<i>Eucalyptus obliqua</i>
Narrow leaved Peppermint	<i>Eucalyptus radiata</i>
Red Ironbark	<i>Eucalyptus sideroxylon</i>
Brush Box	<i>Lophostemon confertus</i>
Swamp Paperbark	<i>Melaleuca ericifolia</i>
Spruce	<i>Picea sp.</i>
Monterey Pine	<i>Pinus radiata</i>
New Zealand Pittosporum	<i>Pittosporum eugenoides</i>
Lombardy Poplar	<i>Populus nigra italica</i>
Weeping Willow	<i>Salix babylonica</i>
Turpentine Tree	Syncarpia glomulifera
Virgilia	Virgilia divaricata

Total number of species 24+.

One tree has been nominated as significant on the property. It was assessed on 6 February 2001.

<b>Name:</b>	<i>Pittosporum eugenoides</i>	
<b>Common Name:</b>	New Zealand Pittosporum	
<b>Significance:</b>	Size, aesthetic quality	
<b>Height:</b>	12.74 m	
<b>Circumference:</b>	3.8 m	
<b>Spread:</b>	9 m	
<b>Estimated age:</b>	50	
<b>Condition:</b>	Good	

### **Golf Club Leongatha**

Koonwarra Inverloch Road, Leongatha South

**GPS 38 3428S 145 5141E**

### **History**

The Leongatha Golf Club was established in 1909 on the Recreation Reserve north of the town and moved to its new location in Leongatha South in 1961. The land was purchased in 1958 from Merrick Holgate. It was undulating, semi-sand-belt country covered mainly in messmate and peppermint trees with a sprinkling of coastal gums and other native trees.

The course was surveyed, cleared, ploughed and levelled before the fairways were planted and the greens constructed. Remnants of the original forest were left between fairways, a forest so dense that the sun could only be seen at midday. Tractors and chains were used to pull out stumps, roots, trees and undergrowth.

Throughout the development of the new course a vigorous tree and shrub planting program was pursued with species such as acacias, banksias, callistemons and flowering gums. The all important understorey of healthy native vegetation is species rich with numerous orchids, Common Heath, Milkmaids, Stackhousia, Running Postman, Love Creeper and correas. The bird list for the course is also extensive including robins, fantails, wrens, swifts, tits, thornbills, finches, magpies, kookaburras, rosellas, spinebills, honeyeaters, wattlebirds and whistlers. Koalas, echidnas, goanas and other reptiles inhabit the course.


Reference: From Forest to Fairway Part 1 1909 to 1990 and Part 2 1990-1999 by Gordon P West

### Species List


Name	Botanical Name	Year planted or approximate age
Cootamundra Wattle	<i>Acacia baileyana</i>	
Silver Wattle	<i>Acacia dealbata</i>	
Irish Strawberry Tree	<i>Arbutus unedo</i>	
Lemon Scented Gum	<i>Eucalyptus citriodora</i>	<40
Flowering Gum	<i>Eucalyptus ficifolia</i>	
Messmate	<i>Eucalyptus obliqua</i>	>100
Narrow leaved Peppermint	<i>Eucalyptus radiata</i>	>100
Coastal Manna Gum	<i>Eucalyptus pryoriana</i>	
Moreton Bay Fig	<i>Ficus macrophylla</i>	<10
Swamp Paperbark	<i>Melaleuca ericifolia</i>	
Scented Paperbark	<i>Melaleuca squarrosa</i>	
Turpentine Tree	<i>Syncarpia glomulifera</i>	~20


Total number species 12.

Three trees have been nominated as significant on the course. They were measured and assessed on 12 October and 18 November 2000.

<b>Name:</b>	<i>Arbutus unedo</i>	
<b>Common Name:</b>	Strawberry Tree	
<b>Location:</b>	On the north side of the first fairway at the 150 m peg	
<b>Significance:</b>	Horticultural, landscape, rarity, aesthetic quality	
<b>Notes:</b>	Multi-trunked above 1 m	
<b>Height:</b>	5.13 m	
<b>Circumference:</b>	2.32 m	
<b>Spread:</b>	5-3 m NS 4-3 m EW	
<b>Estimated age:</b>	Mature tree	
<b>Condition:</b>	Good	



<b>Name:</b>	<i>Eucalyptus citriodora</i>	
<b>Common Name:</b>	Lemon Scented Gum	
<b>Location:</b>	Between the car park and the 10 <sup>th</sup> tee for men	
<b>Significance:</b>	Landscape, aesthetic value	
<b>Height:</b>	15 m	
<b>Circumference:</b>	2.6 m	
<b>Spread:</b>	13.5 m	
<b>Estimated age:</b>	40	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Syncarpia glomulifera</i>	
<b>Common Name:</b>	Turpentine Tree	
<b>Location:</b>	On the north side of the first fairway about 20 m past the 150 m peg	
<b>Significance:</b>	Horticultural, landscape, rarity	
<b>Height:</b>	5.25 m	
<b>Circumference:</b>	1.27 m	
<b>Spread:</b>	4 m	
<b>Estimated age:</b>	20	
<b>Condition:</b>	Good	

### **Golf Club Woorayl**

Recreation Reserve Leongatha

**GPS 38 2811S 145 5683E**

### **History**

In 1887 John Lardner, the government surveyor, surveyed the township of Leongatha and reserved two areas, 32 acres for a park and recreation reserve and 15 acres for showgrounds. In 1893 the Lands Department exchanged these reserves for 107 acres on the northern boundary of the town, under the management of five trustees. The trustees requested a further exchange for land closer to the town in 1894. The Lands Department agreed and allocated 57 acres for public recreation and 24 acres for showgrounds where they are today.

The Leongatha Golf Club was established on the Recreation Reserve north of the town and was officially opened on 18 May 1910. There were times when the course was 11 holes (1911), 12 holes (1927) and 14 holes (1942) but it is now a 9 hole course.

In 1927 the government granted money to clear and improve the recreation reserves. The golf committee took the opportunity and cleared about 30 acres of giant eucalyptus trees. The wood, more than 1000 tons, was sold to the local butter factory, the Wonthaggi mines and local householders. The construction of the course was completed by the early 1930s, the lay out being basically unchanged to the present time.

In 1961 the Leongatha Golf Club moved to its new location in Leongatha South and the club on the site of the Recreation Reserve became the Woorayl Golf Club.

### Species List

#### Australian species




Name	Botanical Name
Willow Myrtle	<i>Agonis flexuosa</i>
Smooth barked Angophora	<i>Angophora costata</i>
River Sheoak	<i>Casuarina cunninghamiana</i>
River Red Gum	<i>Eucalyptus camaldulensis</i>
Flowering Gum	<i>Eucalyptus ficifolia</i>
Yellow Gum	<i>Eucalyptus leucoxylon</i>
Spotted Gum	<i>Eucalyptus maculata</i>
Willow leaved Peppermint	<i>Eucalyptus nicholii</i>
Manna Gum	<i>Eucalyptus viminalis</i>
Silky Oak	<i>Grevillea robusta</i>
Pyramid Tree	<i>Lagunaria patersonii</i>
Snow in Summer	<i>Melaleuca linariifolia</i>
Brush Box	<i>Tristania conferta</i>


#### Exotic species


Name	Botanical Name
Himalayan or Indian Cedar	<i>Cedrus deodara</i>
Camphor Laurel	<i>Cinnamomum camphora</i>
Arizona Cypress	<i>Cupressus glabra</i>
Monterey Cypress	<i>Cupressus macrocarpa</i>
Upright Italian Cypress	<i>Cupressus sempervirens</i>
Chinese Hawthorn	<i>Photinia serrulata</i>
Pine	<i>Pinus</i>
Silverleaf Poplar	<i>Populus alba</i>
Evergreen Oak	<i>Quercus ilex</i>


Total number species 22.

Six trees have been nominated as significant on the course. They were measured and assessed on 21 November 2000.

<p><b>Name:</b> <i>Angophora costata</i>*</p> <p><b>Common Name:</b> Smooth barked Apple Myrtle</p> <p><b>Significance:</b> Horticultural, landscape, size, aesthetic quality</p> <p><b>Height:</b> 13.2 m</p> <p><b>Circumference:</b> 2.11 m</p> <p><b>Spread:</b> 12 m</p> <p><b>Estimated age:</b> 50+</p> <p><b>Condition:</b> Good</p>	
<p><b>Name:</b> <i>Cinnamomum camphora</i>*</p> <p><b>Common Name:</b> Camphor Laurel</p> <p><b>Significance:</b> Horticultural, landscape, size, aesthetic quality</p> <p><b>Height:</b> 9.2 m</p> <p><b>Circumference:</b> 1.83 m</p> <p><b>Spread:</b> 8 m</p> <p><b>Estimated age:</b> 50+</p> <p><b>Condition:</b> Good</p>	
<p><b>Name:</b> <i>Cupressus sempervirens</i>*</p> <p><b>Common Name:</b> Italian Cypress</p> <p><b>Significance:</b> Horticultural, landscape, size, aesthetic quality</p> <p><b>Height:</b> 9.18 m</p> <p><b>Circumference:</b> 1.895 m</p> <p><b>Spread:</b> 2 m</p> <p><b>Estimated age:</b> 50+</p> <p><b>Condition:</b> Good</p>	

<p><b>Name:</b> <i>Eucalyptus viminalis*</i>  <b>Common Name:</b> Manna Gum  <b>Significance:</b> Horticultural, landscape, age, size, aesthetic quality  <b>Notes:</b> Outstanding specimen  <b>Height:</b> 25.84 m  <b>Circumference:</b> 5.48 m  <b>Spread:</b> 5-9 m EW 10 m NS  <b>Estimated age:</b> 200+  <b>Condition:</b> Good</p>	
---	--

<p><b>Name:</b> <i>Lagunaria patersonii*</i>  <b>Common Name:</b> Pyramid Tree  <b>Significance:</b> Horticultural, landscape, rarity, size, aesthetic quality  <b>Height:</b> 6.48 m  <b>Circumference:</b> 1.61 m  <b>Spread:</b> 6 m  <b>Estimated age:</b> 50+  <b>Condition:</b> Good</p>	
--	---

<p><b>Name:</b> <i>Pinus*</i>  <b>Common Name:</b> Pine  <b>Significance:</b> Horticultural, landscape, rarity, size, aesthetic quality  <b>Height:</b> 18.9 m  <b>Circumference:</b> 2.88 m  <b>Spread:</b> 10 m  <b>Estimated age:</b> 50+  <b>Condition:</b> Good</p>	
--	--



**Memorial Reserve**

Koonwarra

**GPS 38 3286S 145 5676E****History**


The Memorial Reserve was established in the 1953. A Silver Fir and Atlas Cedar were planted to commemorate the lives of soldiers who died during the Second World War: R Barguss and H Millsom. Their names are on the gate, on either side of which are two Pencil Pines. In 1993 a Smooth Barked Apple Myrtle was planted to celebrate the centenary of Koonwarra School.


*Species List*

<b>Name</b>	<b>Botanical Name</b>
Silver Fir	<i>Abies alba</i>
Blackwood	<i>Acacia melanoxylon</i>
Smooth barked Apple Myrtle	<i>Angophora costata</i>
Bunya Pine	<i>Araucaria bidwillii</i>
Hoop Pine	<i>Araucaria cunninghamii</i>
Atlas Cedar	<i>Cedrus atlantica</i>
Pencil Pine	<i>Cupressus sempervirens stricta</i>
Liquidambar	<i>Liquidambar styraciflua</i>
Tulip Tree	<i>Liriodendron tulipifera</i>
Snow in Summer	<i>Melaleuca linariifolia</i>
Pin Oak	<i>Quercus palustris</i>

*Total numbers species 11.*

Two individual trees have been nominated as significant on the property. They were measured and assessed on 7 December 2000.

<b>Name:</b>	<i>Abies alba</i>	
<b>Common Name:</b>	Silver Fir	
<b>Significance:</b>	Horticultural, landscape, size, aesthetic quality, historic	
<b>Height:</b>	16.2 m	
<b>Circumference:</b>	2.2 m	
<b>Spread:</b>	16 m	
<b>Estimated age:</b>	47	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Cedrus atlantica</i>	
<b>Common Name:</b>	Atlas Cedar	
<b>Significance:</b>	Horticultural, landscape, size, aesthetic value, historic	
<b>Height:</b>	16.1 m	
<b>Circumference:</b>	1.75 m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	47	
<b>Condition:</b>	Good	

### Memorial Reserve

Loch

GPS 38 2210S 145 4283E

### History

The Reserve comprises a grassed football and cricket oval, three concrete tennis courts and associated buildings and facilities. It was officially opened on 30 January 1922. The Avenue of Honour of English Oak trees was planted at this time.

One Redwood tree on the boundary of the Reserve has been nominated for inclusion on the Register. It was assessed on 10 November 2000.



<b>Name:</b>	<i>Sequoia sempervirens</i>
<b>Common Name:</b>	Redwood
<b>Significance:</b>	Horticultural, landscape, age, size
<b>Height:</b>	20.16 m
<b>Circumference:</b>	3 m
<b>Spread:</b>	10 m
<b>Estimated age:</b>	80
<b>Condition:</b>	Good

**Park Korumburra Public**  
Bridge Road Korumburra

**GPS 38 2564S 145 5004E**

**History**

In 1887, 30 acres or 12.14 hectares were set aside. In 1979 10 acres were developed as the new Caravan Park and the remainder, 8.09 hectares, is now the Park.

Some trees in the Park are remnants of the native bush and many ornamental trees were planted between 1910 and 1915, so there are some trees that are more than 85 years old. Between 1978 and 1984 the South Gippsland Conservation Society planted 70 trees. Since 1992 the Park has been maintained and improved with more replacement plantings.


**Species List**

Common Name	Botanical Name	Note
Silver Wattle	<i>Acacia dealbata</i>	
Blackwood	<i>Acacia melanoxylon</i>	
Cedar Wattle	<i>Acacia terminalis</i>	
Sycamore	<i>Acer pseudoplatanus</i>	
Silver Birch	<i>Betula pendula</i>	
Kurrajong	<i>Brachychiton populneus</i>	•
Blue Atlas Cedar	<i>Cedrus atlantica glauca</i>	
Deodar	<i>Cedrus deodara</i>	
Lawsons Cypress	<i>Chaemaecyparis lawsoniana</i>	
Monterey Cypress	<i>Cupressus macrocarpa</i>	
Blue Gum	<i>Eucalyptus globulus</i>	
Messmate	<i>Eucalyptus obliqua</i>	
Mountain Ash	<i>Eucalyptus regnans</i>	
Manna Gum	<i>Eucalyptus viminalis</i>	

Beech	<i>Fagus sylvatica</i>	
Claret Ash	<i>Fraxinus excelsior raywoodii</i>	
Silky Oak	<i>Grevillea robusta</i>	
Norway Spruce	<i>Picea abies</i>	•
Sitka Spruce	<i>Picea sitchensis</i>	•
Canary Island Pine	<i>Pinus canariensis</i>	•
Aleppo Pine	<i>Pinus halepensis</i>	
Corsican Pine	<i>Pinus nigra maritima</i>	
Western Yellow Pine	<i>Pinus ponderosa</i>	
Monterey Pine	<i>Pinus radiata</i>	
Hazel Pomaderis	<i>Pomaderis aspera</i>	
Silver Poplar	<i>Populus alba</i>	
Upright Silver Poplar	<i>Populus alba pyramidalis</i>	
Cottonwood	<i>Populus deltoides</i>	
Douglas Fir	<i>Pseudotsuga menziesii</i>	•
Algerian Oak	<i>Quercus canariensis</i>	•
English Oak	<i>Quercus robur</i>	•
Cork Oak	<i>Quercus suber</i>	•
Oak	<i>Quercus palustris</i>	
Elm	<i>Ulmus species</i>	
Salt and Pepper Elm	<i>Ulmus carpinifolia variegata</i>	
Wych Elm	<i>Ulmus glabra</i>	

- Noted as outstanding specimens by John Hawker in his 1992 report.  
Total number species 36.

One individual tree has been nominated as significant. It was assessed and measured on 16 May 2000.

<b>Name:</b>	<i>Brachychiton populneus*</i>	
<b>Common Name:</b>	Kurrajong	
<b>Significance:</b>	Horticultural, landscape, size, aesthetic quality	
<b>Height:</b>	11.7 m	
<b>Circumference:</b>	2.5 m	
<b>Spread:</b>	6 m NS 12 m EW	
<b>Estimated age:</b>	Mature	
<b>Condition:</b>	Good	



**Park Mossvale**

Strzelecki Highway, Berrys Creek

**GPS 38 2417S 146 0322E**

**History**

Francis Moss came to Australia in 1851. He established a nursery at Buninyong growing fruit trees and later ornamental shrubs and trees. In 1888 Moss bought the property now known as Mossvale. Again he established a nursery, also called Mossmont like the one at Buninyong. As the nursery developed hundreds of fruit trees and ornamentals went to local district settlers. Any trees not up to the high standards of Moss and his manager, George Gould, were planted out on the property.

Francis Moss died in 1916 and the property was eventually sold in 1923. It had been managed as a dairy farm but all stock and machinery was auctioned and the property was then leased to local farmers running sheep or cattle.

There was a succession of owners during the early 1900s and from 1933 onward school picnics and sports were held in the front paddock on the river.

In April 1945 delegates from the Leongatha Branch of the Australian Natives Association approached the Shire Councils to purchase the riverside picnic ground. In March 1946 the Shires of Mirboo and Woorayl purchased ten acres of land, now known as Mossvale Park.

In 1956 the Country Women's Association planted some trees in the Park.

In 1966 Bob Auchterlonie made a list of the trees in the park and there have been significant plantings since then in 1987, 1988 and 1992, with specimens contributed by the Moss family from their Mossmont Nursery at Monbulk.

Five trees in the park are included in the Register of Significant Trees of Victoria.

References: The Story of Mossvale Park by Ellen Lyndon 1994  
Francis Moss & Mossvale Park by A M Blundell, 1956

## Species List


Common Name	Botanical Name	Note
Blackwood	<i>Acacia melanoxylon</i>	
Trident Maple	<i>Acer buergeranum</i>	
Field or Hedge Maple	<i>Acer campestre</i>	
Box Elder Maple	<i>Acer negundo pink flamingo</i>	
Ghost Tree	<i>Acer negundo variegatum</i>	
Norway Maple	<i>Acer platanoides</i>	


Sycamore Maple	<i>Acer pseudoplatanus</i>	
Sycamore Maple	<i>Acer pseudoplatanus leopoldi</i>	
Red Maple	<i>Acer rubrum</i>	
Common Horse Chestnut	<i>Aesculus hippocastanum</i>	
Red Horse Chestnut	<i>Aesculus X carnea</i>	
Alder	<i>Alnus cordata (?)</i>	
Evergreen Alder	<i>Alnus jorullensis</i>	
Norfolk Island Pine	<i>Araucaria heterophylla excelsa</i>	
Silver Birch	<i>Betula pendula</i>	2
Indian Bean Tree	<i>Catalpa bignonioides</i>	
Chinese Cedar	<i>Cedreca sinensis</i>	
Blue Atlas Cedar	<i>Cedrus atlantica glauca</i>	
Deodar Cedar	<i>Cedrus deodara</i>	
Golden Deodar	<i>Cedrus deodara aurea</i>	
Judas Tree	<i>Cercis siliquastrum</i>	
Chinese Flowering Quince	<i>Chaenomeles sinensis</i>	
Red Flowering Dogwood	<i>Cornus florida var rubra</i>	
Washington Thorn	<i>Crataegus phaenopyrum</i>	
Cypress species	<i>Cupressus species</i>	
Mt Grey Gum	<i>Eucalyptus cypellocarpa</i>	
Messmate	<i>Eucalyptus obliqua</i>	
Strzelecki Gum	<i>Eucalyptus strzeleckii</i>	
Manna Gum	<i>Eucalyptus viminalis</i>	
English Beech	<i>Fagus sylvatica</i>	
Copper Beech	<i>Fagus sylvatica purpurea</i>	
White Ash	<i>Fraxinus americana</i>	
Golden Weeping Ash	<i>Fraxinus excelsior aurea pendula</i>	
Claret Ash	<i>Fraxinus raywoodi</i>	
Variiegated Ash	<i>Fraxinus species</i>	
Maidenhair Tree	<i>Ginkgo biloba</i>	
Honey Locust	<i>Gleditsia triacanthos elegantissima</i>	
Honey Locust	<i>Gleditsia triacanthos ruby lace</i>	
Common Walnut	<i>Juglans regia</i>	
American Sweet Gum	<i>Liquidambar styraciflua</i>	
Tulip Tree	<i>Liriodendron tulipifera</i>	
Crab Apple	<i>Malus floribunda</i>	
Crab Apple	<i>Malus gorgeous</i>	
Crab Apple	<i>Malus hillieri</i>	
Crab Apple	<i>Malus loensis</i>	
Tupelo	<i>Nyssa sylvatica</i>	
Persian Witch Hazel	<i>Parrotia persica</i>	
Royal Pawlonia	<i>Pawlonia tomentosa</i>	
Mexican Pine	<i>Pinus patula</i>	

Japanese Black Pine	<i>Pinus thunbergii</i>	
London Plane	<i>Platanus X acerifolia</i>	NT
Oriental Plant	<i>Platanus orientalis</i>	NT
Golden Poplar	<i>Populus X serotina aurea</i>	
Yunnan Poplar	<i>Populus yunnanensis</i>	
Double rose Cherry Plum	<i>Prunus X blireiana</i>	
Elvins Prunus	<i>Prunus elvins</i>	
Japanese Flowering Cherry	<i>Prunus serrulata deep pink</i>	
Japanese Flowering Cherry	<i>Prunus serrulata okame</i>	
Japanese Flowering Cherry	<i>Prunus serrulata shirotae (Mt Fuji)</i>	
Great White Flowering Cherry	<i>Prunus serrulata tai haku</i>	
Japanese Flowering Cherry	<i>Prunus serrulata tibetica</i>	
Red Oak	<i>Quercus borealis rubra</i>	2
Algerian Oak	<i>Quercus canariensis</i>	NT
Oak	<i>Quercus canariensis X dentata</i>	
Chestnut leaf Oak	<i>Quercus castaneifolia</i>	NT
Scarlet Oak	<i>Quercus coccinea</i>	
Daimyo Oak	<i>Quercus dentata</i>	
Pin Oak	<i>Quercus palustris</i>	3
English or Common Oak	<i>Quercus robur</i>	
Cork Oak	<i>Quercus suber</i>	
Black Locust	<i>Robinia pseudoacacia bessoniana</i>	
Black Locust	<i>Robinia pseudoacacia frisia</i>	
Wellingtonia	<i>Sequoiadendron giganteum</i>	
Common Lilac	<i>Syringa vulgaris</i>	
Swamp or Bald Cypress	<i>Taxodium distichum</i>	
Lime or Linden	<i>Tilia cordata</i>	
Elm	<i>Ulmus species</i>	
Variegated Elm	<i>Ulmus carpinifolia variegata</i>	
Weeping Scotch Elm	<i>Ulmus glabra pendula</i>	2
Elm	<i>Ulmus minor sarniensis</i>	
Variegated Elm	<i>Ulmus minor variegata</i>	NT
English Elm	<i>Ulmus procera</i>	
Golden Elm	<i>Ulmus procera Louis van Houtte</i>	
Japanese Zelkova	<i>Zelkova serrata</i>	




Total number species 59.


Fourteen individual trees in Mossvale Park have been nominated for the Register. They were measured and assessed on 16 November 2000.


<b>Name:</b>	<i>Catalpa bignonioides</i>	
<b>Common Name:</b>	Indian Bean	
<b>Significance:</b>	Horticultural, rarity	
<b>Height:</b>	5.76 M	
<b>Circumference:</b>	0.54 m	
<b>Spread:</b>	1-3 m 4 m	
<b>Estimated age:</b>	32	
<b>Condition:</b>	Good, lopsided	


<b>Name:</b>	<i>Cedrus deodara</i> *	
<b>Common Name:</b>	Deodar	
<b>Significance:</b>	Horticultural, landscape, aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	12.09 m	
<b>Circumference:</b>	1.65 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	32	
<b>Condition:</b>	Good	







<p><b>Name:</b> <i>Fagus sylvatica purpurea*</i>  <b>Common Name:</b> Copper Beech</p> <p><b>Significance:</b> Horticultural, landscape, size, aesthetic quality  <b>Notes:</b> Outstanding specimen</p> <p><b>Height:</b> 10.56 m  <b>Circumference:</b> 1.82.m  <b>Spread:</b> 12 m  <b>Estimated age:</b> 44  <b>Condition:</b> Good</p>	
<p><b>Name:</b> <i>Liquidambar styraciflua*</i>  <b>Common Name:</b> Liquidambar</p> <p><b>Significance:</b> Landscape, aesthetic quality  <b>Notes:</b> Outstanding specimen</p> <p><b>Height:</b> 17 m  <b>Circumference:</b> 1.545 m  <b>Spread:</b> 8 m  <b>Estimated age:</b> 44  <b>Condition:</b> Good</p>	
<p><b>Name:</b> <i>Platanus x acerifolia*</i>  <b>Common Name:</b> London Plane</p> <p><b>Significance:</b> Horticultural, landscape, age, size, aesthetic quality  <b>Notes:</b> Outstanding specimen NT</p> <p><b>Height:</b> 26.5 m  <b>Circumference:</b> 3.87 m  <b>Spread:</b> 24 m  <b>Estimated age:</b> 107  <b>Condition:</b> Good</p>	


<b>Name:</b>	<i>Platanus orientalis</i> *	
<b>Common Name:</b>	Oriental Plane	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen NT	
<b>Height:</b>	23.76 m	
<b>Circumference:</b>	3.29 m	
<b>Spread:</b>	20 m	
<b>Estimated age:</b>	107	
<b>Condition:</b>	Good	


<b>Name:</b>	<i>Quercus canariensis</i> *	
<b>Common Name:</b>	Algerian Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen NT	
<b>Height:</b>	25.5 m	
<b>Circumference:</b>	5.54 m	
<b>Spread:</b>	28.5 m	
<b>Estimated age:</b>	107	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Quercus castaneifolia</i> *	
<b>Common Name:</b>	Chestnut-leaved Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen NT	
<b>Height:</b>	33.28 m	
<b>Circumference:</b>	6.5 m	
<b>Spread:</b>	30 m	
<b>Estimated age:</b>	87	
<b>Condition:</b>	Good	

<p><b>Name:</b> <i>Quercus palustris*</i>  <b>Common Name:</b> Pin Oak</p> <p><b>Significance:</b> Horticultural, landscape, size, aesthetic quality  <b>Notes:</b> Outstanding specimen</p> <p><b>Height:</b> 19.98 m  <b>Circumference:</b> 2.12 m  <b>Spread:</b> 10 m  <b>Estimated age:</b> 40  <b>Condition:</b> Good</p>	
<p><b>Name:</b> <i>Quercus suber*</i>  <b>Common Name:</b> Cork Oak</p> <p><b>Significance:</b> Horticultural, landscape, aesthetic quality  <b>Notes:</b> Outstanding specimen</p> <p><b>Height:</b> 11.96 m  <b>Circumference:</b> 1.6 m  <b>Spread:</b> 5-3 m NS 10 m EW  <b>Estimated age:</b> 30  <b>Condition:</b> Good</p>	
<p><b>Name:</b> <i>Ulmus ?</i>  <b>Common Name:</b> Variegated Elm</p> <p><b>Significance:</b> Horticultural, landscape, aesthetic quality  <b>Notes:</b> Outstanding specimen</p> <p><b>Height:</b> 18.4 m  <b>Circumference:</b> 1.97 m  <b>Spread:</b> 14 m  <b>Estimated age:</b> 44  <b>Condition:</b> Good</p>	

<b>Name:</b>	<i>Ulmus carpinifolia variegata</i>	
<b>Common Name:</b>	Variegated Elm	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	31.36 m	
<b>Circumference:</b>	4.85 m	
<b>Spread:</b>	0-12 m NS 24 m EW	
<b>Estimated age:</b>		
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Ulmus glabra pendula*</i>	
<b>Common Name:</b>	Umbrella Tree	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	7.36 m	
<b>Circumference:</b>	1.91 m	
<b>Spread:</b>	4-1 m NS 9 m EW	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Ulmus procera*</i>	
<b>Common Name:</b>	English Elm	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	31.86 m	
<b>Circumference:</b>	5.24 m	
<b>Spread:</b>	20 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	



**Park Pearl**

Main Street, Foster

**GPS 38 3909S 146 1201E****History**


The park is between Macdonald and Bridge Streets, along both sides of Stockyard Creek in Foster. There are reputed to be platypus in the creek. On the main road there is a monument to a miner holding a panning dish. The park was established in 19?? in honour of Pearl, one of the early mining settlers.

*Species List*

<b>Name</b>	<b>Botanical Name</b>
Kurrajong	<i>Brachychiton populneus</i>
Mahogany Gum	<i>Eucalyptus botryoides</i>
Silky Oak	<i>Grevillea robusta</i>
Lombardy Poplar	<i>Populus nigra italica</i>
Weeping Willow	<i>Salix babylonica</i>
English Elm	<i>Ulmus procera</i>
Golden Elm	<i>Ulmus procera van houtteii</i>

*Total number species 7+.*

One individual tree has been nominated as significant in the park. It was measured and assessed on 19 December 2000.

<b>Name:</b>	<i>Grevillea robusta</i> *	
<b>Common Name:</b>	Silky Oak	
<b>Significance:</b>	Horticultural, landscape, size, aesthetic quality	
<b>Height:</b>	18.62 m	
<b>Circumference:</b>	2.99 m	
<b>Spread:</b>	12 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	

## Recreation Reserve Leongatha

**GPS 38 2824S 145 5686E**


### History


In 1887 John Lardner, the government surveyor, surveyed the township of Leongatha and reserved two areas, 32 acres for a park and recreation reserve and 15 acres for showgrounds. In 1893 the Lands Department exchanged these reserves for 107 acres on the northern boundary of the town, under the management of five trustees. The trustees requested a further exchange for land closer to the town in 1894. The Lands Department agreed and allocated 57 acres for public recreation and 24 acres for showgrounds where they are today.


In 1927 the government granted money to clear and improve the recreation reserves.


In 1959 the Red Cross planted several trees in the Recreation Reserve to celebrate their Centenary.

Five individual trees have been nominated as significant on the Reserve. They were measured and assessed on 21 November 2000.

<b>Name:</b>	<i>Arbutus unedo</i> *	
<b>Common Name:</b>	Irish Strawberry Tree	
<b>Significance:</b>	Horticultural, landscape, aesthetic value, historic	
<b>Height:</b>	6.05 m	
<b>Circumference:</b>	3.47 m	
<b>Spread:</b>	8 m NS 6 m EW	
<b>Estimated age:</b>	40+	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Cryptomeria japonica</i> elegans*	
<b>Common Name:</b>	Japanese Cedar	
<b>Significance:</b>	Horticultural, landscape, rarity, aesthetic quality, historic	
<b>Height:</b>	12.9 m	
<b>Circumference:</b>	2.5 m	
<b>Spread:</b>	8 m NS 2-4 m EW	
<b>Estimated age:</b> <b>Condition:</b>	40+ Good	

<b>Name:</b>	<i>Cupressus funebris</i> *	
<b>Common Name:</b>	Chinese Weeping Cypress	
<b>Significance:</b>	Horticultural, landscape, rarity, aesthetic quality, historic	
<b>Height:</b>	13.87 m	
<b>Circumference:</b>	2.07 m	
<b>Spread:</b>	4 m	
<b>Estimated age:</b> <b>Condition:</b>	40+ Good	

<b>Name:</b>	<i>Cupressus glabra</i> *	
<b>Common Name:</b>	Arizona Cypress	
<b>Significance:</b>	Horticultural, landscape, aesthetic quality, historic	
<b>Height:</b>	16.16 m	
<b>Circumference:</b>	2.17 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b> <b>Condition:</b>	40+ Good	

<b>Name:</b>	<i>Thuja plicata</i> *	
<b>Common Name:</b>	Western Red Cedar	
<b>Significance:</b>	Horticultural, landscape, aesthetic quality, historic	
<b>Height:</b>	10.27 m	
<b>Circumference:</b>	5 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	40+	
<b>Condition:</b>	Good	

**Reserve Pioneer**

William Street, Kongwak

**GPS 38 3099S 145 4271E****History**

The reserve is 41 hectares in area, one of very few remnants of the original vegetation in South Gippsland. Apart from the Messmate forest covering the majority of the Reserve there is also a small stand, approximately 20 trees, of Mountain Ash on the western border, near Foster Creek. The associated wet forest understorey species, Blanket Leaf, occurs under these trees and there is only one other known site in the Powlett Catchment where this species can be found.

The low degree of weed invasion is another indicator of botanical quality.

**Species List**

Common Name	Botanical Name	Note
Silver Wattle	<i>Acacia dealbata</i>	
Blackwood	<i>Acacia melanoxylon</i>	
Blanket Leaf	<i>Bedfordia arborescens</i>	
Messmate	<i>Eucalyptus obliqua</i>	
Mountain Ash	<i>Eucalyptus regnans</i>	20
Cherry Ballart	<i>Exocarpus cupressiformis</i>	

No individual trees were nominated for the Register.

**Leongatha Secondary College**

West Campus

Horn Street, Leongatha

**GPS 38 2874S 145 5742E****History**

The school was opened in 1912. It is thought that “the oak” in the quadrangle was planted then. This tree was visible in 1930s aerial photographs of Leongatha as a mature tree. At the same time a row of Cypresses was planted to provide shade for the horse paddock, the present day oval.

In 1935 the trees in Jubilee Park were planted to a design by Mr Messley to celebrate the Jubilee of King George V. Some of the original trees have died and other trees have been planted since as memorials to students at the school who have died.


**Species List**


<b>Name</b>	<b>Botanical Name</b>
Smooth barked Apple Myrtle	<i>Angophora costata</i>
Hoop Pine	<i>Araucaria cunninghamii</i>
Deodar	<i>Cedrus deodara</i>
Arizona Cypress	<i>Cupressus glabra</i>
Copper Beech	<i>Fagus sylvatica purpurea</i>
Claret Ash	<i>Fraxinus excelsior raywoodii</i>
Prickly Tea-tree	<i>Melaleuca stypheloides</i>
Dawn Redwood	<i>Metasequoia glyptostroboides</i>
Silver Poplar	<i>Populus alba</i>
Douglas Fir	<i>Pseudotsuga menziesii</i>
Pin Oak	<i>Quercus palustris</i>
Golden Elm	<i>Ulmus procera van houttei</i>


*Total numbers species 12.*



Three individual trees on the West Campus have been nominated as significant. They were measured and assessed on date 21 November 2000.

<b>Name:</b>	<i>Angophora costata</i>	
<b>Common Name:</b>	Smooth barked Apple Myrtle	
<b>Significance:</b>	Horticultural, landscape, size, aesthetic quality	
<b>Height:</b>	19.36 m	
<b>Circumference:</b>	2.565 m	
<b>Spread:</b>	0-6 m NS 6-0 m EW	
<b>Estimated age:</b>	75+	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Metasequoia glyptostroboides*</i>	
<b>Common Name:</b>	Dawn Redwood	
<b>Significance:</b>	Horticultural, landscape, rarity, size, aesthetic quality	
<b>Height:</b>	18.9 m	
<b>Circumference:</b>	2.795 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	75+	
<b>Condition:</b>	Good	


<b>Name:</b>	<i>Pseudotsuga menziesii</i>	
<b>Common Name:</b>	Douglas Fir	
<b>Significance:</b>	Horticultural, landscape, size, aesthetic quality	
<b>Height:</b>	19.6 m	
<b>Circumference:</b>	1.93 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	75+	
<b>Condition:</b>	Good	

**East Campus**

Nerrena Road, Leongatha

**GPS 38 2878S 145 5762E**

One individual tree has been nominated on the East Campus. It was measured and assessed on 21 November 2000.

<b>Name:</b>	<i>Quercus ilex</i> *	
<b>Common Name:</b>	Holm Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	12.39 m	
<b>Circumference:</b>	3.65 m	
<b>Spread:</b>	18 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	

### Smith Street Loch

GPS 38 2223S 145 4244E

#### History


On the south side of the South Gippsland Highway Smith Street is planted on both sides with mature trees in very good condition. They possibly date back to the early days of the township and may be about 100 years old.

Common Name	Botanical Name	Number
Plane	<i>Platanus sp.</i>	6
English Oak	<i>Quercus robur</i>	2
English Elm	<i>Ulmus procera</i>	4




## Stands


Stands of trees may be either natural or cultivated and are significant because they represent important features of the landscape of South Gippsland. They may also be significant horticulturally as rare species or remnants of the original native vegetation. Some cultivated stands have historical significance. Of the nineteen stands nominated fourteen are significant. They all occur on public land.


<b>Name:</b> <b>Common Name:</b> <b>Location:</b> <b>Significance:</b>  <b>Latitude:</b> <b>Longitude:</b> <b>Number of trees:</b> <b>Condition:</b>	<i>Allocasuarina verticillata</i> Drooping Sheoak Cape Liptrap Coastal Park Walkerville Horticultural, landscape, aesthetic quality  38 5135S 145 5981E >50 Good	
--	--	---


<b>Name:</b> <b>Common Name:</b> <b>Location:</b> <b>Significance:</b>  <b>Latitude:</b> <b>Longitude:</b> <b>Number of trees:</b> <b>Condition:</b>	<i>Banksia integrifolia</i> Coast Banksia Waratah Bay Camp Ground Waratah Bay Horticultural, landscape  38 4869S 146 0231E >20 Poor, damaged	
--	---	--

<b>Name:</b> <b>Common Name:</b> <b>Location:</b> <b>Significance:</b>  <b>Latitude:</b> <b>Longitude:</b> <b>Number of trees:</b> <b>Condition:</b>	<i>Banksia serrata</i> Saw Banksia Todds Road Hedley Horticultural, landscape  38 3907S 146 3045E >20 Good	
--	---	---





<p><b>Name:</b> <i>Eucalyptus cypellocarpa</i>  <b>Common Name:</b> Mt Grey Gums  <b>Location:</b> Dickies Hill Reserve                  Mirboo North  <b>Significance:</b> Horticultural, landscape, aesthetic quality</p> <p><b>Latitude:</b> 38 2288S  <b>Longitude:</b> 146 0760E  <b>Number of trees:</b> &gt;50  <b>Condition:</b> Good</p>	
---	---


<p><b>Name:</b> <i>Eucalyptus globulus</i>  <b>Common Name:</b> Southern Blue Gum  <b>Location:</b> Promontory Road                  Fish Creek  <b>Significance:</b> Horticultural, landscape, historic, aesthetic quality</p> <p><b>Latitude:</b> 38 2778S  <b>Longitude:</b> 144 0572E  <b>Number of trees:</b> &gt;25  <b>Condition:</b> Good</p>	
---	--


<p><b>Name:</b> <i>Eucalyptus muelleriana</i>  <b>Common Name:</b> Yellow Stringy Bark  <b>Location:</b> Morgans Road                  Hedley  <b>Significance:</b> Horticultural, landscape, aesthetic quality</p> <p><b>Latitude:</b> 38 3801S  <b>Longitude:</b> 146 2958E  <b>Number of trees:</b> &gt;50  <b>Condition:</b> Good</p>	
---	---




<b>Name:</b>	<i>Eucalyptus pauciflora</i>	
<b>Common Name:</b>	Snow Gum	
<b>Location:</b>	Bald Hills Road Tarwin Lower	
<b>Significance:</b>	Horticultural, landscape, rarity	
<b>Latitude:</b>	38 4385S	
<b>Longitude:</b>	145 5384E	
<b>Number of trees:</b>	5	
<b>Condition:</b>	Mediocre	


<b>Name:</b>	<i>Eucalyptus strzeleckii</i>	
<b>Common Name:</b>	Strzelecki Gum	
<b>Location:</b>	Bena Poowong Road Poowong	
<b>Significance:</b>	Horticultural, landscape, rarity, aesthetic quality	
<b>Latitude:</b>	38 2279S	
<b>Longitude:</b>	145 4605E	
<b>Number of trees:</b>	>50	
<b>Condition:</b>	Good	


<b>Name:</b>	<i>Eucalyptus viminalis</i>	
<b>Common Name:</b>	Manna Gum	
<b>Location:</b>	South Gippsland Highway Stony Creek	
<b>Significance:</b>	Horticultural, landscape, aesthetic quality	
<b>Latitude:</b>	38 3541S	
<b>Longitude:</b>	146 0312E	
<b>Number of trees:</b>	>20	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Nothofagus cunninghamii</i>	
<b>Common Name:</b>	Myrtle Beech	
<b>Location:</b>	Mt Best	
<b>Significance:</b>	Horticultural, landscape, rarity, aesthetic quality	
<b>Latitude:</b>	38 3444S	
<b>Longitude:</b>	146 1379E	
<b>Number of trees:</b>	>20	
<b>Condition:</b>	Good	

<p><b>Name:</b> <i>Phoenix canariensis</i>  <b>Common Name:</b> Canary Island Palms  <b>Location:</b> Hotel                  Tarwin Lower  <b>Significance:</b> Horticultural, landscape,                  historic, aesthetic quality</p> <p><b>Latitude:</b> 38 4185S  <b>Longitude:</b> 145 5194E  <b>Number of trees:</b> 2  <b>Condition:</b> Good</p>	
---	---

<p><b>Name:</b> <i>Phoenix canariensis</i>  <b>Common Name:</b> Canary Island Palms  <b>Location:</b> Brennon St                  Mirboo North  <b>Significance:</b> Horticultural, landscape,                  historic, aesthetic quality</p> <p><b>Latitude:</b> 38 2410S  <b>Longitude:</b> 146 0933E  <b>Number of trees:</b> 5  <b>Condition:</b> Good</p>	
--	---

<p><b>Name:</b> <i>Phoenix canariensis</i>  <b>Common Name:</b> Canary Island Palms  <b>Location:</b> McCartin Street                  Leongatha  <b>Significance:</b> Horticultural, landscape,                  historic, aesthetic quality</p> <p><b>Latitude:</b> 38 2856S  <b>Longitude:</b> 145 5681E  <b>Number of trees:</b> 4  <b>Condition:</b> Good</p>	
--	---

<p><b>Name:</b> <i>Syzigium paniculatum</i>  <b>Common Name:</b> Lilly Pilly  <b>Location:</b> Franklin River Reserve                  Toora  <b>Significance:</b> Horticultural, landscape,                  rarity, aesthetic quality</p> <p><b>Latitude:</b> 38 3655S  <b>Longitude:</b> 146 1929E  <b>Number of trees:</b> 6  <b>Condition:</b> Good</p>	
--	---

### Private Sites

Private sites include urban and farm gardens, paddocks, bush blocks and hedges. Thirty two sites were nominated and eighteen have been included on the register. The criteria for including a site were historical significance, the number of species and the quality of the trees and in two instances hedges. The presence of a significant tree by itself was not sufficient to deem the whole site significant. Individual trees from private sites were nominated for the Register in their own right, but not all of these trees were deemed significant. Those that were are indicated \*.

#### Farm Garden

Mirboo North

**GPS 38 2748S 146 0744E**

#### History

The property was settled in 1878 and the original farm house built in the 1890s. Many of the trees planted around the house came from the Moss Nursery at Buninyong. In the garden are some interesting horticultural specimens including 100-year-old tree peonies and an Albertine Rose growing over a long arch. There are 80-90 year old rhododendrons and camelias.


#### *Species List*


<b>Common Name</b>	<b>Botanical Name</b>
Norfolk Island Pine	<i>Araucaria heterophylla</i>
Silver Birch	<i>Betula pendula</i>
Deodar	<i>Cedrus deodara</i>
Silky Oak	<i>Grevillea robusta</i>
Magnolia	<i>Magnolia grandiflora</i>
Canary Island Palm	<i>Phoenix canariensis</i>
Algerian Oak	<i>Quercus canariensis</i>
English Oak	<i>Quercus robur</i>


*Total number species 8+.*

Three individual trees have been nominated as significant. They were measured and assessed on 23 November 2000.



<p><b>Name:</b> <i>Magnolia grandiflora</i>  <b>Common Name:</b> Magnolia  <b>Significance:</b> Horticultural, landscape, age, aesthetic quality  <b>Height:</b> 6.9 m  <b>Circumference:</b> Multitrunked  <b>Spread:</b> 10 m  <b>Estimated age:</b> 100  <b>Condition:</b> Good</p>	
--	--

<p><b>Name:</b> <i>Phoenix canariensis</i>  <b>Common Name:</b> Canary Island Palm  <b>Significance:</b> Horticultural, landscape, age, size  <b>Height:</b> 11.52 m  <b>Circumference:</b> 4.15 m  <b>Spread:</b> 6 m  <b>Estimated age:</b> 100  <b>Condition:</b> Damaged trunk</p>	
--	---

<p><b>Name:</b> <i>Quercus robur</i>  <b>Common Name:</b> English Oak  <b>Significance:</b> Horticultural, landscape, age, aesthetic quality  <b>Height:</b> 14.4 m  <b>Circumference:</b> 3.275 m  <b>Spread:</b> 16 m  <b>Estimated age:</b> 110  <b>Condition:</b> Good</p>	
--	--

## Catholic Church, Loch Paddock

**GPS 38 2209S 145 4220E**


### History

The paddock, on the north side of the South Gippsland Highway behind the Catholic Church, has a remarkable collection of trees. The Chestnut-leaved Oak has been registered by the National Trust of Victoria. All the trees are in good condition.

### Species List

Common Name	Botanical Name	Number
Cedar of Lebanon	<i>Cedrus libani</i>	1
Canary Island Pine	<i>Pinus canariensis</i>	2
Pine (unknown species)	<i>Pinus sp.</i>	3
Chestnut leaved Oak	<i>Quercus castaneifolia</i>	3
Black Locust	<i>Robinia pseudoacacia</i>	10
English Elm	<i>Ulmus procera</i>	1

One tree has been nominated as significant. It was measured for the National Trust on 25 October 1993.

<b>Name:</b>	<i>Quercus castaneifolia</i> *	
	Chestnut leaved Oak	
<b>Common Name:</b>		
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
	Outstanding specimen NT	
<b>Notes:</b>		
<b>Height:</b>	17 m	
<b>Circumference:</b>	3.83 m	
<b>Spread:</b>	27.1 m	
<b>Estimated age:</b>	80	
<b>Condition:</b>	Good	

## Mossvale Farm

Berrys Creek

**GPS 38 2408S 146 0312E**

### History

Francis Moss came to Australia in 1851. He established a nursery at Buninyong growing fruit trees and later ornamental shrubs and trees. In 1888 Moss bought the property now known as



Mossvale. Again he established a nursery, also called Mossmont like the one at Buninyong. As the nursery developed hundreds of fruit trees and ornamentals went to local district settlers.

William Gould, a trained nurseryman, managed the nursery from 1898 to 1917, with assistance from his son for the last seven years. Any trees not up to the high standards of Moss and his managers were planted out on the property.

Francis Moss died in 1916 and the property was offered for sale. The nursery stock was also offered for sale through a catalogue. One Sydney nurseryman ordered enough plants to fill a railway truck. This took some days to complete as the plants had to be carted from the nursery by dray. After the slow interstate journey, they arrived in such good condition that the purchaser offered William Gould a partnership in his business. Mossvale was eventually sold in 1923. It had been managed as a dairy farm but all stock and machinery was auctioned and the property was then leased to local farmers running sheep or cattle. There was a succession of owners during the early 1900s. In March 1946 the Shires of Mirboo and Woorayl purchased ten acres of land, now known as Mossvale Park, leaving 160 ha for the farm property. Mossvale Farm is now Greycoates Stud owned by Jeremy Curtis.

Two significant features on the farm are the Oak Square and the original Nursery Site. The garden around the house also has several significant trees.

References: Letter from Norma Mahony, 22 March 1972  
Letter from Estelle Haynes, 4 May 1993  
The Story of Mossvale Park by Ellen Lyndon 1994


### Species List


Common Name	Botanical Name	Note
Blackwood	<i>Acacia melanoxylon</i>	Farm
Field Maple	<i>Acer campestre</i>	Nursery
Sugar Maple	<i>Acer saccharinum</i>	Nursery
Sycamore Maple	<i>Acer pseudoplatanus</i>	Nr Cottage
Red Maple	<i>Acer rubrum</i>	Nr Nursery
Common Horse Chestnut	<i>Aesculus hippocastanum</i>	Nr Nursery
Blue Atlas Cedar	<i>Cedrus atlantica glauca</i>	Cottage
Deodar Cedar	<i>Cedrus deodara</i>	Garden
Chinese Quince	<i>Cydonia sinensis</i>	Nursery
Manna Gum	<i>Eucalyptus viminalis</i>	Nr Nursery
Ash	<i>Fraxinus excelsior</i>	Garden
Variiegated Holly	<i>Ilex aquifolium Albomarginata</i>	Nursery
Laburnum	<i>Laburnum anagyroides</i>	Nr Cottage
Pyramid Tree	<i>Lagunaria patersoni</i>	Garden
Golden Poplar	<i>Populus X serotina aurea</i>	Nr Cottage
Silver Poplar	<i>Populus alba</i>	Nr Cottage
Golden Oak	<i>Quercus robur concordia</i>	Oak Square
Chestnut leaf Oak	<i>Quercus castaneifolia</i>	Oak Square
English or Common Oak	<i>Quercus robur</i>	Oak Square
Redwood	<i>Sequoia sempervirens</i>	Garden


Wellingtonia	<i>Sequoiadendron giganteum</i>	Garden
Lime or Linden	<i>Tilia cordata</i>	Nr Cottage
Variegated Elm	<i>Ulmus minor variegata</i>	Nursery
English Elm	<i>Ulmus procera</i>	Nursery
Japanese Zelkova	<i>Zelkova serrata</i>	Nr nursery


Total number species 25+.


Eight individual trees have been nominated as significant on the property. They were measured and assessed on 21 October 2000.




<p><b>Name:</b> <i>Cedrus deodara</i>  <b>Common Name:</b> Deodar Cedar  <b>Location:</b> Garden</p> <p><b>Significance:</b> Landscape, age, size</p> <p><b>Height:</b> 24.2 m  <b>Circumference:</b> 4.92 m  <b>Spread:</b> 27 m  <b>Estimated age:</b> 100+  <b>Condition:</b> Good</p>	
---	---

<p><b>Name:</b> <i>Lagunaria patersoni</i>  <b>Common Name:</b> Pyramid Tree  <b>Location:</b> Garden</p> <p><b>Significance:</b> Landscape, rare species, age, size</p> <p><b>Height:</b> 16.92 m  <b>Circumference:</b> 1.95 m  <b>Spread:</b> 10 m  <b>Estimated age:</b> 100+  <b>Condition:</b> Good</p>	
---	--

<b>Name:</b>	<i>Quercus robur concordia*</i>	
	Golden Oak	
<b>Common Name:</b>	Oak Square	
<b>Location:</b>	Landscape, rare species	
<b>Significance:</b>		
<b>Height:</b>	9.8 m	
<b>Circumference:</b>	1.25 m	
<b>Spread:</b>	11 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Poor	

<b>Name:</b>	<i>Quercus robur</i>	
<b>Common Name:</b>	English Oak	
<b>Location:</b>	Oak Square	
<b>Significance:</b>	Landscape	
<b>Height:</b>	16.08 m	
<b>Circumference:</b>	2.53 m	
<b>Spread:</b>	15 22 m lopsided	
<b>Estimated age:</b>	100 +	
<b>Condition:</b>	Poor	

<b>Name:</b>	<i>Quercus castaneifolia</i>	
<b>Common Name:</b>	Chestnut leaved Oak	
<b>Location:</b>	Oak Square	
<b>Significance:</b>	Landscape, age, size	
<b>Height:</b>	32.5 m	
<b>Circumference:</b>	3.5 m	
<b>Spread:</b>	22 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Good	

<p><b>Name:</b> <i>Sequoia sempervirens</i>*</p> <p><b>Common Name:</b> Redwood</p> <p><b>Location:</b> Garden</p> <p><b>Significance:</b> Landscape, age, size</p> <p><b>Height:</b> 22.2 m</p> <p><b>Circumference:</b> 3.65 m</p> <p><b>Spread:</b> 12 m</p> <p><b>Estimated age:</b> 100+</p> <p><b>Condition:</b> Good</p>		
<p><b>Name:</b> <i>Sequoiadendron giganteum</i>*</p> <p><b>Common Name:</b> Wellingtonia</p> <p><b>Location:</b> Garden</p> <p><b>Significance:</b> Landscape, age, size</p> <p><b>Notes:</b> Outstanding specimen</p> <p><b>Height:</b> 28.8 m</p> <p><b>Circumference:</b> 5.65 m</p> <p><b>Spread:</b> 16 m</p> <p><b>Estimated age:</b> 100+</p> <p><b>Condition:</b> Good</p>		
<p><b>Name:</b> <i>Zelkova serrata</i>*</p> <p><b>Common Name:</b> Japanese Zelkova</p> <p><b>Location:</b> Nr Nursery</p> <p><b>Significance:</b> Landscape, age, size</p> <p><b>Notes:</b> Outstanding specimen</p> <p><b>Height:</b> 28.56 m</p> <p><b>Circumference:</b> 3.95 m</p> <p><b>Spread:</b> 27 m</p> <p><b>Estimated age:</b> 100+</p> <p><b>Condition:</b> Good</p>		

**Farm Garden**

Berrys Creek

**GPS 38 2499S 146 0411E****History**

This property was owned by the Aberdeen family at the time that Moss Vale Nursery was established and many of the trees came from that nursery. The drive is lined on both sides with more than 30 Oaks and Elms.


**Species List**

<b>Common Name</b>	<b>Botanical Name</b>
Blackwood	<i>Acacia melanoxylon</i>
Maple	<i>Acer sp.</i>
Sycamore	<i>Acer pseudoplatanus</i>
Norfolk Island Pine	<i>Araucaria heterophylla</i>
Silver Birch	<i>Betula pendula</i>
Atlantic Cedar	<i>Cedrus atlantica</i>
Deodar	<i>Cedrus deodara</i>
Monterey Cypress	<i>Cupressus macrocarpa</i>
Blue Gum	<i>Eucalyptus globulus</i>
Beech	<i>Fagus sylvatica</i>
Moreton Bay Fig	<i>Ficus macrophylla</i>
Ash	<i>Fraxinus excelsior</i>
Silky Oak	<i>Grevillea robusta</i>
Walnut	<i>Juglans regia</i>
Tulip Tree	<i>Liriodendron tulipifera</i>
Monterey Pine	<i>Pinus radiata</i>
New Zealand Pittosporum	<i>Pittosporum eugenoides</i>
Sweet Pittosporum	<i>Pittosporum undulatum</i>
Plane	<i>Platanus sp.</i>
Lombardy Poplar	<i>Populus nigra italica</i>
Algerian Oak	<i>Quercus canariensis</i>
Chestnut leaved Oak	<i>Quercus castaneifolia</i>
Holly Oak	<i>Quercus ilex</i>
English Oak	<i>Quercus robur</i>
Weeping Willow	<i>Salix babylonica</i>
Lime or Linden	<i>Tilia europaea</i>
Weeping Elm	<i>Ulmus glabra</i>
English Elm	<i>Ulmus procera</i>

Total number of species 28+.



Two trees have been nominated as significant on the property. They were assessed on 6 February 2001.

<b>Name:</b>	<i>Fagus sylvatica</i>	
<b>Common Name:</b>	Beech	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	18.85 m	
<b>Circumference:</b>	2.8.m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Tilia europaea</i>	
<b>Common Name:</b>	Lime or Linden	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	18.36 m	
<b>Circumference:</b>	2.7 m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Good	

## Farm Garden

Leongatha

**GPS 38 3025S 145 5463E**


## History

Abe Dawson owned the property in the 1920s and planted the avenue and circle of oak trees with a row of pines beside them for wind protection. At that time farming was unprofitable and he left the property. The Emmerson family bought the farm in 1962. Many of the pines were dead or dying, thought to have been attacked by the Sirex wasp. They were removed in 1962.

Since then many fruit trees, almonds and a black walnut have been planted.

There are 37 trees in the avenue, 6 in the circle. Three are Algerian Oaks (*Quercus canariensis*) and the others are English Oaks (*Quercus robur*).

One individual tree in the garden has been nominated as significant on the property. It was measured and assessed on 15 December 2000.

<b>Name:</b>	<i>Quercus canariensis</i>	
<b>Common Name:</b>	Algerian Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	15.41 m	
<b>Circumference:</b>	3.604 m	
<b>Spread:</b>	18 m	
<b>Estimated age:</b>	80	
<b>Condition:</b>	Good	

### Farm Garden

Dumbalk

**GPS 38 3012S 146 1042E**

### History

The property was settled by the Goldsmiths in 1897. Some trees in the garden date back to the original settlement and there have been more recent plantings, some grown from seeds from the original trees.


### Species List


Name	Botanical Name
Hoop Pine	<i>Araucaria cunninghamii</i>
Kurrajong	<i>Brachychiton populneus</i>
Deodar	<i>Cedrus deodara</i>
Lemon scented Gum	<i>Eucalyptus citriodora</i>
Ash	<i>Fraxinus excelsior</i>
Tulip Tree	<i>Liriodendron tulipifera</i>
Brush Box	<i>Lophostemon confertus</i>
Pin Oak	<i>Quercus palustris</i>
English Oak	<i>Quercus robur</i>
Lombardy Poplar	<i>Populus nigra</i>

Black Italian Poplar	<i>Populus serotina</i>
Coast Redwood	<i>Sequoia sempervirens</i>
Variegated Elm	<i>Ulmus ?</i>
Golden Elm	<i>Ulmus procera aurea</i>

Total numbers species 14+.

Two individual trees have been nominated as significant on the property. They were measured and assessed on 5 December 2000.

<p><b>Name:</b> <i>Fraxinus excelsior</i>*</p> <p><b>Common Name:</b> Ash</p> <p><b>Significance:</b> Horticultural, landscape, age, size, aesthetic quality</p> <p><b>Height:</b> 14.72 m</p> <p><b>Circumference:</b> 2.865 m</p> <p><b>Spread:</b> 16 m</p> <p><b>Estimated age:</b> 100</p> <p><b>Condition:</b> Good</p>	
---	---

<p><b>Name:</b> <i>Lophostemon confertus</i>*</p> <p><b>Common Name:</b> Brush Box</p> <p><b>Significance:</b> Horticultural, landscape, age, size, aesthetic quality</p> <p><b>Notes:</b> Outstanding specimen</p> <p><b>Height:</b> 12.48 m</p> <p><b>Circumference:</b> 2.56 m</p> <p><b>Spread:</b> 8 m</p> <p><b>Estimated age:</b> 50+</p> <p><b>Condition:</b> Good</p>	
--	--

**Bush Block**

Loch

**GPS 38 2171S 145 3981E****History**

Joan and Gordon Henry moved to the property, 40 ha in area, in 1962.

J H Willis visited the property in July 1990 and recorded a list of flora.

“This area has high conservational value, it being the largest surviving example of tall forest which originally covered the whole Bass River watershed – now almost completely converted to open farmland.

Although slightly damaged by past bushfires, an altered moisture regime, weed invasion (notably ragwort, thistles and cleavers), and incursions by stock at various points, the forest still contains at least 105 indigenous species of vascular plants, not to mention many concomitant species of mosses and higher fungi; thirteen kinds of ferns and flowering plants are now local rarities.

Several distinct communities are apparent: dominant, open stringy-bark-peppermint forest, with understorey of shrubs (including wattles, hazel, currant-bash and much snowy daisy-bush), wire grass, bracken and ground herbs; a few fern gullies, once more luxuriant, some permanent dams and pondages, fringed with reeds and other water-plants; a small area of sandy heath under stunted peppermint eucalypts at the south west corner – an intrusion of typical Western Port heathland, but poor in species (smooth parrot-pea and broom spurge are quite rare hereabouts).


Wombats are abundant throughout the bush which also supports wallabies, possums and gliders. Bass River valley is the type area for Leadbeater’s Possum – a rare and endangered species that may still exist here. A diversity of bird life - from ducks to parrots, honey-eaters, fantails and fairy wrens – adds charm to this highly significant private sanctuary. As a scientific reference area for an all-but vanished ecosystem it has my enthusiastic support for permanent preservation.”


**Tree species list**

<b>Common Name</b>	<b>Botanical Name</b>
Silver Wattle	<i>Acacia dealbata</i>
Blackwood	<i>Acacia melanoxylon</i>
Messmate	<i>Eucalyptus obliqua</i>
Swamp Gum	<i>Eucalyptus ovata</i>
Narrow leaf Peppermint	<i>Eucalyptus radiata</i>
Manna Gum	<i>Eucalyptus viminalis</i>

Whitecrack Willow	<i>Salix x rubens</i>
-------------------	-----------------------

Two individual trees have been nominated as significant on the property. They were measured and assessed on 10 November 2000.

<p><b>Name:</b> <i>Eucalyptus obliqua</i>*</p> <p><b>Common Name:</b> Messmate</p> <p><b>Significance:</b> Horticultural, landscape, age, size, aesthetic quality</p> <p><b>Notes:</b> Outstanding specimen</p> <p><b>Height:</b> 23.2 m</p> <p><b>Circumference:</b> 4.9 m</p> <p><b>Spread:</b> 4-10 m</p> <p><b>Estimated age:</b> 450+</p> <p><b>Condition:</b> Good</p>	
--	---

<p><b>Name:</b> <i>Eucalyptus radiata</i></p> <p><b>Common Name:</b> Narrow leaved Peppermint</p> <p><b>Significance:</b> Horticultural, landscape, age, size, aesthetic quality</p> <p><b>Notes:</b> Outstanding specimen</p> <p><b>Height:</b> 14.85 m</p> <p><b>Circumference:</b> 2.32 m</p> <p><b>Spread:</b> 10 m</p> <p><b>Estimated age:</b> 200+</p> <p><b>Condition:</b> Good</p>	
---	--

## Farm Garden

Jumbunna

GPS 38 2749S 145 4511E

### History

The model railway was constructed and the garden planted around it by Adrian Kells about 35 to 40 years ago. There is a Cypress Hedge, pruned to allow the railway through tunnels and gates. There are also several varieties of fruit trees in the orchard.

### Species List



<b>Common Name</b>	<b>Botanical Name</b>
Snake bark Maple	<i>Acer davidii</i>
Cut leaf Birch	<i>Betula pendula</i>
Blue Atlas Cedar	<i>Cedrus atlantica glauca</i>
Japanese Cedar	<i>Cryptomeria japonica elgans</i>
Monterey Cypress	<i>Cupressus macrocarpa</i>
Copper Beech	<i>Fagus sylvatica cuprea</i>
Maidenhair Tree	<i>Gingko biloba</i>
Tulip Tree	<i>Liriodendron tulipifera</i>
Magnolia	<i>Magnolia grandiflora</i>
Blue Spruce	<i>Picea pungens</i>
Lombardy Poplar	<i>Populus nigra italica</i>
Douglas Fir	<i>Pseudotsuga menziesii</i>
English Oak	<i>Quercus robur</i>
Redwood	<i>Sequoia sempervirens</i>
Golden Elm	<i>Ulmus procera Louis van Houtte</i>



Total number of species 15+.

No individual trees have been nominated as significant on the property. It was assessed on 6 February 2001.

**Farm Garden**

Mardan

**GPS 38 2797S 146 0236E****History**

The farm has been in the Lester family for three generations. Some of the trees were planted 100 years ago and there is an ongoing planting program.


**Species List**


<b>Name</b>	<b>Botanical Name</b>
White Fir	<i>Abies vietchii</i>
Kauri	<i>Agathis australia</i>
Deodar	<i>Cedrus deodara</i>
Carob	<i>Ceratonia siliqua</i>
Italian Cypress	<i>Cupressus sempervirens</i>
Golden Ash	<i>Fraxinus excelsior aurea</i>
Manna Ash	<i>Fraxinus ornus</i>
Desert Ash	<i>Fraxinus oxycarpa</i>
Silky Oak	<i>Grevillea robusta</i>
White Cedar	<i>Melia azedarach</i>
Olive	<i>Olea europea</i>
Royal Paulownia	<i>Paulownia tomentosa</i>
Aspen	<i>Populus tremula</i>
Turkey Oak	<i>Quercus cerris</i>
Pin Oak	<i>Quercus palustris</i>
Pepper Tree	<i>Schinus molle</i>
Redwood	<i>Sequoia sempervirens</i>
Turpentine Tree	<i>Syncarpia glomulifera</i>

Total number species 18+.

Three trees have been nominated as significant on the property. They were measured and assessed on 21 November 2000.

<b>Name:</b>	<i>Abies vietchii</i> *	
<b>Common Name:</b>	White Fir	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	11.56 m	
<b>Circumference:</b>	2.21 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Quercus cerris</i> *	
<b>Common Name:</b>	Turkey Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	15.96 m	
<b>Circumference:</b>	3.475 m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Sequoia sempervirens</i> *	
<b>Common Name:</b>	Redwood	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	18.24 m	
<b>Circumference:</b>	3.92 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	

**Farm Garden**  
Leongatha North

**GPS 38 2552S 145 5856E**

**History**


The property was settled in 1890. The original entrance was planted as an avenue of trees and traces of the avenue remain. Many of the trees are more than 100 years old and probably came from the Mossvale nursery.

**Species List**

<b>Common Name</b>	<b>Botanical Name</b>
Fir	<i>Abies vietchii</i>
Sycamore	<i>Acer pseudoplatanus</i>
Maple	<i>Acer sp.?</i>
Horse Chestnut	<i>Aesculus hippocastanum</i>
Norfolk Island Pine	<i>Araucaria heterophylla</i>
Palm Lily	<i>Cordyline sp.</i>
Monterey Cypress	<i>Cupressus macrocarpa</i>
English Ash	<i>Fraxinus excelsior</i>
Holly	<i>Ilex aquifolium</i>
Walnut	<i>Juglans regia</i>
Monterey Pine	<i>Pinus radiata</i>
New Zealand Pittosporum	<i>Pittosporum eugenoides</i>
Algerian Oak	<i>Quercus canariensis</i>
Chestnut leaved Oak	<i>Quercus castaneifolia</i>
Lime or Linden	<i>Tilia europaea</i>
English Elm	<i>Ulmus procera</i>

Total number of species 16+.

Two trees have been nominated as significant on the property. They were measured and assessed on 18 January 2001.

<b>Name:</b>	<i>Juglans regia</i> *	
<b>Common Name:</b>	Walnut	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	10.4 m	
<b>Circumference:</b>	1.91 m	
<b>Spread:</b>	7 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Slight dieback, pruned for power lines	

<b>Name:</b>	<i>Tilia europaea</i> *	
<b>Common Name:</b>	Lime or Linden	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	16.56 m	
<b>Circumference:</b>	2.36 m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Good	

### Farm Garden and Graveyard Paddock Dumbalk

**Garden GPS 38 2979S 146 1106E**

#### History

The property was settled by the Dodds in 1880. They brought the first children to the valley. The farm now extends on both sides of Farmers Road. The garden round the house has a very interesting collection of trees and south of the house is a dam surrounded with Deodar Cedars.

The Murphys now own the farm and maintain the arboretum.




**Species List**

<b>Name</b>	<b>Botanical Name</b>
Blackwood	<i>Acacia melanoxylon</i>
Maple	<i>Acer campestre</i>
Lilly Pilly	<i>Acmena smithii</i>
Horse Chestnut	<i>Aesculus hippocastanum</i>
Silver Birch	<i>Betula pendula</i>
Murray Pine	<i>Callitris preissii</i>
Rose Sheoak	<i>Casuarina torulosa</i>
Blue Atlas Cedar	<i>Cedrus atlantica glauca</i>
Deodar	<i>Cedrus deodara</i>
Lawsons Cypress	<i>Chamaecyparis lawsoniana</i>
Pencil Pine	<i>Cupressus sempervirens stricta</i>
Blue Gum	<i>Eucalyptus globulus</i>
Ash	<i>Fraxinus excelsior</i>
New Zealand Lacebark	<i>Hoheria populnea</i>
Liquidambar	<i>Liquidambar styraciflua</i>
Magnolia	<i>Magnolia grandiflora</i>
Prickly Paperbark	<i>Melaleuca stypheloides</i>
New Zealand Christmas Tree	<i>Metrosideros excelsa</i>
Canary Island Palm	<i>Phoenix canariensis</i>
Tatara	<i>Pittosporum eugenoides variegata</i>
Lombardy Poplar	<i>Populus nigra</i>
Douglas Fir	<i>Pseudotsuga menziesii</i>
Evergreen Oak	<i>Quercus ?</i>
Pin Oak	<i>Quercus palustris</i>
Redwood	<i>Sequoia sempervirens</i>
Wellingtonia	<i>Sequoiadendron giganteum</i>
Western Red Cedar	<i>Thuja plicata</i>
English Elm	<i>Ulmus procera</i>
Variiegated Elm	<i>Ulmus ?</i>
Golden Elm	<i>Ulmus procera aurea</i>

Total number species 30+.

One individual tree has been nominated as significant on the property. It was measured and assessed on 5 December 2000.

<b>Name:</b>	<i>Cupressus torulosa*</i>	
<b>Common Name:</b>	Bhutan Cypress	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	18.87 m	
<b>Circumference:</b>	2.335 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	

### Graveyard Paddock

#### GPS 38 2987S 146 1064E

The graveyard paddock on the west side of Farmers Road holds the graves of Mr Goldsmith who died aged 88 in 1888, two children and their mother, all Dodds, who died in 1888 and 1890. The plantation of exotic trees in this paddock is significant for horticultural and landscape values and the many outstanding examples of different species.



Name	Botanical Name
Blackwood	<i>Acacia melanoxylon</i>
Deodar	<i>Cedrus deodara</i>
Golden Weeping Cypress	<i>Cupressus ?</i>
Blue Gum	<i>Eucalyptus globulus</i>
Copper Beech	<i>Fagus sylvatica cuprea</i>
Lombardy Poplar	<i>Populus nigra</i>
Pin Oak	<i>Quercus palustris</i>
Crack Willow	<i>Salix fragilis</i>
Variegated Elm	<i>Ulmus ?</i>
Golden Elm	<i>Ulmus procera van houttei</i>

Total number species 10+.

**Rural Garden**

Toora

**GPS 38 3655S 146 1929E****History**

The site, one hectare in area, slopes steeply to the south east, approximately 200 m above sea level. The old Tin Mine Water Race crosses the property, clearly visible in places.

When Jack and Paddy Percival acquired the property in 1976 only a single tree, a Blackwood, was growing there. It was 2 m in height at that time. Everything else had been cleared for potato growing.

Since 1976 some natural regeneration of Blackwoods, Pittosporum, Pomaderris and Prostanthera species has occurred. All other trees now growing on the property, including the stand of Blue Gums on the north eastern boundary, have been planted by the Percivals.

Originally this was Blue Gum country, sometimes described as wet forest. The rainfall averages 1200 mm annually, though less than this in recent years. The soil is a stony clay.

**Species List**


<b>Name</b>	<b>Botanical Name</b>
<b>Australian species</b>	
Silver Wattle	<i>Acacia dealbata</i>
Early Black Wattle	<i>A. decurrens</i>
Cedar Wattle	<i>A. elata</i>
Sydney Golden Wattle	<i>A. longiflora</i>
Black Wattle	<i>mearnsii</i>
Blackwood	<i>A. melanoxylon</i>
Mountain Hickory Wattle	<i>A. obliquinerva</i>
Ovens Wattle	<i>A. pravissima</i>
Willow Myrtle	<i>Agonis flexuosa</i>
Illawarra Flame Tree	<i>Brachychiton acerifolius</i>
Sugar Gum	<i>Eucalyptus cladocalyx</i>
Buxton Gum	<i>E. crenulata</i>
Flowering Gum	<i>E. ficifolia</i>
Victorian Blue Gum	<i>E. globulus subsp. bicostata</i>
Tasmanian/Southern Blue Gum	<i>E. globulus subsp. globulus</i>
Compact Blue Gum	<i>E. globulus subsp. compacta</i>
Spotted Gum	<i>E. maculata</i>
Yellow Stringy Bark	<i>E. muellerana</i>

Messmate	<i>E. obliqua</i>
Bell fruited Mallee	<i>E. preissiana</i>
Manna Gum	<i>E. viminalis</i>
Blueberry Ash	<i>Elaeocarpus reticulatus</i>
Macadamia Nut	<i>Macadamia tetraphylla</i>
Bracelet Honey Myrtle	<i>Melaleuca armillaris</i>
Snow in Summer	<i>M. linariifolia</i>
Boobialla	<i>Myoporum insulare</i>
Myrtle Beech	<i>Nothofagus cunninghamii</i>
Sweet Pittosporum	<i>Pittosporum undulatum</i>
Hazel Pomaderris	<i>Pomaderris aspera</i>
Victorian Christmas Bush	<i>Prostanthera lasianthos</i>
Firewheel Tree	<i>Stenocarpus sinuatus</i>
Lilly Pilly	<i>Syzygium smithii (Eugenia/Acmena)</i>
Mountain Pepper	<i>Tasmania lanceolata</i>
<b>Exotic species</b>	
Coral Bark Maple	<i>Acer palmatum dissectum Senkaki</i>
Sugar Maple	<i>Acer saccharum</i>
Evergreen Alder	<i>Alnus jorullensis</i>
Irish Strawberry Tree	<i>Arbutus unedo</i>
Azara	<i>Azara microphylla</i>
Babaco	<i>Carica pentagona</i>
Judas Tree	<i>Cercis siliquastrum</i>
Pecan	<i>Carya illinoensis</i>
Lily of the Valley Tree	<i>Clethra arborea</i>
North American flowering Dogwood	<i>Cornus florida rubra</i>
Cornelian Cherry	<i>C. mas</i>
New Zealand Laurel	<i>Corynocarpus laevigatus</i>
Golden Ash	<i>Fraxinus excelsior aurea</i>
Manna Ash	<i>F. ornus</i>
Claret Ash	<i>F. angustifolia raywood</i>
Tree Fuchsia	<i>Fuchsia arborescens</i>
Maidenhair Tree	<i>Ginkgo biloba</i>
Japanese Raisin Tree	<i>Hovenia dulcis</i>
English Holly	<i>Ilex aquifolium</i>
English Walnut	<i>Juglans regia</i>
New Zealand Rewa Rewa/Maori Honeysuckle	<i>Knightia excelsa</i>
Golden Rain Tree	<i>Koelreuteria paniculata</i>
Tulip Tree	<i>Liriodendron tulipifera</i>
Magnolia	<i>Magnolia grandiflora</i>
Orchard Apple cultivars Cox's Orange Pippin Five Crown Golden Delicious	<i>Malus domestica</i>

Granny Smith Jonathon	
Bechtel Crab Apple	<i>Malus ioensis</i>
Purple Crab Apple	<i>Malus purpurea</i>
Gorgeous	<i>Malus hybrid</i>
Dawn Redwood	<i>Metasequoia glyptostroboides</i>
New Zealand Christmas Tree/Pohutukawa	<i>Metrosideros excelsa</i>
Michelia	<i>Michelia doltsopa</i>
Black Mulberry	<i>Morus nigra</i>
European Olive	<i>Olea europaea</i>
Chinese Pistachio	<i>Pistacia chinensis</i>
New Zealand Silver Tarata	<i>Pittosporum eugenioides variegatum</i>
Taiwan Cherry	<i>Prunus campanulata</i>
Orchard Cherry	<i>P. cerasus</i>
Plums domestic cultivars Jefferson President	<i>P. domestica</i>
Nectarine	<i>P. persica</i>
Sargent's Cherry	<i>P. sargentii</i>
Orchard Pears cultivars Williams Packhams	<i>Pyrus communis</i>
Nashi Pear	<i>P. pyrifolia</i>
Manchurian Pear	<i>Pyrus ussuriensis</i>
Scarlet Oak	<i>Quercus coccinea</i>

Total number species 77.

One tree has been nominated as significant on the property. It was measured and assessed on 31 October 2000.

<b>Name:</b>	<i>Michelia doltsopa</i> *	
<b>Common Name:</b>	Michelia	
<b>Location:</b>	South of the house	
<b>Significance:</b>	Horticultural, rarity, historic	
<b>Height:</b>	5.9 m	
<b>Circumference:</b>	0.5 m	
<b>Spread:</b>	4 m	
<b>Estimated age:</b>	Planted in 1988 - 12	
<b>Condition:</b>	Good	




**Dairy Hedge**  
Mirboo North

**GPS 38 2415S 146 0934E**

**History**

The names of successive owners of the property are Farmer, Wright (-1957), Lakey (1957-1972) and Young (1972-1988), the present owner being Brian Smith (1988-). The word Dairy was cut in to the hedge in 1959 by Mr Roy Lakey. It takes about a day to trim the hedge with electric shears, which the owner does twice a year. Recently the hedge has been invaded by European Wasps causing some damage on the inside. The word Dairy appears to be sinking into the ground under the weight of the hedge.

<b>Name:</b>	<i>Cupressus macrocarpa*</i>	
<b>Common Name:</b>	Monterey Cypress	
<b>Significance:</b>	Landscape, age, aesthetic quality, curiously pruned form	
<b>Estimated age:</b>	80	
<b>Condition:</b>	Slightly damaged	

**Farm Garden**  
Leongatha North

**GPS 38 2471S 145 5961E**



## History

The house was built in 1894 and some of the trees date back to the 1890s. The owner was able to provide a list of species and plan of the plantings with identifications provided by a botanist, Ruth Waters.

Some of the mature trees were lopped and had dead limbs removed in 1990. One large old Lombardy Poplar is virtually hollow. The trees have suffered from grazing cattle until recently but are now fenced off. All the elms are affected by the Elm Leaf Beetle. Beside the house are two magnificent trees: a Cedar of Lebanon and a Kurrajong.

## Species List

Common Name	Botanical Name
Fir	<i>Abies sp ?</i>
Maple	<i>Acer sp?</i>
Norway Maple	<i>Acer platanoides</i>
Kurrajong	<i>Brachychiton populneus</i>
Deodar	<i>Cedrus deodara</i>
Cedar of Lebanon	<i>Cedrus libani</i>
Algerian Oak	<i>Quercus canariensis</i>
Turkey Oak	<i>Quercus cerris</i>
Turkey Oak Cross	<i>Quercus cerris x castaneifolia</i>
English Oak	<i>Quercus robur</i>
Oriental Plane	<i>Platanus orientalis</i>
Hybrid Plane	<i>Platanus sp?</i>
Cottonwood	<i>Populus deltoides</i>
Lombardy Poplar	<i>Populus nigra</i>
Trembling Aspen	<i>Populus tremuloides or canescens</i>
Scoth or Wych Elm	<i>Ulmus glabra</i>
Dutch Elm	<i>Ulmus x hollandica</i>
Variiegated Elm	<i>Ulmus minor variegata</i>
English Elm	<i>Ulmus procera</i>

Total number of species 19.

No trees have been nominated individually as significant on the property. The site was visited and assessed on 18 January 2001.

**Farm Garden**

Dumbalk

**GPS 38 3075S 146 0844E****History**


The property was sold after selection to the Benn family in the 1880s. Subsequently it passed to the Ashendens. The Thorsons have owned the property for six years. One Oak tree in the garden dates from the 1880s and many trees have been planted in the last 30-40 years.


**Species list**

<b>Common Name</b>	<b>Botanical Name</b>	<b>Date planted or approximate age</b>
Variegated Maple	<i>Acer sp</i>	1966
Sugar Maple	<i>Acer saccharum</i>	1966
Norfolk Island Pine	<i>Araucaria heterophylla</i>	1968
Saw Banksia	<i>Banksia serrata</i>	1968
Silver Birch	<i>Betula pendula</i>	1966
Himalayan Cedar	<i>Cedrus deodara</i>	1970
Monterey Cypress	<i>Cupressus macrocarpa</i>	1970
Gum (Blue or Manna?)	<i>Eucalyptus</i>	Paddocks – mature trees
Copper Beech	<i>Fagus sylvatica riversi?</i>	1975
English Ash	<i>Fraxinus excelsior</i>	1970
Claret Ash	<i>Fraxinus excelsior raywoodii</i>	1970
Tulip Tree	<i>Liriodendron tulipifera</i>	1992
London Plane	<i>Platanus acerifolius</i>	1990
New Zealand Pittosporum	<i>Pittosporum eugenoides</i>	
Douglas Fir	<i>Pseudotsuga menziesii</i>	1970
Red Oak	<i>Quercus borealis</i>	1970
Pin Oak	<i>Quercus palustris</i>	1970
English Oak	<i>Quercus robur</i>	1885
Weeping Willow	<i>Salix babylonica</i>	
Turpentine Tree	<i>Syncarpia glomulifera</i>	1974
Variegated Elm	<i>Ulmus</i>	1970

Total number species 21+.

Two trees have been nominated as significant on the property. They were measured and assessed on 15 January 2001.

<b>Name:</b>	<i>Betula pendula*</i>	
<b>Common Name:</b>	Silver Birch	
<b>Significance:</b>	Horticultural, landscape, size, aesthetic quality	
<b>Height:</b>	14.28 m	
<b>Circumference:</b>	1.61 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	34	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Quercus robur</i>	
<b>Common Name:</b>	English Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	21.36 m	
<b>Circumference:</b>	3.63 m	
<b>Spread:</b>	16 m	
<b>Estimated age:</b>	115+	
<b>Condition:</b>	Good	

**Farm Garden**

Arawata

**GPS 38 2481S 145 5355E****History**


The Western family settled on the property in 1882. The present owner's grandfather planted many of the trees. He had a nursery plot behind a box hedge, still growing today and possibly 100 years old or more. There are some trees growing there that were never planted out properly and are now growing too close together, including a Douglas Fir. He also commissioned Blackwood furniture from a cabinet maker known as Fiddleback Smith who used timber inlays of Musk Daisy Bush wood.

**Species List**


<b>Common Name</b>	<b>Botanical Name</b>
Lilly Pilly	<i>Acmena smithii</i>
Norfolk Island Pine	<i>Araucaria heterophylla</i>
Japanese Maple	<i>Acer palmatum</i>
Horse Chestnut	<i>Aesculus hippocastanum</i>
Kurrajong	<i>Brachychiton populneus</i>
Deodar	<i>Cedrus deodara</i>
Monterey Cypress	<i>Cupressus macrocarpa</i>
Holly	<i>Ilex aquifolium</i>
Magnolia	<i>Magnolia grandiflora</i>
Musk Daisy Bush	<i>Olearia argophylla</i>
Douglas Fir	<i>Pseudotsuga menziesii</i>
Pear	<i>Pyrus sp.</i>
English Oak	<i>Quercus robur</i>
Cork Oak	<i>Quercus suber</i>
Wellingtonia	<i>Sequoiadendron giganteum</i>
English Elm	<i>Ulmus procera</i>
Cotton Palm	<i>Washingtonia filifera</i>

Total number of species 17+.

Two trees have been nominated as significant on the property. They were measured and assessed on 18 January 2001.

<b>Name:</b>	<i>Quercus suber</i> *	
<b>Common Name:</b>	Cork Oak	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	14 m	
<b>Circumference:</b>	2.65 m	
<b>Spread:</b>	18 m, 3-9 m (Pruned)	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Good although has been pruned for power line	



<b>Name:</b>	<i>Sequoiadendron giganteum*</i>	
<b>Common Name:</b>	Wellingtonia	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality Outstanding specimen	
<b>Height:</b>	22.68 m	
<b>Circumference:</b>	5.86 m	
<b>Spread:</b>	20 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Good	


**Urban Garden**

Leongatha 3953


**GPS 38 2871S 145 5644E****History**


This garden, established in approximately 1900-1920, in Leongatha has three remarkable trees planted along the boundary fence beside Conway Street.

The three trees have been nominated as significant. They were measured and assessed on 21 November 2000.

<b>Name:</b>	<i>Arbutus unedo*</i>	
<b>Common Name:</b>	Irish Strawberry Tree	
<b>Significance:</b>	Horticultural, rarity, age, aesthetic quality Outstanding specimen	
<b>Notes:</b>		
<b>Height:</b>	6.05 m	
<b>Circumference:</b>	3.5 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	80-100	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Castanospermum australe*</i>
<b>Common Name:</b>	Black Bean
<b>Significance:</b>	Horticultural, rarity, age, aesthetic quality Outstanding specimen
<b>Notes:</b>	

<b>Height:</b>	9.12 m	
<b>Circumference:</b>	2.185 m	
<b>Spread:</b>	2-5 m NS 10 m EW	
<b>Estimated age:</b>	80-100	
<b>Condition:</b>	Good	

<b>Name:</b>	<i>Ilex aquifolium*</i>	
<b>Common Name:</b>	Variegated Holly	
<b>Significance:</b>	Horticultural, rarity, age, aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	7.52 m	
<b>Circumference:</b>	3.47 m	
<b>Spread:</b>	6 m	
<b>Estimated age:</b>	80-100	
<b>Condition:</b>	Good	

**Bush Block**

Waratah North

**GPS 38 4460S 146 0601E****History**


The bush block appears to be original native vegetation with some very tall (therefore old) Rough Tree Ferns (*Cyathea australis*), Messmate Peppermint forest, ferns and orchids in the understorey and one large Mountain Ash.

## Species List

Name	Botanical Name
Blackwood	<i>Acacia melanoxylon</i>
Rough Tree Fern	<i>Cyathea australia</i>
Hop Goodenia	<i>Goodenia ovata</i>
Messmate	<i>Eucalyptus obliqua</i>
Narrow Leafed Peppermint	<i>Eucalyptus radiata</i>
Mountain Ash	<i>Eucalyptus regnans</i>
Hazel Pomaderris	<i>Pomaderris aspera</i>

Total number species 7+.




One individual tree has been nominated as significant on the property. It was measured and assessed on 19 December 2000.

<b>Name:</b>	<i>Eucalyptus regnans</i> *	
<b>Common Name:</b>	Mountain Ash	
<b>Significance:</b>	Horticultural, landscape, age, size aesthetic quality	
<b>Notes:</b>	Outstanding specimen	
<b>Height:</b>	30 m	
<b>Circumference:</b>	4.01 m	
<b>Spread:</b>	18-20 m	
<b>Estimated age:</b>	200+	
<b>Condition:</b>	Good	


<b>First name</b>	<b>Last name</b>	<b>Address</b>	<b>Town</b>	<b>Postcode</b>
C & V	Anderson	4235 Sth Gippsland Hwy	Foster	3960
Sue	Arney	39 Bent Street	Leongatha	3953
Faye	Arnold	P O Box 311	Korumburra	3950
Suzanne	Campbell	RMB 5620 Toomeys Road	Mirboo North	3871
PD	Challis	31 Potter Road	Leongatha	3953
BW	Chapman	Hiview Park	Toora	3962
Tony	Chipperfield	Cooks Road	Stony Creek	3957
Jeff	Clark	Poowong Landcare Group	Poowong	3988
Pat	Dale	52A Shingler Street	Leongatha	3953
Carmelo	Dinami	195 Darlimurla Road	Darlimurla	3871
Bryan	Dowel	Grundy Ave	Nyora	3987
Sue	Dowel	Grundy Ave	Nyora	3987
John	Emms	3 Queen Street	Loch	3945
Ashton	Farrell		Waratah Bay	3959
WN & R	Francis	175 Ameys Track	Foster	3960
N & J	Hazelton	Dunkeld St Ellens Road	Mirboo North	3871
David	Hoare	5 Pioneer Street	Foster	3960
Fred	Holt	3 Swan Road	Koonwarra	3954
P	Huguenin	22 Radovick Street	Korumburra	3950
HT	Jones	75 Foster Mt Best Road	Foster	3960
Elisabeth	Landy	Bell Point	Walkerville South	3956
Elizabeth	Moerkerk	7 Carringal Street	Waratah Bay	3959
Paddy	Percival	270 Toora Gunyah Road	Toora	3962
A & K	Rathjen	RMB 1471 20 O'Sullivan's Road	Foster	3960
S & B	Rose	29 Station Street	Korumburra	3950
RJ	Smith	21 Murray Street	Mirboo North	3871
Max	Speedy	P O Box 109	Mirboo North	3871
KW	Tunbridge	P O Box 372	Mirboo North	3871
Jim	Wilson	15 Kaffir Hill Road	Foster	3960
Geraldine	Wogan-Browne	Sabrelyn Park Savages Road	Waratah North	3959
Graham	Young	RMB 4570	Leongatha	3953


### Significant Trees on Private Property


There were 79 nominations of trees on private property and 57 of them were deemed significant.


<p><b>Name:</b> <i>Abies vietchii</i>  <b>Common Name:</b> White Fir  <b>Significance:</b> Horticultural, landscape, rarity, age, size, aesthetic quality  <b>Height:</b> 11.56 m  <b>Circumference:</b> 2.21 m  <b>Spread:</b> 8 m  <b>Estimated age:</b> 100  <b>Condition:</b> Outstanding specimen  <b>Location:</b> Mardan</p> <p><b>Latitude:</b> 38 2797S  <b>Longitude:</b> 146 0236E</p>	
<p><b>Name:</b> <i>Acer palmatum</i>  <b>Common Name:</b> Japanese Maple  <b>Significance:</b> Horticultural, rarity, size, aesthetic quality  <b>Height:</b> 10.07 m  <b>Circumference:</b> 1.36 m  <b>Spread:</b> 8 m  <b>Estimated age:</b> 90  <b>Condition:</b> Outstanding specimen  <b>Location:</b> Foster</p> <p><b>Latitude:</b> 38 3909S  <b>Longitude:</b> 146 1183E</p>	
<p><b>Name:</b> <i>Araucaria bidwillii</i>  <b>Common Name:</b> Bunya Pine  <b>Significance:</b> Horticultural, landscape, rarity  <b>Height:</b> 18 m  <b>Circumference:</b> 6.5 m  <b>Spread:</b> 16 m  <b>Estimated age:</b> 70  <b>Condition:</b> Good  <b>Location:</b> Arawata</p> <p><b>Latitude:</b> 38 2424S  <b>Longitude:</b> 145 5197E</p>	





<b>Name:</b>	<i>Araucaria bidwillii</i>	
<b>Common Name:</b>	Bunya Pine	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	21 m	
<b>Circumference:</b>	5.9 m	
<b>Spread:</b>	18 m	
<b>Estimated age:</b>	120	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Leongatha	
<b>Latitude:</b>	38 2769S	
<b>Longitude:</b>	145 5576E	


<b>Name:</b>	<i>Araucaria heterophylla</i>	
<b>Common Name:</b>	Norfolk Island Pine	
<b>Significance:</b>	Horticultural, landscape, aesthetic quality	
<b>Height:</b>	32.3 m	
<b>Circumference:</b>	2.74 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	60	
<b>Condition:</b>	Good	
<b>Location:</b>	Bena	
<b>Latitude:</b>	38 2521S	
<b>Longitude:</b>	145 4520E	


<b>Name:</b>	<i>Araucaria heterophylla</i>	
<b>Common Name:</b>	Norfolk Island Pine	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	24.48 m	
<b>Circumference:</b>	3.7 m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	110	
<b>Condition:</b>	Good	
<b>Location:</b>	Korumburra	
<b>Latitude:</b>	38 2606S	
<b>Longitude:</b>	145 4923E	


<b>Name:</b>	<i>Araucaria heterophylla</i>	
<b>Common Name:</b>	Norfolk Island Pine	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	30 m	
<b>Circumference:</b>	4 m	
<b>Spread:</b>	16 m	
<b>Estimated age:</b>	110	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Loch	
<b>Latitude:</b>	38 2229S	
<b>Longitude:</b>	145 4233E	


<b>Name:</b>	<i>Arbutus unedo</i>	
<b>Common Name:</b>	Irish Strawberry Tree	
<b>Significance:</b>	Horticultural, rarity	
<b>Height:</b>	6.05 m	
<b>Circumference:</b>	3.5 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	80-100	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Leongatha	
<b>Latitude:</b>	38 2871S	
<b>Longitude:</b>	145 5644E	


<b>Name:</b>	<i>Betula pendula</i>	
<b>Common Name:</b>	Silver Birch	
<b>Significance:</b>	Horticultural, landscape, size, aesthetic quality	
<b>Height:</b>	14.28 m	
<b>Circumference:</b>	1.61 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	34	
<b>Condition:</b>	Good	
<b>Location:</b>	Dumbalk North	
<b>Latitude:</b>	38 3075S	
<b>Longitude:</b>	146 0844E	


<b>Name:</b>	<i>Brachychiton acerifolius</i>	
<b>Common Name:</b>	Flame Tree	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	16.8 m	
<b>Circumference:</b>	5.04 m	
<b>Spread:</b>	10 m NS 8 m EW	
<b>Estimated age:</b>	77	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Arawata	
<b>Latitude:</b>	38 2452S	
<b>Longitude:</b>	145 5178E	

<b>Name:</b>	<i>Brachychiton acerifolius</i>	
<b>Common Name:</b>	Flame Tree	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	12.54 m	
<b>Circumference:</b>	2.801 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	Mature	
<b>Condition:</b>	Good	
<b>Location:</b>	Leongatha	
<b>Latitude:</b>	38 2868S	
<b>Longitude:</b>	145 5669E	


<b>Name:</b>	<i>Castanea sativa</i>	
<b>Common Name:</b>	Sweet Chestnut	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	11.25 m	
<b>Circumference:</b>	4.05 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	
<b>Location:</b>	Leongatha	
<b>Latitude:</b>	38 2705S	
<b>Longitude:</b>	145 5946E	


<b>Name:</b>	<i>Castanospermum australe</i>	
<b>Common Name:</b>	Black Bean	
<b>Significance:</b>	Horticultural, rarity	
<b>Height:</b>	9.12 m	
<b>Circumference:</b>	2.185 m	
<b>Spread:</b>	2-5 m NS 10 m EW	
<b>Estimated age:</b>	80-100	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Leongatha	
<b>Latitude:</b>	38 2871S	
<b>Longitude:</b>	145 5644E	


<b>Name:</b>	<i>Cupressus macrocarpa</i>	
<b>Common Name:</b>	Monterey Cypress	
<b>Significance:</b>	Landscape, age, aesthetic quality A hedge with the word dairy inscribed	
<b>Estimated age:</b>	80	
<b>Condition:</b>	Good	
<b>Location:</b>	Mirboo North	
<b>Latitude:</b>	38 2415S	
<b>Longitude:</b>	146 0934E	

<b>Name:</b>	<i>Cupressus torulosa</i>	
<b>Common Name:</b>	Bhutan Cypress	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	18.87 m	
<b>Circumference:</b>	2.335 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Dumbalk North	
<b>Latitude:</b>	38 2979S	
<b>Longitude:</b>	146 1106E	





<b>Name:</b>	<i>Eucalyptus obliqua</i>	
<b>Common Name:</b>	Messmate	
<b>Significance:</b>	Age, size	
<b>Height:</b>	37.2 m	
<b>Circumference:</b>	not measured	
<b>Spread:</b>	6 m	
<b>Estimated age:</b>	130+	
<b>Condition:</b>	Good	
<b>Location:</b>	Foster	
<b>Latitude:</b>	38 3909S	
<b>Longitude:</b>	146 1212E	

<b>Name:</b>	<i>Eucalyptus obliqua</i>	
<b>Common Name:</b>	Messmate	
<b>Significance:</b>	Horticultural, landscape, age, size	
<b>Height:</b>	23.2 m	
<b>Circumference:</b>	4.9 m	
<b>Spread:</b>	4 m NS 10 m EW	
<b>Estimated age:</b>	450	
<b>Condition:</b>	Good	
<b>Location:</b>	Loch	
<b>Latitude:</b>	38 2171S	
<b>Longitude:</b>	145 3981E	


<b>Name:</b>	<i>Eucalyptus regnans</i>	
<b>Common Name:</b>	Mountain Ash	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	30+ m	
<b>Circumference:</b>	4 m	
<b>Spread:</b>	18 m	
<b>Estimated age:</b>	200+	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Waratah North	
<b>Latitude:</b>	38 4460S	
<b>Longitude:</b>	146 0601E	





<b>Name:</b>	<i>Eucalyptus viminalis</i>	
<b>Common Name:</b>	Manna Gum	
<b>Significance:</b>	Age, size	
<b>Height:</b>	37 m	
<b>Circumference:</b>	not measured	
<b>Spread:</b>	7 m	
<b>Estimated age:</b>	130+	
<b>Condition:</b>	Good	
<b>Location:</b>	Foster	
<b>Latitude:</b>	38 3909S	
<b>Longitude:</b>	146 1212E	


<b>Name:</b>	<i>Fagus sylvatica</i>	
<b>Common Name:</b>	Beech	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	18.85 m	
<b>Circumference:</b>	2.8 m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Good	
<b>Location:</b>	Berrys Creek	
<b>Latitude:</b>	38 2499S	
<b>Longitude:</b>	146 0411E	


<b>Name:</b>	<i>Fagus sylvatica</i>	
<b>Common Name:</b>	Copper Beech	
<b>Significance:</b>	Landscape, size, aesthetic quality	
<b>Height:</b>	13.2 m	
<b>Circumference:</b>	1.8 m	
<b>Spread:</b>	12 m	
<b>Estimated age:</b>	45	
<b>Condition:</b>	Good	
<b>Location:</b>	Korumburra	
<b>Latitude:</b>	38 2606S	
<b>Longitude:</b>	145 4923E	

<b>Name:</b>	<i>Fagus sylvatica riversi</i>	
<b>Common Name:</b>	Purple Beech	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	15.72 m	
<b>Circumference:</b>	3.24 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	50+	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Leongatha	
<b>Latitude:</b>	38 2864S	
<b>Longitude:</b>	145 5714E	


<b>Name:</b>	<i>Fraxinus excelsior</i>	
<b>Common Name:</b>	Ash	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	14.72 m	
<b>Circumference:</b>	2.865 m	
<b>Spread:</b>	16 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	
<b>Location:</b>	Dumbalk North	
<b>Latitude:</b>	38 3012S	
<b>Longitude:</b>	146 1042E	


<b>Name:</b>	<i>Grevillea robusta</i>	
<b>Common Name:</b>	Silky Oak	
<b>Significance:</b>	Horticultural, landscape, age, size	
<b>Height:</b>	18.48 m	
<b>Circumference:</b>	2.665 m	
<b>Spread:</b>	6 m	
<b>Estimated age:</b>	103	
<b>Condition:</b>	Good	
<b>Location:</b>	Dumbalk North	
<b>Latitude:</b>	38 3027S	
<b>Longitude:</b>	146 0988E	

<p><b>Name:</b> <i>Ilex aquifolium</i>  <b>Common Name:</b> Holly  <b>Significance:</b> Horticultural, landscape, rarity, age, size, aesthetic quality  <b>Height:</b> 9 m  <b>Circumference:</b> 3.33 m  <b>Spread:</b> 8 m  <b>Estimated age:</b> 120  <b>Condition:</b> Outstanding specimen  <b>Location:</b> Foster</p> <p><b>Latitude:</b> 38 3831S  <b>Longitude:</b> 146 1332E</p>	
<p><b>Name:</b> <i>Ilex aquifolium</i>  <b>Common Name:</b> Variegated Holly  <b>Significance:</b> Horticultural, landscape, rarity, age, size, aesthetic quality  <b>Height:</b> 9 m  <b>Circumference:</b> 4.31 m  <b>Spread:</b> 8 m  <b>Estimated age:</b> 120  <b>Condition:</b> Outstanding specimen  <b>Location:</b> Foster</p> <p><b>Latitude:</b> 38 3831S  <b>Longitude:</b> 146 1332E</p>	


<p><b>Name:</b> <i>Ilex aquifolium</i>  <b>Common Name:</b> Variegated Holly  <b>Significance:</b> Horticultural, rarity  <b>Height:</b> 7.52 m  <b>Circumference:</b> 3.47 m  <b>Spread:</b> 6 m  <b>Estimated age:</b> 80-100  <b>Condition:</b> Good  <b>Location:</b> Leongatha</p> <p><b>Latitude:</b> 38 2871S  <b>Longitude:</b> 145 5644E</p>	
---	---





<b>Name:</b>	<i>Juglans regia</i>	
<b>Common Name:</b>	Walnut	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	10.4 m	
<b>Circumference:</b>	1.91 m	
<b>Spread:</b>	7 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Good	
<b>Location:</b>	Leongatha North	
<b>Latitude:</b>	38 2552S	
<b>Longitude:</b>	145 5856E	

<b>Name:</b>	<i>Liriodendron tulipifera</i>	
<b>Common Name:</b>	Tulip Tree	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	15.68 m	
<b>Circumference:</b>	3.103 m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	Mature	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Korumburra	
<b>Latitude:</b>	38 2575S	
<b>Longitude:</b>	145 4936E	


<b>Name:</b>	<i>Liriodendron tulipifera</i>	
<b>Common Name:</b>	Tulip Tree	
<b>Significance:</b>	Horticultural, landscape, size, aesthetic quality	
<b>Height:</b>	16 m	
<b>Circumference:</b>	3.8 m	
<b>Spread:</b>	12 m	
<b>Estimated age:</b>	50	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Loch	
<b>Latitude:</b>	38 2229S	
<b>Longitude:</b>	145 4233E	

<b>Name:</b>	<i>Liriodendron tulipifera</i>	
<b>Common Name:</b>	Tulip Tree	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	16.83 m	
<b>Circumference:</b>	2.37 m	
<b>Spread:</b>	12 m	
<b>Estimated age:</b>	Mature	
<b>Condition:</b>	Good	
<b>Location:</b>	Mirboo North	
<b>Latitude:</b>	38 2399S	
<b>Longitude:</b>	146 0913E	


<b>Name:</b>	<i>Lophostemon confertus</i>	
<b>Common Name:</b>	Brush Box	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	12.48 m	
<b>Circumference:</b>	2.56 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	50+	
<b>Condition:</b>	Good	
<b>Location:</b>	Dumbalk North	
<b>Latitude:</b>	38 3012S	
<b>Longitude:</b>	146 1042E	

<b>Name:</b>	<i>Michelia doltsopa</i>	
<b>Common Name:</b>	Michelia	
<b>Significance:</b>	Rarity, aesthetic quality, historical	
<b>Height:</b>	6 m	
<b>Circumference:</b>	0.5 m	
<b>Spread:</b>	7 m	
<b>Estimated age:</b>	12	
<b>Condition:</b>	Good	
<b>Location:</b>	Toora	
<b>Latitude:</b>	38 3655S	
<b>Longitude:</b>	146 1929E	





<b>Name:</b>	<i>Picea sitchensis</i>	
<b>Common Name:</b>	Sitka Spruce	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size	
<b>Height:</b>	22.54 m	
<b>Circumference:</b>	2.4 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	Mature	
<b>Condition:</b>	Good	
<b>Location:</b>	Leongatha	
<b>Latitude:</b>	38 2819S	
<b>Longitude:</b>	145 5710E	


<b>Name:</b>	<i>Quercus ?</i>	
<b>Common Name:</b>	Evergreen Oak	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	24.2 m	
<b>Circumference:</b>	4.32 m	
<b>Spread:</b>	18 m	
<b>Estimated age:</b>	103	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Dumbalk North	
<b>Latitude:</b>	38 3027S	
<b>Longitude:</b>	146 0988E	


<b>Name:</b>	<i>Quercus ?</i>	
<b>Common Name:</b>	Hodgesons Oak	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	35.7 m	
<b>Circumference:</b>	5.4 m	
<b>Spread:</b>	20 m	
<b>Estimated age:</b>	97	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Foster	
<b>Latitude:</b>	38 3770S	
<b>Longitude:</b>	146 1447E	


<b>Name:</b>	<i>Quercus castaneifolia</i>	
<b>Common Name:</b>	Chestnut-leaved Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality NT	
<b>Height:</b>	17 m	
<b>Circumference:</b>	3.83 m	
<b>Spread:</b>	27.1 m	
<b>Estimated age:</b>	87	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Loch	
<b>Latitude:</b>	38 2209S	
<b>Longitude:</b>	145 4220E	

<b>Name:</b>	<i>Quercus cerris</i>	
<b>Common Name:</b>	Turkey Oak	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	15.96	
<b>Circumference:</b>	3.475 m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Mardan	
<b>Latitude:</b>	38 2797S	
<b>Longitude:</b>	146 0236E	


<b>Name:</b>	<i>Quercus robur</i>	
<b>Common Name:</b>	English Oak	
<b>Significance:</b>	Horticultural, landscape, age, aesthetic quality	
<b>Height:</b>	16.8 m	
<b>Circumference:</b>	3.93 m	
<b>Spread:</b>	18 m	
<b>Estimated age:</b>	90-100	
<b>Condition:</b>	Good	
<b>Location:</b>	Darlimurla	
<b>Latitude:</b>	38 2240S	
<b>Longitude:</b>	146 1194E	

<b>Name:</b>	<i>Quercus robur</i>	
<b>Common Name:</b>	English Oak	
<b>Significance:</b>	Landscape, age, size	
<b>Height:</b>	17 m	
<b>Circumference:</b>	3.45 m	
<b>Spread:</b>	18 m	
<b>Estimated age:</b>	120	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Foster	
<b>Latitude:</b>	37 4692S	
<b>Longitude:</b>	145 2588E	


<b>Name:</b>	<i>Quercus robur concordia</i>	
<b>Common Name:</b>	Golden Oak	
<b>Significance:</b>	Horticultural, landscape, rarity	
<b>Height:</b>	9.8 m	
<b>Circumference:</b>	1.25 m	
<b>Spread:</b>	11 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Poor	
<b>Location:</b>	Berrys Creek	
<b>Latitude:</b>	38 2408S	
<b>Longitude:</b>	146 0312E	


<b>Name:</b>	<i>Quercus suber</i>	
<b>Common Name:</b>	Cork Oak	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	14 m	
<b>Circumference:</b>	2.65 m	
<b>Spread:</b>	18 m NS 3-9 m EW	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Good	
<b>Location:</b>	Arawata	
<b>Latitude:</b>	38 2481S	
<b>Longitude:</b>	145 5355E	





<b>Name:</b>	<i>Schinus molle</i>	
<b>Common Name:</b>	Pepper Tree	
<b>Significance:</b>	Horticultural, rarity, age, size, aesthetic quality	
<b>Height:</b>	13.75 m	
<b>Circumference:</b>	2.99 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	115	
<b>Condition:</b>	Good	
<b>Location:</b>	Bena	
<b>Latitude:</b>	38 2429S	
<b>Longitude:</b>	145 4551E	

<b>Name:</b>	<i>Sequoia sempervirens</i>	
<b>Common Name:</b>	Redwood	
<b>Significance:</b>	Horticultural, landscape, rarity	
<b>Height:</b>	23.3 m	
<b>Circumference:</b>	3.65 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	70	
<b>Condition:</b>	Good	
<b>Location:</b>	Arawata	
<b>Latitude:</b>	38 2322S	
<b>Longitude:</b>	145 5188E	


<b>Name:</b>	<i>Sequoia sempervirens</i>	
<b>Common Name:</b>	Redwood	
<b>Significance:</b>	Landscape, age, size	
<b>Height:</b>	22.2 m	
<b>Circumference:</b>	3.65 m	
<b>Spread:</b>	12 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Good	
<b>Location:</b>	Berrys Creek	
<b>Latitude:</b>	38 2408S	
<b>Longitude:</b>	146 0312E	


<b>Name:</b>	<i>Sequoia sempervirens</i>	
<b>Common Name:</b>	Redwood	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	18.24 m	
<b>Circumference:</b>	3.92 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	
<b>Location:</b>	Mardan	
<b>Latitude:</b>	38 2797S	
<b>Longitude:</b>	146 0236E	

<b>Name:</b>	<i>Sequoiadendron giganteum</i>	
<b>Common Name:</b>	Wellingtonia	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	22.68 m	
<b>Circumference:</b>	5.86 m	
<b>Spread:</b>	20 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Arawata	
<b>Latitude:</b>	38 2481S	
<b>Longitude:</b>	145 5355E	


<b>Name:</b>	<i>Sequoiadendron giganteum</i>	
<b>Common Name:</b>	Wellingtonia	
<b>Significance:</b>	Landscape, age, size	
<b>Height:</b>	28.8 m	
<b>Circumference:</b>	5.65 m	
<b>Spread:</b>	16 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Berrys Creek	
<b>Latitude:</b>	38 2408S	
<b>Longitude:</b>	146 0312E	





<b>Name:</b>	<i>Sequoiadendron giganteum</i>	
<b>Common Name:</b>	Wellingtonia	
<b>Significance:</b>	Horticultural, rarity, size, aesthetic quality	
<b>Height:</b>	22.05 m	
<b>Circumference:</b>	5.69 m	
<b>Spread:</b>	8 m	
<b>Estimated age:</b>	M	
<b>Condition:</b>	Good	
<b>Location:</b>	Foster	
<b>Latitude:</b>	38 3918S	
<b>Longitude:</b>	146 1226E	


<b>Name:</b>	<i>Syzigium floribundum</i>	
<b>Common Name:</b>	Weeping Lilly Pilly	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	18 m	
<b>Circumference:</b>	3.45 m	
<b>Spread:</b>	10 m	
<b>Estimated age:</b>	100	
<b>Condition:</b>	Good	
<b>Location:</b>	Leongatha	
<b>Latitude:</b>	38 2874S	
<b>Longitude:</b>	146 0072E	


<b>Name:</b>	<i>Tilia europaea</i>	
<b>Common Name:</b>	Lime or Linden	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	18.36 m	
<b>Circumference:</b>	2.7 m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Good	
<b>Location:</b>	Berrys Creek	
<b>Latitude:</b>	38 2499S	
<b>Longitude:</b>	146 0411E	


<b>Name:</b>	<i>Tilia europaea</i>	
<b>Common Name:</b>	Lime or Linden	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	16.56 m	
<b>Circumference:</b>	2.36m	
<b>Spread:</b>	14 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Leongatha North	
<b>Latitude:</b>	38 2552S	
<b>Longitude:</b>	145 5856E	

<b>Name:</b>	<i>Ulmus procera</i>	
<b>Common Name:</b>	English Elm	
<b>Significance:</b>	Horticultural, landscape, age, size, aesthetic quality	
<b>Height:</b>	22 m	
<b>Circumference:</b>	4.55 m	
<b>Spread:</b>	20 m	
<b>Estimated age:</b>	90-100	
<b>Condition:</b>	Good	
<b>Location:</b>	Darlimurla	
<b>Latitude:</b>	38 2240S	
<b>Longitude:</b>	146 1194E	

<b>Name:</b>	<i>Ulmus procera</i>	
<b>Common Name:</b>	English Elm	
<b>Significance:</b>	Horticultural, landscape, age, size, historic	
<b>Height:</b>	24.48 m	
<b>Circumference:</b>	3.72 m	
<b>Spread:</b>	16 m	
<b>Estimated age:</b>	110	
<b>Condition:</b>	Good	
<b>Location:</b>	Hedley	
<b>Latitude:</b>	38 3794S	
<b>Longitude:</b>	146 3002E	

<b>Name:</b>	<i>Washingtonia filifera</i>	
<b>Common Name:</b>	Cotton Palm	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	11.66 m	
<b>Circumference:</b>	1.22 m	
<b>Spread:</b>	1 m	
<b>Estimated age:</b>	90+	
<b>Condition:</b>	Good	
<b>Location:</b>	Buffalo	
<b>Latitude:</b>	38 4257S	
<b>Longitude:</b>	145 5584E	

<b>Name:</b>	<i>Washingtonia filifera</i>	
<b>Common Name:</b>	Cotton Palm	
<b>Significance:</b>	Horticultural, landscape, rarity, age, size, aesthetic quality	
<b>Height:</b>	17.2 m	
<b>Circumference:</b>	1.735 m	
<b>Spread:</b>	1 m	
<b>Estimated age:</b>	Mature	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Loch	
<b>Latitude:</b>	38 2209S	
<b>Longitude:</b>	145 4243E	

<b>Name:</b>	<i>Zelkova serrata</i>	
<b>Common Name:</b>	Zelkova	
<b>Significance:</b>	Landscape, rarity, age, size	
<b>Height:</b>	28.56 m	
<b>Circumference:</b>	3.95 m	
<b>Spread:</b>	27 m	
<b>Estimated age:</b>	100+	
<b>Condition:</b>	Outstanding specimen	
<b>Location:</b>	Berrys Creek	
<b>Latitude:</b>	38 2408S	
<b>Longitude:</b>	146 0312E	

**Latin Names**

<i>Abies alba</i> .....	42
<i>Abies vietchii</i> .....	98
<i>Abies vietchii</i> * .....	81
<i>Acacia melanoxylon</i> .....	5
<i>Acer palmatum</i> .....	98
Aleppo Pine .....	45
Algerian Oak .....	45
<i>Allocasuarina verticillata</i> .....	62
<i>Angophora costata</i> .....	5
<i>Angophora costata</i> .....	5
<i>Angophora costata</i> .....	59
<i>Angophora costata</i> * .....	40
<i>Araucaria bidwillii</i> .....	24
<i>Araucaria bidwillii</i> .....	98
<i>Araucaria bidwillii</i> .....	99
<i>Araucaria heterophylla</i> .....	99
<i>Araucaria heterophylla</i> .....	99
<i>Araucaria heterophylla</i> .....	100
<i>Arbutus unedo</i> .....	6
<i>Arbutus unedo</i> .....	37
<i>Arbutus unedo</i> .....	100
<i>Arbutus unedo</i> * .....	55
<i>Arbutus unedo</i> * .....	94
<i>Banksia integrifolia</i> .....	62
<i>Banksia serrata</i> .....	62
<i>Betula pendula</i> .....	100
<i>Betula pendula</i> * .....	92
Blue Atlas Cedar .....	44
<i>Brachychiton acerifolius</i> .....	101
<i>Brachychiton acerifolius</i> .....	101
<i>Brachychiton populneus</i> .....	6
<i>Brachychiton populneus</i> * .....	45
Canary Island Pine .....	45
<i>Castanea sativa</i> .....	101
<i>Castanospermum australe</i> .....	102
<i>Castanospermum australe</i> * .....	95
<i>Catalpa bignonioides</i> .....	49
<i>Cedrus atlantica</i> .....	43
<i>Cedrus deodara</i> .....	6
<i>Cedrus deodara</i> .....	70
<i>Cedrus deodara</i> * .....	49
<i>Cinnamomum camphora</i> * .....	40
<i>Cinnamomum camphora</i> .....	7
Cork Oak .....	45
Corsican Pine .....	45
Cottonwood .....	45
<i>Cryptomeria japonica elegans</i> .....	7
<i>Cupressus funebris</i> .....	7
<i>Cupressus funebris</i> * .....	56
<i>Cupressus glabra</i> .....	8
<i>Cupressus glabra</i> * .....	56
<i>Cupressus macrocarpa</i> .....	29
<i>Cupressus macrocarpa</i> .....	102

<i>Cupressus macrocarpa</i> *	89
<i>Cupressus sempervirens</i>	8
<i>Cupressus sempervirens</i> *	40
<i>Cupressus torulosa</i>	102
<i>Cupressus torulosa</i> *	85
Deodar	44
Douglas Fir	45
Elm	45
English Oak	45
<i>Eucalyptus botryoides</i>	8
<i>Eucalyptus botryoides</i> *	30
<i>Eucalyptus calophylla</i>	9
<i>Eucalyptus calophylla</i> *	27
<i>Eucalyptus citriodora</i>	9
<i>Eucalyptus citriodora</i>	38
<i>Eucalyptus cypellocarpa</i>	9
<i>Eucalyptus cypellocarpa</i>	63
<i>Eucalyptus globulus</i>	10
<i>Eucalyptus globulus</i>	10
<i>Eucalyptus globulus</i>	63
<i>Eucalyptus obliqua</i>	103
<i>Eucalyptus obliqua</i>	103
<i>Eucalyptus obliqua</i> *	78
<i>Eucalyptus ovata</i>	10
<i>Eucalyptus ovata</i> *	34
<i>Eucalyptus pauciflora</i>	64
<i>Eucalyptus pryoriana</i>	11
<i>Eucalyptus radiata</i>	78
<i>Eucalyptus regnans</i>	11
<i>Eucalyptus regnans</i>	103
<i>Eucalyptus regnans</i> *	96
<i>Eucalyptus strzeleckii</i>	64
<i>Eucalyptus viminalis</i>	11
<i>Eucalyptus viminalis</i>	12
<i>Eucalyptus viminalis</i>	12
<i>Eucalyptus viminalis</i>	12
<i>Eucalyptus viminalis</i>	64
<i>Eucalyptus viminalis</i>	104
<i>Eucalyptus viminalis</i> *	41
<i>Eucalyptus willisii</i>	13
<i>Exocarpos cupressiformis</i>	13
<i>Fagus sylvatica</i>	74
<i>Fagus sylvatica</i>	104
<i>Fagus sylvatica</i>	104
<i>Fagus sylvatica purpurea</i>	13
<i>Fagus sylvatica purpurea</i> *	50
<i>Fagus sylvatica riversi</i>	105
<i>Ficus carica</i>	14
<i>Fraxinus excelsior</i>	105
<i>Fraxinus excelsior</i> *	76
<i>Grevillea robusta</i>	14
<i>Grevillea robusta</i>	105
<i>Grevillea robusta</i> *	54
Hazel Pomaderis	45
<i>Ilex aquifolium</i>	106



<i>Ilex aquifolium</i> .....	106
<i>Ilex aquifolium</i> .....	106
<i>Ilex aquifolium</i> * .....	95
<i>Juglans regia</i> .....	107
<i>Juglans regia</i> * .....	83
<i>Lagunaria patersoni</i> .....	14
<i>Lagunaria patersoni</i> .....	70
<i>Lagunaria patersonii</i> * .....	41
<i>Liquidambar styraciflua</i> .....	15
<i>Liquidambar styraciflua</i> * .....	50
<i>Liriodendron tulipifera</i> .....	107
<i>Liriodendron tulipifera</i> .....	107
<i>Liriodendron tulipifera</i> .....	108
<i>Lophostemon confertus</i> .....	108
<i>Lophostemon confertus</i> * .....	76
<i>Magnolia grandiflora</i> .....	15
<i>Magnolia grandiflora</i> .....	67
<i>Metasequoia glyptostroboides</i> .....	15
<i>Michelia doltsopa</i> .....	108
<i>Michelia doltsopa</i> * .....	88
Monterey Pine .....	45
Norway Spruce .....	45
Oak.....	45
<i>Phoenix canariensis</i> .....	65
<i>Phoenix canariensis</i> .....	65
<i>Phoenix canariensis</i> .....	65
<i>Phoenix canariensis</i> .....	67
<i>Picea sitchensis</i> .....	109
<i>Pinus</i> ? .....	16
<i>Pittosporum eugenoides</i> .....	36
<i>Platanus orientalis</i> .....	16
<i>Platanus orientalis</i> * .....	51
<i>Platanus sp.</i> .....	61
<i>Platanus x acerifolia</i> .....	16
<i>Platanus x acerifolia</i> *.....	50
<i>Pseudotsuga menziesii</i> .....	59
<i>Quercus</i> ? .....	17
<i>Quercus</i> ? .....	109
<i>Quercus</i> ? .....	109
<i>Quercus canariensis</i> .....	17
<i>Quercus canariensis</i> .....	28
<i>Quercus canariensis</i> .....	75
<i>Quercus canariensis</i> *.....	51
<i>Quercus castaneifolia</i> .....	17
<i>Quercus castaneifolia</i> .....	71
<i>Quercus castaneifolia</i> .....	110
<i>Quercus castaneifolia</i> * .....	68
<i>Quercus castaneifolia</i> * .....	51
<i>Quercus cerris</i> .....	24
<i>Quercus cerris</i> .....	110
<i>Quercus cerris</i> * .....	81
<i>Quercus ilex</i> .....	18
<i>Quercus ilex</i> * .....	60
<i>Quercus palustris</i> .....	18
<i>Quercus palustris</i> .....	25

<i>Quercus palustris</i> *	52
<i>Quercus robur</i>	67
<i>Quercus robur</i>	71
<i>Quercus robur</i>	92
<i>Quercus robur</i>	110
<i>Quercus robur</i>	111
<i>Quercus robur concordia</i>	111
<i>Quercus robur concordia</i> *	71
<i>Quercus suber</i>	18
<i>Quercus suber</i>	111
<i>Quercus suber</i> *	52
<i>Quercus suber</i> *	93
Salt and Pepper Elm	45
<i>Schinus molle</i>	19
<i>Schinus molle</i>	112
<i>Sequoia sempervirens</i>	44
<i>Sequoia sempervirens</i>	112
<i>Sequoia sempervirens</i>	112
<i>Sequoia sempervirens</i>	113
<i>Sequoia sempervirens</i> *	72
<i>Sequoia sempervirens</i> *	81
<i>Sequoiadendron giganteum</i>	19
<i>Sequoiadendron giganteum</i>	113
<i>Sequoiadendron giganteum</i>	113
<i>Sequoiadendron giganteum</i>	114
<i>Sequoiadendron giganteum</i> *	72
<i>Sequoiadendron giganteum</i> *	94
Silver Poplar	45
Sitka Spruce	45
<i>Syncarpia glomulifera</i>	19
<i>Syncarpia glomulifera</i>	38
<i>Syzigium floribundum</i>	114
<i>Syzigium paniculatum</i>	65
<i>Thuja plicata</i>	20
<i>Thuja plicata</i> *	57
<i>Tilia europaea</i>	74
<i>Tilia europaea</i>	114
<i>Tilia europaea</i>	115
<i>Tilia europaea</i> *	83
<i>Ulmus</i> ?	52
<i>Ulmus carpinifolia variegata</i>	53
<i>Ulmus glabra pendula</i>	20
<i>Ulmus glabra pendula</i> *	53
<i>Ulmus minor variegata</i>	20
<i>Ulmus procera</i>	21
<i>Ulmus procera</i>	115
<i>Ulmus procera</i>	115
<i>Ulmus procera</i> *	53
Upright Silver Poplar	45
<i>Washingtonia filifera</i>	116
<i>Washingtonia filifera</i>	116
Western Yellow Pine	45
Wych Elm	45
<i>Zelkova serrata</i>	116
<i>Zelkova serrata</i> *	72

**Common Names**

Acacia baileyana .....	35
Acacia howittii .....	35
Acacia melanoxylon .....	35
Acer pseudoplatanus .....	35
Algerian Oak .....	17
Algerian Oak .....	28
Algerian Oak .....	51
Algerian Oak .....	75
Arbutus unedo .....	35
Arizona Cypress.....	8
Arizona Cypress.....	56
Ash.....	76
Ash.....	105
Atlas Cedar .....	43
Beech.....	74
Beech.....	104
Bhutan Cypress .....	85
Bhutan Cypress .....	102
Black Bean.....	95
Black Bean.....	102
Blackwood .....	5
Blue Gum .....	10
Blue Gum .....	10
Botanical Name .....	39
Brush Box.....	108
Bunya Pine .....	24
Bunya Pine .....	98
Bunya Pine .....	99
Camphor Laurel.....	7
Camphor Laurel.....	40
Canary Island Palm.....	67
Canary Island Palms .....	65
Canary Island Palms .....	65
Canary Island Palms .....	65
Cherry Ballart.....	13
Chestnut leaved Oak.....	68
Chestnut leaved Oak.....	71
Chestnut-leaved Oak.....	17
Chestnut-leaved Oak.....	51
Chestnut-leaved Oak.....	110
Chinese Weeping Cypress .....	7
Chinese Weeping Cypress .....	56
Coast Banksia .....	62
Coastal Manna Gum .....	11
Copper Beech.....	13
Copper Beech.....	50
Copper Beech.....	104
Cork Oak .....	18
Cork Oak .....	52
Cork Oak .....	93

Cork Oak .....	111
Corynocarpus laevigatus.....	35
Cotton Palm .....	116
Cotton Palm .....	116
Cryptomeria japonica elegans* .....	56
Cupressus macrocarpa .....	35
Cupressus sempervirens stricta .....	35
Dawn Redwood .....	15
Dawn Redwood .....	59
Deodar .....	6
Deodar .....	49
Deodar Cedar.....	70
Douglas Fir .....	59
Drooping Sheoak .....	62
English Elm.....	21
English Elm.....	53
English Elm.....	115
English Elm.....	115
English Oak.....	67
English Oak.....	71
English Oak.....	92
English Oak.....	110
English Oak.....	111
Eucalyptus botrioides .....	35
Evergreen Oak .....	17
Evergreen Oak .....	109
Fig.....	14
Flame Tree .....	101
Flame Tree .....	101
Flowering Gum .....	9
Flowering Gum .....	27
Golden Oak.....	71
Golden Oak.....	111
Hodgesons Oak .....	109
Holly .....	106
Holm Oak .....	18
Holm Oak .....	60
Indian Bean .....	49
Irish Strawberry Tree.....	6
Irish Strawberry Tree.....	55
Irish Strawberry Tree.....	100
Italian Cypress .....	8
Italian Cypress .....	40
Japanese Cedar .....	7
Japanese Maple .....	98
Japanese Zelkova .....	72
Kurrajong .....	6
Kurrajong .....	45
Lemon Scented Gum.....	9
Lemon Scented Gum.....	38
Lilly Pilly.....	65
Lime or Linden .....	74

Lime or Linden .....	83
Lime or Linden .....	114
Lime or Linden .....	115
Liquidambar .....	15
Liquidambar .....	50
London Plane .....	16
London Plane .....	50
Magnolia.....	15
Magnolia.....	67
Mahogany Gum .....	8
Mahogany Gum .....	30
Manna Gum .....	11
Manna Gum .....	12
Manna Gum .....	12
Manna Gum .....	12
Manna Gum .....	41
Manna Gum .....	64
Manna Gum .....	104
Messmate .....	78
Messmate .....	103
Messmate .....	103
Michelia.....	88
Michelia.....	108
Monterey Cypress.....	29
Monterey Cypress.....	89
Monterey Cypress.....	102
Mountain Ash .....	11
Mountain Ash .....	103
Mt Grey Gum .....	9
Mt Grey Gums.....	63
Myrtle Beech.....	64
Narrow leaved Peppermint.....	78
New Zealand Pittosporum .....	36
Norfolk Island Pine.....	99
Norfolk Island Pine.....	99
Norfolk Island Pine.....	100
Oriental Plane .....	16
Oriental Plane .....	51
Pepper Tree .....	19
Pepper Tree .....	112
Pin Oak .....	18
Pin Oak .....	25
Pin Oak .....	52
Pine .....	41
Pine ?.....	16
Purple Beech.....	105
Pyramid Tree .....	14
Pyramid Tree .....	41
Pyramid Tree .....	70
Redwood .....	44
Redwood .....	72
Redwood .....	81



Redwood .....	112
Redwood .....	112
Redwood .....	113
Saw Banksia .....	62
Shining Peppermint.....	13
Silky Oak.....	14
Silky Oak.....	54
Silver Birch .....	92
Silver Birch .....	100
Silver Fir.....	42
Sitka Spruce .....	109
Smooth bark Apple Myrtle.....	5
Smooth bark Apple Myrtle.....	5
Smooth barked Apple Myrtle .....	40
Smooth barked Apple Myrtle .....	59
Snow Gum.....	64
Southern Blue Gum.....	63
Species List.....	46
Strawberry Tree .....	37
Strzelecki Gum.....	64
Swamp Gum .....	10
Swamp Gum .....	34
Sweet Chestnut.....	101
Syncarpia glomulifera.....	35
Total number species 36.....	45
Tulip Tree .....	107
Tulip Tree .....	107
Tulip Tree .....	108
Turkey Oak.....	24
Turkey Oak.....	81
Turkey Oak.....	110
Turpentine Tree.....	19
Turpentine Tree.....	38
Umbrella Tree .....	53
Variiegated Elm.....	20
Variiegated Elm.....	52
Variiegated Elm.....	53
Variiegated Holly .....	95
Variiegated Holly .....	106
Variiegated Holly .....	106
Virgilia divaricata.....	35
Walnut .....	83
Walnut .....	107
Weeping Elm.....	20
Weeping Lilly Pilly .....	114
Wellingtonia.....	19
Wellingtonia.....	72
Wellingtonia.....	94
Wellingtonia.....	113
Wellingtonia.....	113
Wellingtonia.....	114
Western Red Cedar .....	20

Western Red Cedar ..... 57  
White Fir ..... 81  
White Fir ..... 98  
Yellow Stringy Bark ..... 63  
Zelkova ..... 116